SAFETY DATA SHEETS

This SDS packet was issued with item:

070911305

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070911263 070911347

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015 Page 1 of 7

Patterson Splint and Retainer Material

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Patterson Splint and Retainer Material

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: Patterson Splint and Retainer Material

Recommended uses of the product and restrictions on use: Vacuum Form Material

Manufacturer Details:

Patterson Companies, Inc. 1031 Mendota Heights Road St. Paul, MN 55120

Supplier Details:

Patterson Companies, Inc. 1031 Mendota Heights Road St. Paul, MN 55120

Emergency telephone number:

ChemTrec, INC 800-424-9300 703-527-3887 (CHEMTREC)

SECTION 2: Hazards identification

Classification of the substance or mixture: Not classified for physical or health hazards under GHS.

Signal word: None

Hazard statements: None

Precautionary statements:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:				
CAS Proprietary	Copolyester	>99 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015 Page 2 of 7

Patterson Splint and Retainer Material

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists. If molten material comes in contact with skin, do not apply ice but cool under ice water or running stream of water. DO NOT attempt to remove the material from the skin. Removal could result in severe tissue damage. Seek immediate medical attention/advice.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned. Ambient wax – flush wax particles with tepid water. Hot wax – seek medical attention.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. If swallowed, seek medical attention. May cause gastrointestinal blockage. Do not give laxatives.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents:

None identified.

Special hazards arising from the substance or mixture:

Film is self extinguishing; however if burning is supported by another source of material, fumes could be irritating.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

SMALL MOLTEN SPILL: Allow wax to cool and remove as a solid. Always obey local regulations. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal. LARGE MOLTEN SPILLS: Wear respirator and protective clothing as appropriate. Shut off source of leak if safe to do so. Dike and contain. Allow wax to cool and remove as a solid.

Reference to other sections: None

Effective date: 05.18.2015 Page 3 of 7

Patterson Splint and Retainer Material

SECTION 7: Handling and storage

Precautions for safe handling:

Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid heat and direct sunlight. Avoid contact in molten state.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Provide ventilation for containers. Keep container tightly sealed.

SECTION 8: Exposure controls/personal protection





Control Parameters: No applicable occupational exposure limits.

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination. Do not let molten product stand unused in melt tanks and injection

machines. Stir molten product at all times.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, film or sheets		Not applicable Not applicable
Odor:	Odorless	Vapor pressure at 20°C:	Negligible.
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	Not Determined	Relative density:	Not Determined
Melting/Freezing point:	Not Determined	Solubilities:	Negligible.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015 Page 4 of 7

Patterson Splint and Retainer Material

Boiling point/Boiling range:	INIAT I IATARMINAA	Partition coefficient (noctanol/water):	Not Determined
Flash point (closed cup):	ININI IJELERMINEN	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	INIAT HATARMINAA	Decomposition temperature:	Not Determined
Flammability (solid, gaseous):	Not flammable	I VIECNEITV'	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density at 20°C:	1.25-1.35 g/cm3		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials. High heat.

Incompatible materials:

Strong acids, alkalies, and oxidizing agents.

Hazardous decomposition products:

Thermal decomposition can release oxides of carbon.

SECTION 11: Toxicological information

Acute Toxicity:

Oral:

LD50 (Rat): > 5000 mg/kg estimated

Dermal:

LD50 (Rabbit) > 2000 mg/kg estimated **Chronic Toxicity**: No additional information.

Skin corrosion/irritation:

Prolonged contact is essentially non-irritating to skin. Contact with dust can cause mechanical irritation or drying of the skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.

Serious eye damage/irritation:

Dust contact with the eyes can lead to mechanical irritation. Elevated temperatures may generate vapor levels sufficient to cause eye irritation. Effects may include discomfort and redness.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: See section 15.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015 Page 5 of 7

Patterson Splint and Retainer Material

Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information. **Persistence and degradability**:

Not determined.

Bioaccumulative potential:

Not determined.

Mobility in soil:

Not determined.

Other adverse effects:

None identified.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Dispose of empty containers as unused product. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Small quantities can be disposed of with household waste.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA Not Regulated

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not Regulated. **Proper shipping Name:** Not Regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

SARA Section 313 (Specific toxic chemical listings):

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015 Page 6 of 7

Patterson Splint and Retainer Material

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-1-0 **HMIS**: 1-1-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA Resource Conservation and Recovery Act (USA).

TSCA Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015 Page 7 of 7

Patterson Splint and Retainer Material

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

Effective date: 05.18.2015 **Last updated**: 05.22.2015