AVMOR LTD Unit 11, Stafford Park 12 TELFORD, Shropshire, TF3 3BJ

Section I. Chemical Product and Company Identification Product Name/Trade Name THERMOTHANE EMULSION SEALER Chemical Family Sealer In case of Emergency Mobile: 07403739801 (Office) 01952 213203 Manufacturer **AVMOR LTD** Material Uses Hard surface, urethane sealer. 950 Michelin Laval (Quebec) H7L 5C1 Section II. Composition and Information on Ingredients CAS# % by Weight TI V/PFI LC50/LD50 Ethylene glycol 107-21-1 1-5 ORAL (LD50): Acute: 4700 mg/kg Not available [Rat.]. DERMAL (LD50): Acute: 9530 mg/kg [Rabbit.] Carbitol cellosolve 111-90-0 1-5 Not available. ORAL (LD50): Acute: 5500 mg/kg [Rat.]. DERMAL (LD50): Acute: 8500 mg/kg [Rabbit.]. Glycol ether EP 2807-30-9 1-5 Not available ORAL (LD50): Acute: 3089 mg/kg [Rat.]. Section III. Hazards Identification Dangerous in case of ingestion. This product may irritate eyes upon contact. Prolonged contact may cause skin Potential Acute Health Effects irritation or defatting. Section IV. First Aid Measures Eye contact IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. COLD water may be used. If irritation persists, seek Skin contact Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. If irritation persists, seek medical attention. Hazardous Skin Contact Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention. Allow the victim to rest in a well ventilated area. Seek medical attention if discomfort persists. Hazardous Inhalation Ingestion DO NOT induce vomiting. Have conscious person drink several glasses of water or milk. NEVER give an unconscious person anything to ingest. Seek immediate medical attention. Hazardous Ingestion No additional information Section V. Fire and Explosion Data Flammability of the Product Non-flammable **Auto-Ignition Temperature** Not applicable. Flash Points Not applicable. Flammable Limits Not applicable. Products of Combustion Carbon oxides (CO, CO2) Fire Hazards in Pressence of Not applicable Various Substances **Explosion Hazards** No specific information is available in our database regarding the product's risks of explosion in the presence of various materials. Fire Fighting Media and Use DRY chemicals, CO2, water spray or foam. Section VI. Accidental Release Measures Small Spill Dilute with water and mop up, or absorb with an inert DRY material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Be careful that the product is not present at a Large Spill concentration level above TLV. Check TLV on the MSDS and with local authorities. Section VII. Handling and Storage S1/2- Keep locked up and out of the reach of children. S23- Do not breathe gas/fumes/vapor/spray S25- Avoid contact with eyes. S29- Do not Precautions empty into drains. S62- If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Storage Store in a dry, cool and well ventilated area. Keep away from freezing. Section VIII. Exposure Controls/Personal Protection Gloves Gloves (impervious). Resiratory Wear appropriate respirator when ventilation is inadequate. Eyes Splash goggles. Other Full suit, face shield, boots: are recommended under exceptional circumstances such as fire, spill or for prolonged contact with bulk quantities. **Exposure Limits** Ethylene glycol TWA: 50 (ppm) from ACGIH [1994] Dibutyl phtalate TWA: 5 CEIL: 10 (mg/m3) Glycol ether EP TWA: 25 (ppm) Section IX. Physical and Chemical Properties Physical state and appearance Liquid Odor Mild acrylic **Boiling** point Weighted average: 113.01°C (235.4°F) Taste Not available. Meltina Point 0°C (32°F) Color White. Critical Temperature Not available. Molecular Weight Not applicable Volatility 80% (v/v). pH (in Water) Not available. **Evaporation Rate** Not available. pH (concentrate) Vapor Pressure Weighted average: 15.48 mm of Hg (@ 20°C) Vapor density Weighted average: 1.4 (Air = 1)

Specific Gravity

Odor Threshold

Viscosity

See solubility in water, methanol, diethyl ether, n-

Easily soluble in cold water, hot water, methanol.

Soluble in diethyl ether. Very slightly soluble in n-

1.020-1.025 (Water = 1)

Not available

Not available

octanol

Inocity (in Water)

Solubility

Dispersion Properties

The product is stable. (Yet this product is sensitive to drastic changes of temperature) Stability

Instability Temperature

Not available. No additional remark Conditions of Instability

Incompatibility with Various

Slightly reactive to reactive with oxidizing agents, reducing agents, acids, alkalis. Very slightly to slightly reactive with organic materials. Non-

Substances reactive with metals.

Not considered to be corrosive for metals and glass according to our database. Corrosivity

Section XI. Toxicological Information

Routes of Entry

Ingestion. Eye contact. Skin contact.

Toxicity to Animals

See section II.

Engineering Controls

Provide exhaust ventilation or other engeneering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Section XII. Ecological Information

Ecotoxicity

BOD5 and COD

Biodegradable.

Products of Biodegradation

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of

The products of degradation are less toxic than the product itself.

Biodegradation

Section XIII. Disposal Considerations

Dispose of material according to regional, provincial and federal regulations. Waste Disposal

ADR Classification

Section XIV. Transport Information Not controlled under ADR (Europe).

UN/NA

None

Packing Group Special Provisions for Transport

None. Not applicable.

Section XV. Other Regulatory Information DSCL (Classification)

R22- Harmful if ingested. R36- Irritating to eyes.

Section XVI. Other Information

Validated by the Regulatory Affaires Department on 99-12-01

12-12-20

NOTICE TO READER: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of sultability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.