

30815369
 BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
 Supersedes Date: No information available
 Version 1

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name BP 2603 EVA PRIMER TOLUENE FREE
Pure substance/mixture mixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives.
Uses Advised Against No information available.

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik (Shanghai) Management Co., Ltd
 Building 1, No.968 Guanghai Road, Minhang District
 Shanghai, China
 Tel: 021-60763101
 Fax: 021-60763133

Manufacturer

Bostik India Private Ltd
 124/1 & 124/2A
 Kachanayakanahalli
 Behind Bommasandra Indl.Area
 Off Hosur Road, Hennagara Post,
 Anekal Taluk
 Bangalore - 562106, Karnataka,
 INDIA
 Tel: 0091-80-27833520
 Fax: 00 91-80-27831324
 Email: Bostikinfo.India@bostik.com

Please refer to Section 16 for local affiliate addresses.

1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)

Email address SDS.AP@Bostik.com

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Acute toxicity - Oral	Category 4 (6.1D)
Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 2 (6.4)
STOT - Single Exposure	Category 2 (6.9B)
Acute aquatic toxicity	Category 1 (9.1A)
Chronic aquatic toxicity	Category 1 (9.1A)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group No information available

2.2. Label Elements

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1



Signal Word

DANGER

Hazard Statements

H371 - May cause damage to organs
H302 - Harmful if swallowed
H319 - Causes serious eye irritation
H315 - Causes skin irritation
H410 - Very toxic to aquatic life with long lasting effects
H225 - Highly flammable liquid and vapor

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P273 - Avoid release to the environment
P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge

Precautionary Statements - Response

P321 - Specific treatment (see .? on this label)
P309 + P311 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 - Wash contaminated clothing before reuse

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention

Ingestion

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P330 - Rinse mouth

Fire

In case of fire: Use CO₂, dry chemical, or foam to extinguish

Spill

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up
P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

- May be fatal if swallowed and enters airways

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

- May be harmful in contact with skin

2.4. Additional Information

This product requires child resistant fastenings if supplied to the general public This product requires child resistant fastenings when supplied to the general public unless the product is placed on the market in the form of aerosols or in a container with a sealed spray attachment Placed on the market in aerosol containers or in containers fitted with a sealed spray attachment

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Not Applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cyclohexane	110-82-7	40 - 50
Methyl ethyl ketone	78-93-3	20 - 30
Ethyl acetate	141-78-6	20 - 30
Methanol	67-56-1	5 - 10
n-Butyl acetate	123-86-4	1 - 5
Oxalic acid	144-62-7	1 - 5
Maleic acid	110-16-7	< 1

*** Any remaining ingredients are not hazardous

SECTION 4: First Aid Measures

4.1. Description of First Aid Measures

General Advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air.
Skin Contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.
Eye Contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
Self-protection of the First Aider	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms	None known.
----------	-------------

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically.
--------------------	------------------------

4.4. Reference to Other Sections

Reference to Other Sections	See Section 12: ECOLOGICAL INFORMATION. SECTION 7: Handling and Storage. SECTION 8: Exposure Controls/Personal Protection.
-----------------------------	--

SECTION 5: Fire Fighting Measures

5.1. Extinguishing Media

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for Firefighters

Special Protective Equipment for Fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

For Emergency Responders Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Environmental Precautions

Environmental Precautions Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for Cleaning up Soak up with inert absorbent material.

6.4. References to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. SECTION 7: Handling and Storage. SECTION 8: Exposure Controls/Personal Protection.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting/equipment.

7.2. Conditions for Safe Storage, including any Incompatibilities

General Hygiene Considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

Storage Conditions Keep only in the original container/package in a cool well-ventilated place.

Incompatible Materials Strong acids and bases

7.3. Specific End Use(s)

Other Information No information available.

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

7.4. References to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. SECTION 7: Handling and Storage.
SECTION 8: Exposure Controls/Personal Protection.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure Limits

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	European Union
Cyclohexane 110-82-7	TWA: 100 ppm	IDLH: 1300 ppm TWA: 300 ppm TWA: 1050 mg/m ³	TWA: 300 ppm TWA: 1050 mg/m ³	TWA: 200 ppm TWA: 700 mg/m ³
Methyl ethyl ketone 78-93-3	STEL: 300 ppm TWA: 200 ppm	IDLH: 3000 ppm TWA: 200 ppm TWA: 590 mg/m ³ STEL: 300 ppm STEL: 885 mg/m ³	TWA: 200 ppm TWA: 590 mg/m ³	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³
Ethyl acetate 141-78-6	TWA: 400 ppm	IDLH: 2000 ppm TWA: 400 ppm TWA: 1400 mg/m ³	TWA: 400 ppm TWA: 1400 mg/m ³	-
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³ S*
n-Butyl acetate 123-86-4	STEL: 200 ppm TWA: 150 ppm	IDLH: 1700 ppm TWA: 150 ppm TWA: 710 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³	TWA: 150 ppm TWA: 710 mg/m ³	-
Oxalic acid 144-62-7	STEL: 2 mg/m ³ TWA: 1 mg/m ³	IDLH: 500 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Chemical Name	Australia	China	Japan	Korea	New Zealand
Cyclohexane 110-82-7	100 ppm 350 mg/m ³ 300 ppm STEL 1050 mg/m ³ STEL	TWA: 250 mg/m ³ STEL: 375 mg/m ³	TWA: 150 ppm TWA: 520 mg/m ³	TWA: 200 ppm TWA: 700 mg/m ³	TWA: 100 ppm TWA: 350 mg/m ³ STEL: 300 ppm STEL: 1050 mg/m ³
Methyl ethyl ketone 78-93-3	150 ppm 445 mg/m ³ 300 ppm STEL 890 mg/m ³ STEL	TWA: 300 mg/m ³ STEL: 600 mg/m ³	TWA: 200 ppm TWA: 590 mg/m ³ ISHL/ACL: 200 ppm	STEL: 300 ppm STEL: 885 mg/m ³ TWA: 200 ppm TWA: 590 mg/m ³	TWA: 150 ppm TWA: 445 mg/m ³ STEL: 300 ppm STEL: 890 mg/m ³
Ethyl acetate 141-78-6	200 ppm 720 mg/m ³ 400 ppm STEL 1440 mg/m ³ STEL	TWA: 200 mg/m ³ STEL: 300 mg/m ³	TWA: 200 ppm TWA: 720 mg/m ³ ISHL/ACL: 200 ppm	TWA: 400 ppm TWA: 1400 mg/m ³	TWA: 200 ppm TWA: 720 mg/m ³
Methanol 67-56-1	200 ppm 262 mg/m ³ 250 ppm STEL 328 mg/m ³ STEL Skin	TWA: 25 mg/m ³ STEL: 50 mg/m ³ Skin	TWA: 200 ppm TWA: 260 mg/m ³ Skin ISHL/ACL: 200 ppm	Skin STEL: 250 ppm STEL: 310 mg/m ³ TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin
n-Butyl acetate 123-86-4	150 ppm 713 mg/m ³ 200 ppm STEL 950 mg/m ³ STEL	TWA: 200 mg/m ³ STEL: 300 mg/m ³	TWA: 100 ppm TWA: 475 mg/m ³ ISHL/ACL: 150 ppm	STEL: 200 ppm STEL: 950 mg/m ³ TWA: 150 ppm TWA: 710 mg/m ³	TWA: 150 ppm TWA: 713 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³
Oxalic acid 144-62-7	1 mg/m ³ 2 mg/m ³ STEL	TWA: 1 mg/m ³ STEL: 2 mg/m ³	-	STEL: 2 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

Other Information No information available

8.2. Exposure Controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment (PPE)

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental Exposure Controls No information available.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Highly viscous
Color	Colorless
Odor	Solvent
Odor Threshold	No information available

Property	Values	Remarks • Method
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point	= 75 °C / 167 °F	
Flash Point	> -20 °C / > -4 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limits	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	No information available
Density	No information available
Bulk Density	No information available

SECTION 10: Stability and Reactivity

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical Stability

Stability Stable under recommended storage conditions

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Keep away from heat, sparks and flames.

10.5. Incompatible Materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use conditions.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Inhalation No data available.
Eye Contact No data available.
Skin Contact No data available.
Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane 110-82-7	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 13.9 mg/L (Rat) 4 h
Methyl ethyl ketone 78-93-3	= 2483 mg/kg (Rat) = 2737 mg/kg (Rat)	= 5000 mg/kg (Rabbit) = 6480 mg/kg (Rabbit)	= 11700 ppm (Rat) 4 h
Ethyl acetate 141-78-6	= 5620 mg/kg (Rat)	> 18000 mg/kg (Rabbit) > 20 mL/kg (Rabbit)	-
Methanol 67-56-1	= 2500 mg/kg (Rat)	200-1000 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h
n-Butyl acetate 123-86-4	>10650 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 390 ppm (Rat) 4 h
Oxalic acid 144-62-7	= 375 mg/kg (Rat)	= 20000 mg/kg (Rat)	-
Maleic acid 110-16-7	= 708 mg/kg (Rat)	= 1560 mg/kg (Rabbit)	> 720 mg/m ³ (Rat) 1 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation No information available.
Serious Eye Damage/Eye Irritation No information available.
Sensitization No information available.
Germ Cell Mutagenicity No information available.
Carcinogenicity No information available.

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Central nervous system, Eyes, Gastrointestinal tract (GI), Kidney, Respiratory system, Skin.
Aspiration Hazard	No information available.
Carcinogenicity	No information available.

SECTION 12: Ecological Information

12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Cyclohexane 110-82-7	EC50 72 h > 500 mg/L (Desmodesmus subspicatus)	LC50 96 h 3.96 - 5.18 mg/L (Pimephales promelas flow-through) LC50 96 h 23.03 - 42.07 mg/L (Pimephales promelas static) LC50 96 h 24.99 - 44.69 mg/L (Lepomis macrochirus static) LC50 96 h 48.87 - 68.76 mg/L (Poecilia reticulata static)	EC50 24 h > 400 mg/L (Daphnia magna)
Methyl ethyl ketone 78-93-3	EC50=1972 mg/l (Pseudokirchneriella subcapitata)	LC50 96 h 3130 - 3320 mg/L (Pimephales promelas flow-through)	EC50 48 h > 308 mg/L (Daphnia magna)
Ethyl acetate 141-78-6	EC50 48 h = 3300 mg/L (Desmodesmus subspicatus)	LC50 96 h 220 - 250 mg/L (Pimephales promelas flow-through) LC50 96 h = 484 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h 352 - 500 mg/L (Oncorhynchus mykiss semi-static)	EC50 48 h = 560 mg/L (Daphnia magna Static)
Methanol 67-56-1	-	LC50 96 h = 28200 mg/L (Pimephales promelas flow-through) LC50 96 h > 100 mg/L (Pimephales promelas static) LC50 96 h 19500 - 20700 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h 18 - 20 mL/L (Oncorhynchus mykiss static) LC50 96 h 13500 - 17600 mg/L (Lepomis macrochirus flow-through)	-
n-Butyl acetate 123-86-4	EC50 72 h = 674.7 mg/L (Desmodesmus subspicatus)	LC50 96 h 17 - 19 mg/L (Pimephales promelas flow-through)	EC50 48 h = 44 mg/L (Daphnia magna)
Oxalic acid 144-62-7	-	LC50 24 h = 4000 mg/L (Lepomis macrochirus static)	EC50 48 h 125 - 150 mg/L (Daphnia magna Static)
Maleic acid 110-16-7	-	LC50 96 h = 75 mg/L Fish (Lepomis macrochirus)	EC50 48 h 250 - 400 mg/L (Daphnia magna)

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

No information available.

12.6. Other Adverse Effects

No information available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste from Residues/Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

SECTION 14: Transport Information

IMDG

UN/ID No	UN1133
Proper Shipping Name	Adhesives
Hazard Class	3
Packing Group	II
EmS-No	F-E, S-D
Description	UN1133, Adhesives, 3, II

IATA

UN/ID No	UN1133
Proper Shipping Name	Adhesives
Hazard Class	3
Packing Group	II
ERG Code	3L
Description	UN1133, Adhesives, 3, II

ADR

UN/ID No	UN1133
Proper Shipping Name	Adhesives
Hazard Class	3
Labels	3
Packing Group	II
Description	UN1133, Adhesives, 3, II, (D/E)
Classification Code	F1
Tunnel Restriction Code	(D/E)

SECTION 15: Regulatory Information

International Regulations

International Inventories

TSCA	Listed
PICCS	Listed
ENCS	Listed
IECSC	Listed
AICS	Listed
KECL	Listed
NZIoC	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

National Regulations

China

This product contains the following substance(s)

Chemical Name	Weight-%	List of Dangerous Goods
Cyclohexane 110-82-7	40 - 50	X
Methyl ethyl ketone 78-93-3	20 - 30	X
Ethyl acetate 141-78-6	20 - 30	X
Methanol 67-56-1	5 - 10	X
n-Butyl acetate 123-86-4	1 - 5	X

Japan

Not Applicable

Korea

K-REACH/chemical control act(CCA)

This product contains the following substance(s)

Chemical Name	Weight-%	Korea - MOE - K-REACH/CCA - Toxic Substances	Korea - MOE - K-REACH/CCA - Prohibited Substances	Korea - MOE - K-REACH/CCA - Restricted Substances	Korea - MOE - Chemicals Control Act (CCA) - Accident Precaution Chemicals
Methyl ethyl ketone 78-93-3	20 - 30	X			X
Ethyl acetate 141-78-6	20 - 30	X			X
Methanol 67-56-1	5 - 10	X			X

Legend

X - Present

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain a substance(s) on the SVHC as proposed by ECHA above a concentration of 0.1 wt. %

SECTION 16: Other Information

Local Contacts

Safety Data Sheet

30815369
BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015
Supersedes Date: No information available
Version 1

Bostik Korea, Ltd.
#801, 8F Mtek IT Tower, 344 pangyo-ro
Bundang-gu,
Seongnam-si
Gyeonggi-do, South Korea
Tel: 031-725-6600
Fax: 031-725-6699

Bostik-Nitta Co, Ltd
2-22,Futamata
Yao, Osaka
Japan
Tel: 81-72-948-8286
Fax: 81-72-948-8273

Bostik India Private Ltd
124/1 & 124/2A
Kachanayakanahalli
Behind Bommasandra Indl.Area
Off Hosur Road, Hennagara Post,
Anekal Taluk
Bangalore - 562106, Karnataka,
INDIA
Tel: 0091-80-27833520
Fax: 00 91-80-27831324
Email: Bostikinfo.India@bostik.com

Bostik Findley (Malaysia) Sdn. Bhd
Lot 112 & 113,
Kawasan Perindustrian senawang,
seremban, negeri sembilan, Malaysia
Tel: 606-6789788
Fax: 606-6789766

Bostik Findley (Malaysia) S/B
(Singapore Branch)
2 Jurong East
Street 21 #02-184
IMM Building
Singapore 609601
Tel: 65-6863-4088
Fax: 65-6863-4077

Bostik (Thailand) Co., Ltd
1/32 Bang-na Thani
Tower 16th A Foolr.
Soi Bangna-Trad 34,
Bangna-Trad rd.
Bang-na, Bangkok
Tel: 02-361 6460-7
Fax: 02-361 6469
Bostik Vietnam Company Limited
10 Doc Lap Avenue,
VSIP 1. Thuan An District,
BinhDuong Province. Viet Nam.
Tel: 84 650 3765105
Fax: 84 650 3765109

Bostik Phillippines, Inc.
35/F Raffles Corporate Center,
F. Ortigas Jr. Road
Ortigas Business Center,
Pasig city, Phillippines
Tel: 632-900-5656
Fax: 632-900-5622
Bostik Australia Pty Ltd
51-71 High street,
Thomastown Victoria, Australia
Tel: 613 9279-9333
Fax: 613 9279-9342
24-hr Emergency: 1800 033 111
Bostik New Zealand Limited
19 Eastern Hutt Road Wingate,
Lower Hutt, New Zealand
Tel: 04-567 5119
Fax: 04-567 5412
24-hr Emergency: 0800 243 622

Bostik Indonesia
Setiabudi Atrium Building,
Level 2, Suite 203 A
Jl. HR Rasuna Said
Jakarta Indonesia 12920
Tel: 62 21 521 0404
Fax: 62 21 521 0554
Jiangsu Bositk Adhesive Co.,Ltd
No.15-9, Xinggang Road, Changshu
Enconomic Development Zone
Jiangsu Province 215536
Tel: 0086-512-52266000
Fax: 0086-512-52266020

Bostik Findley (China) Adhesive Ltd
No.75, Xin Zhuang 2 Road, Yong He
District, GETDD
Guangzhou, China 511356
Tel: 020-8297 5266
Fax: 020-8297 5277

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet
No information available

Key Literature References and Sources for Data
No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	10-Jun-2015
Revision Note	Not Applicable.
Training Advice	Provide adequate information, instruction, and training for operator
Further Information	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Safety Data Sheet

30815369

BP 2603 EVA PRIMER TOLUENE FREE

Revision Date 10-Jun-2015

Supersedes Date: No information available

Version 1

End of Safety Data Sheet