

1. Product and Company Identification

Product Name LYSOL® Power & Free™ Bathroom Cleaner - Trigger
CAS # Mixture


**This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).
 This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulation.**

Product Use Bathroom cleaner

Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-338-6167
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

| LEGEND HMIS/NFPA | |
|---------------------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|---------------------|-----|
| Health | * 1 |
| Flammability | 1 |
| Physical Hazard | 0 |
| Personal Protection | B |



2. Hazards Identification

Emergency overview This product is regulated by the US EPA as a disinfectant.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

Mildly irritating to the eyes.

Skin

Slightly irritating to the skin.
 Not expected to be a skin sensitizer.

Inhalation

None expected during normal conditions of use.

Ingestion

Health injuries are not known or expected under normal use.

Target organs

Eyes. Respiratory system. Skin.

Chronic effects

The finished product is not expected to have chronic health effects.

Signs and symptoms

Symptoms may include redness, edema, drying, defatting and cracking of the skin.
 Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects

Components of this product have been identified as having potential environmental concerns.

3. Composition / Information on Ingredients

| Ingredient(s) | CAS # | Percent |
|------------------------------------|------------|---------|
| Dipropylene glycol monobutyl ether | 29911-28-2 | 1 - 2.5 |
| Citric Acid | 77-92-9 | 0.1 - 1 |
| Hydrogen peroxide | 7722-84-1 | 0.1 - 1 |

4. First Aid Measures

First aid procedures

| | |
|---------------------|---|
| Eye contact | Check for and remove any contact lenses. If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and continue rinsing eyes for at least 15 minutes. Get medical attention immediately. |
| Skin contact | Get medical attention immediately. In case of contact, immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash clothing before reuse. |
| Inhalation | Move exposed person to fresh air. Get medical attention immediately. |
| Ingestion | Call medical doctor or poison control center immediately. Wash out mouth with water. |

Notes to physician

Treat patient symptomatically.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

| | |
|---|---|
| Flammable properties | Not flammable by OSHA criteria. |
| Extinguishing media | |
| Suitable extinguishing media | Treat for surrounding material. |
| Unsuitable extinguishing media | Not available |
| Protection of firefighters | |
| Specific hazards arising from the chemical | Not available |
| Protective equipment for firefighters | Firefighters should wear full protective clothing including self contained breathing apparatus. |
| Hazardous combustion products | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur. |
| Explosion data | |
| Sensitivity to mechanical impact | Not available |
| Sensitivity to static discharge | Not available |

6. Accidental Release Measures

| | |
|----------------------------------|---|
| Personal precautions | Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. |
| Environmental precautions | Do not discharge into lakes, streams, ponds or public waters. |
| Methods for containment | Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. |
| Methods for cleaning up | Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use. |

7. Handling and Storage

| | |
|-----------------|--|
| Handling | <p>Ensure adequate ventilation. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Avoid contact with skin and clothing. Avoid contact with eyes. Avoid breathing vapors or mists of this product. Do not ingest. Keep container tightly closed. Wash thoroughly after handling.</p> |
| Storage | <p>Store in areas inaccessible to small children. Keep securely closed. Refillable. Refill trigger bottle only with this product. If not refilling, discard in trash or offer for recycle. Do not reuse this trigger for any other purpose. Store in a closed container away from incompatible materials. Store in original container, protected from direct sunlight, in a dry, cool, well ventilated area, and away from food and drink. Do not freeze.</p> <p style="text-align: center;">It is a violation of Federal law to use this product in a manner inconsistent with its labeling.</p> |

8. Exposure Controls / Personal Protection

Exposure limits

| Ingredient(s) | Exposure Limits |
|------------------------------------|--|
| Citric Acid | <p>ACGIH-TLV TWA: 10 mg/m³</p> <p>OSHA-PEL TWA: 10 mg/m³</p> |
| Dipropylene glycol monobutyl ether | <p>ACGIH-TLV Mist: 10 mg/m³</p> <p>OSHA-PEL Not established</p> |
| Hydrogen peroxide | <p>ACGIH-TLV TWA: 1 ppm</p> <p>OSHA-PEL TWA: 1 ppm</p> |

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

Eye / face protection

Not required under normal use conditions.
 Safety glasses with side-shields or full eye & face protection should be worn if risk assessment indicates this is necessary for the workplace or emergency responders.

Hand protection

Not required under normal use conditions. Chemical resistant, impervious gloves should be worn if risk assessment indicates this is necessary for the workplace or emergency responders.

Skin and body protection

As required by employer code.
 Usual safety precautions while handling the product will provide adequate protection against injury or irritation.
 Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.
When using do not eat or drink.
Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

| | |
|---|------------------------------------|
| Appearance | Liquid |
| Color | Clear |
| Form | aqueous solution |
| Odor | Characteristic |
| Odor threshold | Not available |
| Physical state | Liquid |
| pH | 2.1 - 3.5 |
| Freezing point | Not available |
| Boiling point | Not available |
| Pour point | Not available |
| Evaporation rate | Not available |
| Flash point | > 199.94 °F (> 93.3 °C) Closed Cup |
| Auto-ignition temperature | Not available |
| Flammability limits in air, lower, % by volume | Not available |
| Flammability limits in air, upper, % by volume | Not available |
| Vapor pressure | Not available |
| Vapor density | Not available |
| Specific gravity | 1.000 - 1.005 |
| Octanol/water coefficient | Not available |
| Solubility (H2O) | Complete |

10. Stability and Reactivity

| | |
|---|--|
| Reactivity | This product may react with oxidizing agents. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Chemical stability | Stable under recommended storage conditions. |
| Conditions to avoid | Do not freeze. Exposure to moisture. Keep away from extreme heat. DO NOT MIX WITH BLEACH or use in conjunction with other household products. |
| Incompatible materials | Caustics. Acids. Oxidizers. CORROSIVE TO METALS |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur. |

11. Toxicological Information

Component analysis - LC50

| Ingredient(s) | LC50 |
|------------------------------------|---------------|
| Citric Acid | Not available |
| Dipropylene glycol monobutyl ether | Not available |
| Hydrogen peroxide | Not available |

Component analysis - Oral LD50

| Ingredient(s) | LD50 |
|------------------------------------|----------------------------------|
| Citric Acid | 5040 mg/kg mouse; 3000 mg/kg rat |
| Dipropylene glycol monobutyl ether | 3700 mg/kg rat |
| Hydrogen peroxide | 75 mg/kg rat; 2000 mg/kg mouse |

Effects of acute exposure

Eye Mildly irritating to the eyes.

| | |
|---|---|
| Skin | Slightly irritating to the skin. Not expected to be a skin sensitizer. |
| Inhalation | None expected during normal conditions of use. |
| Ingestion | Health injuries are not known or expected under normal use. |
| Sensitization | The finished product is not expected to have chronic health effects. |
| Chronic effects | The finished product is not expected to have chronic health effects. |
| Carcinogenicity | The finished product is not expected to have chronic health effects. |
| Mutagenicity | The finished product is not expected to have chronic health effects. |
| Reproductive effects | The finished product is not expected to have chronic health effects. |
| Teratogenicity | The finished product is not expected to have chronic health effects. |
| Name of Toxicologically Synergistic Products | Not available |

12. Ecological Information

| | |
|---|--|
| Ecotoxicity | See below |
| Ecotoxicity - Freshwater Algae - Acute Toxicity Data | |
| Hydrogen peroxide | 7722-84-1 72 Hr EC50 Chlorella vulgaris: 2.5 mg/L |
| Ecotoxicity - Freshwater Fish - Acute Toxicity Data | |
| Citric Acid | 77-92-9 96 Hr LC50 Lepomis macrochirus: 1516 mg/L [static] |
| Dipropylene glycol monobutyl ether | 29911-28-2 96 Hr LC50 Poecilia reticulata: 841 mg/L [static] |
| Hydrogen peroxide | 7722-84-1 96 Hr LC50 Pimephales promelas: 16.4 mg/L; 96 Hr LC50 Lepomis macrochirus: 18-56 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 10.0-32.0 mg/L [static] |
| Ecotoxicity - Water Flea - Acute Toxicity Data | |
| Citric Acid | 77-92-9 72 Hr EC50 Daphnia magna: 120 mg/L |
| Hydrogen peroxide | 7722-84-1 24 Hr EC50 Daphnia magna: 7.7 mg/L; 48 Hr EC50 Daphnia magna: 18 - 32 mg/L [Static] |
| Persistence / degradability | Not available |
| Bioaccumulation / accumulation | Not available |
| Mobility in environmental media | Not available |
| Environmental effects | Not available |
| Aquatic toxicity | Not available |
| Partition coefficient | Not available |
| Chemical fate information | Not available |

13. Disposal Considerations

| | |
|--|--|
| Disposal instructions | Dispose in accordance with all applicable regulations. |
| Waste from residues / unused products | Not available |
| Contaminated packaging | Not available |

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1760, Corrosive liquids, N.O.S. (Citric acid, Hydrogen peroxide), Class 8, PG III, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN 1760, CORROSIVE LIQUID, N.O.S. (CITRIC ACID, HYDROGEN PEROXIDE), Class 8, PG III, Limited Quantity

IMDG (Marine Transport)

UN 1760, CORROSIVE LIQUID, N.O.S. (Citric acid, Hydrogen peroxide), Class 8, PG III, Limited Quantity

IATA/ICAO (Air)

UN 1760, Corrosive liquid, N.O.S. (Citric acid, Hydrogen peroxide), Class 8, PG III

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Registered with EPA, EPA Reg. No. 777-117

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Hydrogen peroxide 7722-84-1 1000 Lb EPCRA RQ (concentration >52%)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Hydrogen peroxide 7722-84-1 1000 Lb TPQ (concentration >52%)

CERCLA (Superfund) reportable quantity

Methanol: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Hydrogen peroxide 7722-84-1 Present

U.S. - Massachusetts - Right To Know List

Hydrogen peroxide 7722-84-1 Extraordinarily hazardous

U.S. - Minnesota - Hazardous Substance List

Hydrogen peroxide 7722-84-1 Present (including Hydrogen peroxide [90%])

U.S. - New Jersey - Right to Know Hazardous Substance List

Hydrogen peroxide 7722-84-1 sn 1015

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Hydrogen peroxide 7722-84-1 1 Lb RQ (air); 1 lb RQ (land/water)

U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities

Hydrogen peroxide 7722-84-1 500 Lb TQ (concentration >52%)

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen peroxide 7722-84-1 Environmental hazard (concentration >52%); Present

U.S. - Rhode Island - Hazardous Substance List

Hydrogen peroxide 7722-84-1 Toxic; Flammable

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Reportable Quantities

Hydrogen peroxide 7722-84-1 1000 Lb RQ

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Threshold Planning Quantities

Hydrogen peroxide 7722-84-1 1000 Lb TPQ (concentration >52%)

Inventory status

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

LYSOL® Power & Free™ Bathroom Cleaner - Cool Spring Breeze - 22 fl. oz (1 pt. 6 fl. oz.) (650 mL) - 0270327 v1.0

Issue date

21-Aug-2012

Effective date

21-Aug-2012

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.