

SAFETY DATA SHEET (SDS)

SECTION 1: IDENTIFICATION OF PRODUCT (MIXTURE) AND SUPPLIER

Product Name: EIA Stopping Solution

Product Number: **25260** (5 bottle kit)

Intended Use: These are replacement or separately purchased components, identical to those found in the kits,

which are to be used exclusively with these Bio-Rad Laboratories products:

GS HIV-1/HIV-2 PLUS O EIA, Catalog Number 32588, 32589

GS HBsAg EIA 3.0, Catalog Number 32591, 32592 GS HIV Combo Ag/Ab EIA, Catalog Number 26217

GS HIV-2 EIA, Catalog Number 32536

MONOLISATM Anti-HBc IgM EIA, Catalog Number 26174 MONOLISATM Anti-HBc EIA, Catalog Number 26186 MONOLISATM Anti-HBs EIA, Catalog Number 26220 MONOLISATM Anti-HAV IgM, Catalog Number 72495 MONOLISATM Anti-HAV, Catalog Number 72496

Catalog Number 26192

Refer to the Bio-Rad Laboratories product SDSs and kit instructions for safe handling of this kit

optional material in the assay process.

Manufactured by: Bio-Rad Laboratories, Inc.

Address: 6565 185th Avenue NE

Redmond, WA 98052-5039, USA

Website: <u>www.bio-rad.com</u>

Phone Number: 1-800-2-BIORAD (1-800-224-6723); or 1-425-881-8300 (daytime PT)

SDS e-mail contact: <u>ro-sds@bio-rad.com</u>

Technical Information

Contacts:

Bio-Rad provides a toll free line for technical assistance; in the United States of America call toll free 1-800-2-BIORAD (1-800-224-6723). Outside the U.S.A., please contact your regional Bio-Rad office

for assistance.

Emergency Phone

Number:

This SDS is listed with CHEMTREC 1-800-424-9300 (US) / 001-703-527-3887 (international – can be called collect). Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK,

FIRE, EXPLOSION, or ACCIDENT with this product.

SECTION 2: HAZARDS IDENTIFICATION -- HAZARDOUS COMPONENTS

This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety. The following information is furnished for those product hazardous constituents that require regulatory control or disclosure at the concentration found in the product. The GHS, US HCS, EC CLP, and related classifications were made according to the latest editions and expanded upon from company and literature data. Refer to Section 16 for the full text of any solely abbreviated or coded hazard statements provided below. Refer to Section 16 for the Key / legend to abbreviations and acronyms.

Component	Content
R10. EIA Stopping Solution 5 bottles (120 mL)	- 1N Sulfuric Acid (4.4% w/w $\rm H_2SO_4$), CAS# 7664-93-9, EC No 231-639-5[pH < 2, clear liquid]; severely irritating to skin, corrosive to eyes. GHS \ US HCS \ EC CLP: DANGER! GHS05; H290, H314; P280; P301 + P330 + P331, P305 + P351 + P338; P501.
DANGER!	

SDSen25260 Rev. A (JUNE 2015) Page 1 of 12



[Catalog # 25260]

Markings according to the *United Nations* (UN) Globally Harmonized System (GHS), *United States* Hazard Communication Standard (HCS), and *European Community* (EC) 2008/1272/EC guidelines:

This product has been conservatively classified and labeled in accordance with applicable *United Nations (UN)* GHS, *United States* Hazard Communication Standard (HCS), and related *European Community (EC)* 2008/1272/EC guidelines. The following regulated hazardous chemical concentrations are found in product component(s):

[Component R10] - 1N H₂SO₄ [4.4% w/w Sulfuric acid], CAS# 7664-93-9, EC No 231-639-5 (pH ≤ 2); severely irritating to skin, corrosive to eyes. [This STOP solution has been evaluated with the CORROSITEX® test method to determine its corrosive potential and classification. The results of this testing classified this STOP solution as Class: 8, Packing group II (UN2796)]

Comprehensive GHS Based Classification: Skin Corrosive Category 1B Serious eye damage (Category 1)



Label(s):

Signal Word: **DANGER!**

Label Hazard Statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements (statements for product intended use and as codified on the product label):

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P501 This material and its container must be disposed of as hazardous waste.

Supplemental Precautionary Statements (additional precautions to consider relative to specific customer use):

P260 Do not breathe mist / vapours / spray.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P313 If exposed or concerned: Get medical advice/ attention.

P405 Store locked up.

[Source: Raw Material vendor SDS, CCOHS databases and regulatory research]

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS -- HAZARDOUS COMPONENTS

The following information is furnished for those product hazardous constituents that require regulatory control or disclosure regardless of the concentration found in the product. Note that the information here is often based on data from the chemical raw material safety data sheet and literature (LD₅₀, exposure limits, etc.). Chemical constituents that do not require regulatory disclosure are not generally included here. This product contains a significantly diluted concentration in an aqueous solution; thus, the assessment below has not considered the dilution reduction effect on the hazard. That hazard communication information is provided in Section 2 above. Some components were tested at the concentration found in the kit. In that case, the assessment is provided for the chemical dilution tested, and the tested concentration will be provided at the beginning of the *Chemical Ingredient Data/Information* box. The GHS, US HCS, EC CLP, and analogous GHS-based global regulation classifications were made according to the existing editions and expanded upon from company and literature data. Refer to Section 16 for the list of sources utilized in the assessment and the Key / legend to abbreviations and acronyms.

SDSen25260 Rev. A (June 2015) Page 2 of 12





Chemical Ingredient Data / Information

Chemical Ingredient: Sulfuric acid

Chemical concentrations found in this product: 1 N (< 5% H₂SO₄ in water)

Data for Concentrated / 100% chemical used in the product mixture (concentration tested):

CAS#: 7664-93-9 (Conc. sulfuric acid 100%)

EC No: 231-639-5 (100%)

LD₅₀ (oral-rat): 2,140 mg/kg (100%)

LC₅₀ (inhalation-rat): 510 mg/m³/2H (100%)

Index No: 016-020-00-8 (100%) LD₅₀ (skin-rabbit): NE (100%)

Registration No: 01-2119458838-20-XXXX LC₅₀ (96 hr-fish): Gambusia affinis (Mosquito fish) – 42 mg/l (100%)

RTECS#: WS5600000 (100%) pH value: 1.2 at 5 g/L

Chemical Formula: H₂SO₄ (100%) Molecular weight: 98.08 g/mol (100%)

Synonyms/Trade Names: Acide sulfurique; Acido solforico; BOV; Battery acid; Dihydrogen sulfate; Dipping acid; Electrolyte acid; Mattling acid; Oil of vitriol; Schwefelsaeureloesungen; Strong inorganic acid mists containing sulfuric acid; Sulfuric acid; Sulfuric

acid, aerosol; Sulphuric acid; Vitriol Brown Oil; Zwavelzuuroplossingen

Raw Material GHS / US HCS / EC CLP Classification (100%):

DANGER!

Acute Tox. - oral. Cat. 5, Skin Corr. Cat. 1A, Eye Damage. Cat. 1, Aquatic Acute Cat. 3, Aquatic Chronic Cat. 3, Met. Corr. Cat. 1

H290, H303, H314, H412

P273, P280, P301 + P330 + P331, P303 + P361 + P353, P305 + P351 + P338, P310, P405, P501

[Source: Raw Material vendor SDS, CCOHS databases and regulatory research]

NA: Not Applicable.

NE: Not Established or Unknown (unable to locate data); typically for concentrate form unless otherwise specified.

Related product information:

- ♦ Refer to section 2 for the full text of any *Comprehensive GHS-based Classification* statements coded above. Refer to Section 16 for the list of sources utilized in the assessment and the Key / legend to abbreviations and acronyms.
- Do not eat, drink, or smoke when using this product.
- Wear protective gloves / protective clothing / eye protection / face protection. Take off contaminated clothing and wash before reuse.

Health Effects: Symptoms of over exposure may include headache and congestion. Causes se

Health Effects:	Symptoms of over exposure may include headache and congestion. Causes severe skin burns and eye damage. Severely irritating or corrosive to eyes; greater exposures can cause eye damage, including permanent impairment of vision. May cause ingestion corrosive effects, including burning throat, mouth, and stomach.
Eye Contact:	Flush eyes with copious water for at least 15 minutes. Ensure adequate flushing by separating the eyelids with fingers while flushing with water. OBTAIN MEDICAL ATTENTION.
Skin Contact:	Remove contaminated clothing. Flush skin with copious water and wash affected area with soap and water. If blood-to-blood contact occurs, or if more severe symptoms develop, consult a physician.
Inhalation:	Remove person from exposure area to fresh air. Generally, this aqueous product is not a significant inhalation hazard in the kit volumes and concentrations present. If breathing becomes difficult, immediately call for emergency medical assistance. Treat symptomatically and supportively.
If Swallowed:	If ingested, rinse out mouth thoroughly with water, provided the person is conscious, and OBTAIN MEDICAL ATTENTION. Call a physician or the local poison control center. Treat symptomatically and supportively. If vomiting occurs, keep head lower than hips to prevent aspiration.
Notes to Physician	According to the OSHA Bloodborne Pathogens Standard (29 CFR 1910.1030), Universal Precautions apply. Persons handling human blood source samples should be offered hepatitis B vaccination prior to working with human source material.

SDSen25260 Rev. A (June 2015) Page 3 of 12





	SECTION 5: FIREFIGHTING MEASURES
Extinguishing Media:	Use extinguishing media appropriate for the surrounding fire.
Hazardous Combustion Products:	May release toxic oxides of carbon, nitrogen, and sulfur gas.
Special Firefighting Procedures: Conventional firefighting full protective equipment (with NIOSH-approved self-cont breathing apparatus) and procedures appropriate for the surrounding fire shoul sufficient.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

- Avoid direct contact with skin, eyes, mucous membranes, and clothing by wearing appropriate lab Personal Protective Equipment (PPE), including gloves, lab coat, and eye/face protection.
- In the event of a hazardous material spill, contain the spill if it is safe to do so and immediately move to a safe area, free from potential aerosols, to decontaminate and/or safely remove any contaminated clothing, as necessary. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Isolate the hazard area and ventilate if appropriate. Ensure that appropriate spill cleanup materials and PPE are available and used.
- Prevent material from entering sewers, waterways, or confined spaces.
- Follow established laboratory policy and applicable CDC/NIH biosafety and/or OSHA/WISHA hazardous material spill and/or NFPA/Fire Code guidelines for appropriate hazardous chemical and/or biological material spill response and cleanup. Avoid release to the environment.
- Wear appropriate PPE. Immediately, and on-site if possible: Neutralize corrosive acidic spills with the appropriate Acid neutralization / adsorbent product.
- Clean the spill area with water and wipe dry. Spills can also be absorbed with an appropriate inert material (e.g., spill pillows, absorbent pads), which are secured in an appropriate, labeled, sealed container. Material used to absorb the spill may require hazardous material waste disposal. Infectious, Chemical, and Laboratory wastes must be handled and discarded in accordance with all local, regional, national, and international regulations.
- Refer to Sections 8 and 13 for more specifics.

SECTION 7: HANDLING AND STORAGE INFORMATION

Handling:	This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Follow proper Good Laboratory Practices and safety guidelines for handling chemical, biological, and laboratory hazards.
	Do not smoke, eat, or drink in areas where patient samples and kit reagents are handled. Wash your hands after use. Wear appropriate personal protective equipment (PPE) including gloves, lab coat or equivalent, and eye/face protection.
	Keep containers tightly closed; avoid splashing, spills, and the generation of aerosols.
	Handle all human source materials, specimens, and equipment used to perform the operations as though they were capable of transmitting infectious disease, as per <i>Standard</i> and <i>Universal Precautions</i> .
	All personal protective equipment should be removed before leaving the work area. Refer to Section 8 for more specifics.
	Avoid release to the environment. Do not allow undiluted product hazardous chemical ingredient or large quantities of it to reach ground water or water course.
	Consult with your Environmental Health & Safety Office for assistance.
Storage:	Store according to product and label instructions (generally at 2-8 °C).
Caution, cor	nsult accompanying documents. Read and follow all the precautions and warnings in the kit product instructions for

These are separately purchased components, identical to those found in the kits, which are to be used exclusively with the Bio-Rad Laboratories products listed in Section 1.

SDSen25260 Rev. A (June 2015) Page 4 of 12



SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION MEASURES

Control Parameters - Component chemicals with limit values that require monitoring at the workplace:

Chemical	CAS-No.	Value	Control parameter	Update	Basis
Sulfuric acid	7664-93-9	TWA – TLV	0.2 mg/m ³ (thoracic fraction)	2004-01-01	USA. ACGIH Threshold Limit Values (TLV)
		TWA – PEL	1 mg/m ³ *	1993-06-30	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		REL IDLH	1 mg/m ³ 15 mg/m ³	2005-149 [SEP-2007]	USA. National Institute for Occupational Safety and Health (NIOSH)
	* The value in mg/m³ is approximate **Remarks: TLV CARCINOGENICITY DESIGNATION A2 – Suspected Human Carcinogen: Substance is car laboratory animals under conditions that are considered relevant to worker exposure. Available human conflicting or insufficient to confirm an increased risk of cancer in exposed humans. Worker exposure carcinogen should be controlled to levels as low as reasonably achievable below the TLV. The A2 Carcinogenicity Designation refers to sulfuric acid contained in strong inorganic acid mists.			worker exposure. Available human studies are n exposed humans. Worker exposure to an A2 ble below the TLV.	

Additional information: The lists that were valid during the creation were used as basis.

The following personal protective equipment (PPE) is recommended to prevent blood or other potentially infectious or hazardous materials from reaching the user's work or street clothes, skin, mouth, mucous membranes and eyes, or hazard inhalation, under normal conditions of use and for the time during which the protective equipment is utilized:

Ventilation:	Adequate lab ventilation is required.
Eye / Face Protection:	Wear ANSI approved safety glasses, goggles or face shield with safety glasses or goggles. Contact lenses should not be worn when handling lab hazards.
Protective Gloves:	Suitable gloves must be worn at all times when handling kit reagents or patient samples to provide skin protection from splash and intermittent contact. Synthetic gloves, such as Nitrile, Neoprene, and Vinyl, are recommended because they are sturdy, effective, and contain no natural latex ingredients associated with latex glove allergic reactions. Disposable (single use) gloves should be changed often and never be reused. Wash hands thoroughly after removing gloves.
Protective Clothing:	Wear a lab coat, clinic jacket, gown, apron, and/or smock. Disposable clothing is strongly recommended when handling biohazardous material. If reusable clothing is used, procedures for handling potentially infectious laundry under the OSHA Bloodborne Pathogens Standard (29 CFR 1910.1030) are required.
Respiratory Protection:	Do not breathe mist / vapours / spray.
Other:	All personal protective equipment should be removed before leaving the work area and placed in an appropriately designated area or container for storage, processing, decontamination, or disposal.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Clear aqueous liquid.			
Odour / Odor:	No applicable information was found. Odour threshold: Not Established.			
pH:	pH ≤ 2.			
Boiling point:	Undetermined. Melting point: Undetermined.			
Flash point:	Not Applicable. Flammable limits: LEL/LFL is Not Applicable; UEL/UFL is Not Applicable			
Evaporation rate:	No applicable information was found.			
Fire hazard:	Although the components have not been tested for fire hazard and explosion data, being water-based, they are not expected to be fire hazards, but some of the kit packaging materials may burn under fire conditions.			
Vapor pressure:	No applicable information was found.			

SDSen25260 Rev. A (June 2015) Page 5 of 12



Vapor density:	No applicable information was found.	
Relative density:	Approximately 1.	
Solubility:	Soluble in all proportions with generation of heat.	
Partition coefficient	No applicable information was found.	
(n-octanol/water):		
Auto igniting:	Product is not known to be self-igniting.	
Decomposition	No applicable information was found.	
temperature:		
Viscosity:	No applicable information was found.	
Danger of explosion:	Product is not known to present an explosion hazard.	
No other standard characteristics applicable to the identification or hazards of the product are known.		

SECTION 10: STABILITY AND REACTIVITY INFORMATION

NOTE: Chemical reactions that could result in a hazardous situation (e.g., generation of flammable or toxic chemicals, fire, or detonation) are listed here. Although not intended to be complete, an overview of important reactions involving common chemicals is provided to assist in the development of safe work practices.

Chemical Stability / Reactivity:	Stable with no known inherent significant reactivity, except being acidic solutions , may have an exothermic reaction with certain chemicals, particularly strong bases and reducing agents.
Conditions to Avoid:	None known when used as intended.
Materials to Avoid:	Do not allow the acidic solutions to come in contact with strong bases, oxidizing agents, and metals.
Hazardous Decomposition Products:	May release toxic oxides of carbon, nitrogen, and sulfur gas.
Hazardous Polymerization:	Has not been reported to occur.

SECTION 11: TOXICOLOGICAL INFORMATION -- GENERAL COMPOSITE

Refer to Sections 2 and 3 for the kit component concentrations. The composite toxicological information for this product is:

Acute Health Effects

Toxicity:	May be detrimental in contact with skin, if swallowed, and to eyes upon contact; in case of contact with eyes, immediately rinse with copious water and seek medical attention.		
Primary Irritant Effect:	Irritating to skin and severely irritating or corrosive to eyes, and with greater exposures can cause eye damage, including permanent impairment of vision or blindness.		
Corrosivity:	Causes severe skin burns and eye damage. The <i>Stopping Solution</i> (R10) is Corrosive, able to cause severe burns of the mucous membranes, skin and eyes; can cause permanent eye damage or blindness. May cause ingestion corrosive effects, including burning throat, mouth and stomach.		
Serious Eye Damage / Irritation:	The <i>Stopping Solution</i> (R10) is Corrosive, able to cause severe burns of the eyes; can cause permanent eye damage or blindness. The Stopping Solution poses a risk of serious damage to eyes. Harmful to eyes upon contact; in case of contact with eyes, immediately rinse with copious water and seek medical attention.		
STOT-Single Exposure:	No applicable information was found.		
STOT-Repeated Exposure:	No applicable information was found.		
Aspiration Hazard:	No applicable information was found.		
Other Acute Health Effects:	No significant other acute health effect known.		

SDSen25260 Rev. A (June 2015) Page 6 of 12



[Catalog # 25260]



Chronic Toxicity

Sensitization:	No sensitization effect known.
Carcinogenicity:	No carcinogenic effect known. No component, mixture, or constituent has been classified as a carcinogen by NTP, IARC, or OSHA.
Germ Cell Mutagenicity:	No applicable information was found.
Reproductive hazard:	No reproductive toxic effect known.

<u>Additional Toxicological Information:</u> The chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

This product was not tested. The following assessment is based on information for the ingredients.

Ecotoxicity:	Concentrated Sulfuric acid [CAS# 7664-93-9]*: Fish LC ₅₀ - Gambusia affinis (Mosquito fish) – 42 mg/l - 96 h * Source: Raw Material Vendor Safety Data Sheets	
Persistence and degradability:	This information is not available.	
Bioaccumulation potential:	This information is not available.	
Mobility in soil:	This information is not available.	
PBT and vPvB assessment:	This information is not available.	
Other adverse effects:	Hazardous for drinking water and toxic to aquatic organisms by pH modification if not neutralized. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	

Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal of hazardous and/or laboratory wastes, product, or packaging must be conducted in accordance with all applicable local, regional, national, and international regulations. This section specifies the general and United States RCRA requirements. Processing, use, or contamination of the kit components may change waste management requirements and options. Contact your Environmental Health & Safety Office for your specific disposal procedures.

Recommended Product Disposal: Acidic *Stopping Solution* (sulfuric acid, pH \leq 2), wastes should be neutralized to pH 6-8 for safe sewer disposal; check your local, regional, national, and international ordinances accordingly. If the final pH measures \leq 2, it requires disposal as a corrosive material in a RCRA approved waste facility (or equivalent); the US RCRA Waste disposal Code for this waste, if not neutralized, is D002; check your international, national, and regional ordinances accordingly.

Do not allow undiluted product or large quantities of it to reach ground water or water course.

Recommended Unclean Packaging Disposal: Dispose in accordance with all applicable local, regional, national, and international regulations.

SECTION 14: TRANSPORT INFORMATION

Shipping of product, packaging, and waste must be conducted in accordance with all applicable local, regional, national, and international regulations. Processing, use, or contamination of the kit components may change shipping requirements and options. Contact your Environmental Health & Safety Office for your specific shipping procedures.

SDSen25260 Rev. A (June 2015) Page 7 of 12



[Catalog # 25260]

Recommended Unused Product Multi-Modal Transportation: According to US DOT, IATA, and UN "Model Regulations", the STOPPING SOLUTION in the kit must be transported as follows:

Acidic 1N sulfuric acid *Stopping Solution* is at pH \leq 2 contains 1 N Sulfuric acid (< 5% H₂SO₄).

Thus, any unneutralized discarded product component or waste generated from its use resulting in a corrosive liquid (pH ≤ 2 or a pH ≥ 12.5 per Method 9040 (USEPA Publication SW-846) or which corrodes Steel (NACE Standard TM-01-69)) must be transported as follows:

Proper Shipping Name and Description: Sulphuric acid [with not more than 51% acid]

Hazard Class or Division: 8 UN ID Number: UN 2796

Packing group II



Recommended Used Product Hazardous Waste Disposal Transportation: Air and land transportation information for discarded kit components and waste from this product when used as intended is:

Acidic 1N sulfuric acid *Stopping Solution* is at pH \leq 2.

Thus, any un-neutralized discarded product component or waste generated from its use resulting in a corrosive liquid (pH ≤ 2 or an pH ≥ 12.5 per Method 9040 (USEPA Publication SW-846) or Corrodes Steel (NACE Standard TM-01-69)) must be transported as follows:

Proper Shipping Name and Description: Sulfuric acid, Spent

Hazard Class or Division: 8 UN ID Number: UN 1832

Packing group II



Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

SECTION 15: REGULATORY INFORMATION					
Composite HMIS Rating:	Health: 2	Flammability: 0	Reactivity: 1		
Carcinogenicity Categories:					

Carcinogenicity Categories:

Contains 1N Sulfuric Acid, CAS# 7664-93-9: .IARC Group 1, The agent is Carcinogenic to Humans, NTP listed as Known to be a Human Carcinogen and ACGIH-TLV Group A2, Suspected Human Carcinogen

Note: The IARC Group 1 and ACGIH A2 classifications refers specifically to sulfuric acid contained in strong inorganic acid mists are and does not apply to sulfuric acid or sulfuric acid solutions.

National Regulations - Other Domestic / Foreign Laws:

Hazard communication compliance - This SDS contains the required information for preparation in accordance with the following GHS-based global regulations:

- United States Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200 (US HCS)
- Taiwan Regulation Lao-An-3-Tzu-No. 0960145703 / Published National Standard CNS 15030
- People's Republic of China National Standard GB/T 17519-2013, GB 30000-2013
- New Zealand Hazardous Substances and New Organisms Act 1996 (HSNO), Hazardous Substances (Classification) Regulations 2001 and Thresholds and Classifications January 2012 (as published in 2008) Composite HSNO Hazard Class: Subclass 8.2 Category B (skin corrosive, GHS 1B)

Subclass 8.3 Category A (eye corrosive)

- Mexico Standard NMX-R-019-SCFI-2011
- European Community (EC) applicable CLP related regulations (2010/453/EC, 2008/1272/EC, 2006/1907/EC, etc.)
- Canada Standard Workplace Hazardous Materials Information System (WHMIS-GHS) Canadian Standard for the hazard classification criteria for this product.

Composite WHMIS Hazards

Skin Corrosion Serious Eye Damage

SDSen25260 Rev. A (June 2015) Page 8 of 12



8. **Australia** – Code of Practice *Preparation of Safety Data Sheets for Hazardous Chemicals* under Section 274 of the **Work Health and Safety** (WHS) Act.

Australian Inventory of Chemical Substances (AICS): All pertinent ingredients are listed.

9. Analogous GHS-based global regulations

Inventory status

Country(s) or region Inventory name	In Compliance (yes/no)*	
Australia Australian Inventory of Chemical Substances (AICS)	Yes	
Canada Domestic Substances List (DSL)	Yes	
Canada Non-Domestic Substances List (NDSL)	Yes	
China Inventory of Existing Chemical Substances in China (IECSC)	Yes	
Europe European Inventory of Existing Commercial Chemical Substances (EINECS) or		
Europe European List of Notified Chemical Substances (ELINCS)	Yes	
Japan Inventory of Existing and New Chemical Substances (ENCS)	Yes	
Korea Existing Chemicals List (ECL)	Yes	
New Zealand New Zealand Inventory	Yes	
Philippines Philippine Inventory of Chemicals and Chemical Substances (PICC	S) Yes	
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory	Yes	

^{*} A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

United States SARA:

SARA 302 Components: The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulfuric Acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

SARA 313 Components: The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulfuric Acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

California Proposition 65: The Product does not contain listed substances.

SECTION 16: OTHER INFORMATION

Hazard statement abbreviation(s)

Acute Tox oral	Acute toxicity, oral
Skin Corr.	Skin corrosion
Eye Damage	Serious eye damage
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Met. Corr.	Corrosive to Metals
Cat.	Category

H290 May be corrosive to metals. H303 May be harmful if swallowed.

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

P260 Do not breathe mist / vapours / spray. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308 + P313 If exposed or concerned: Get medical advice/ attention.

SDSen25260 Rev. A (June 2015) Page 9 of 12



[Catalog # 25260]

P310 Immediately call a POISON CENTER or doctor/ physician

P405 Store locked up.

P501 This material and its container must be disposed of as hazardous waste.

This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety.

These are Replacement, optional, or separately purchased components, identical to those found in the products, which are to be used exclusively with the Bio-Rad Laboratories products listed in Section 1.

Sources of key data used to compile the Safety Data Sheet:

Raw Material Vendor Safety Data Sheets

United Nations (UN) Globally Harmonized System (GHS)

United States OSHA Hazard Communication Standard (US HCS) 1910.1200

Canadian Workplace Hazardous Materials Information System (WHMIS)

Mexican Standard (NMX-R-019-SCFI-2011) [regulatory translation and summaries]

European Commission (EC) Regulations 2008/1272/EC, 2010/453/EC, 2006/1907/EC (EC CLP)

Australian Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals (Section 274 of the Work Health and Safety Act)

New Zealand - Hazardous Substances and New Organisms Act 1996 (HSNO)

The People's Republic of China National Standard GB/T 17519-2013, GB 30000-2013 [regulatory translation if available and summaries]

Taiwan Regulation Lao-An-3-Tzu-No. 0960145703 / Published National Standard CNS 15030 [regulatory translation if available / summaries]

Korean Public Notice 2008-26 [regulatory translation if available and summaries]

Japanese Industrial Standard JIS Z7252, JIS Z7253 [regulatory translation if available and summaries]

EU Directives 1999/45/EC, 2001/59/EC, 2001/60/EC, 2006/102/EC

Registry of Toxic Effects of Chemical Substances (RTECS)

Canadian Centre for Occupational Health and Safety (CCOHS) CHEMINFO databases, etc.

International Agency for Research on Cancer (IARC)

American Conference of Governmental Industrial Hygienists (ACGIH)

Occupational Safety and Health Administration, U.S. Department of Labor (OSHA)

National Toxicity Program (NTP)

National Institute for Occupational Safety and Health (NIOSH)

World Health Organization. Laboratory Biosafety Manual

CDC/NIH Biosafety in Microbiological and Biomedical Laboratories

Australian Inventory of Chemical Substances (ACIS) Listing

California Proposition 65

Chemical safety assessment: Mixtures covered in this SDS were classified using the US HCS, EC CLP, and/or UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Fourth edition unless otherwise specified.

Key / legend to abbreviations and acronyms used in the safety data sheet:

ACGIH - American Conference of Governmental Industrial Hygienists

ACIS - Australian Inventory of Chemical Substances

ANSI - American National Standards Institute

CAS - Chemical Abstracts Service

CCOHS - Canadian Centre for Occupational Health and Safety

CDC - Centers for Disease Control, USA

CNS - Central Nervous System

DGSMA – Dangerous Goods Safety Management Act

DOT - Department of Transportation, USA

EC₅₀ – half maximal effective concentration

EC CLP - European Commission regulation for the Classification, Labeling and Packaging of chemical substances and mixtures

EU - European Union

GHS - Globally Harmonized System

HNOC - Hazard Not Otherwise Classified

HSNO - Hazardous Substances and New Organisms Act 1996 (New Zealand)

IARC - International Agency for Research on Cancer

IATA – International Air Transport Association

ICAO - International Civil Aviation Organization

IDLH - Immediately Dangerous to Life or Health

IMDG – International Maritime Dangerous Goods

IPCS - International Programme on Chemical Safety

ISHA – Industrial Safety and Health Act

SDSen25260 Rev. A (June 2015) Page 10 of 12



LC₅₀ – median lethal concentration, 50%

 LD_{50} – median lethal dose, 50%

MSDS - Material Safety Data Sheet

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicity Program

OEL - Occupational Exposure Limit

PEL – Permissible Exposure Limit

ppm – parts per million

RTECS - Registry of Toxic Effects of Chemical Substances

SDS - Safety Data Sheet

STEL – Short Term Exposure Limit

STOT - Specific Target Organ Toxicity

TCCA - Toxic Chemical Control Act

TLV/TWA - Threshold Limit Value / Time-Weighted Average

UN – United Nations

US EPA - United States Environmental Protection Agency, USA

US HCS - Hazard Communication Standard, USA

US OSHA - Occupational Safety and Health Administration, U.S. Department of Labor

WHMIS -Workplace Hazardous Materials Information System, Canada

WHO – World Health Organization (United Nations)

Additional information: The lists that were valid during the creation were used as basis.

This Revision: Updated, reformatted, and added new GHS information.

Bio-Rad Laboratories:

Department issuing SDS: Environmental Health and Safety.

Contact for general SDS information: Seattle Operations, Environmental Health & Safety, 6565 185th Ave. NE, Redmond, WA 98052, USA, Phone: 425-881-8300 (8 am to 5 pm PT), ro-sds@bio-rad.com

Customer support contact: Clinical Diagnostics Group, 4000 Alfred Nobel Drive, Hercules, CA 94547, USA

Phone: 1-800-224-6723, www.bio-rad.com/diagnostics

Contact 24/7/365: 1-800-424-9300

Contact Local Bio-Rad Agents for general information:

Australia, Bio-Rad Laboratories Pty. Ltd., Level 5, 446 Victoria Road, Gladesville NSW 2111 • Phone 61-2-9914-2800 • Telefax 61-2-9914-2888 • 24h/365d: 61-2-9914-2800

Austria, Bio-Rad Laboratories Ges.m.b.H., Hummelgasse 88/3-6, A-1130 Vienna • Phone 43-1-877-8901 • Telefax 43-1-876-5629 • 24h/365d: 43-1-877-89 01

 $\textbf{Belgium}, \text{Bio-Rad S.A.-N.V. Begoniastraat 5, B-9810 Nazareth Eke} \bullet \text{Phone 32-9-385-5511} \bullet \text{Telefax 32-9-385-6554} \bullet \textbf{24h/365d} : 09-385-5511 \bullet \text{Telefax 32-9-385-655$

Brazil, Bio-Rad Laboratórios Brasil Ltda, Rua Alfredo Albano da Costa, 100, sl 1, 2 e 3, Lagoa Santa, CEP: 33.400-000 • Phone +55 (31)3689-6600 • Telefax +55 (31)3689-6611 • **24h/365d**: (11) 99118 7957

Canada, Bio-Rad Laboratories, Ltd., 2403 Guénette Street, Montréal, Québec H4R 2E9 • Phone 1-514-334-4372 • Telefax 1-514-334-4415 • 24h/365d: 514-334-4372

China, Bio-Rad Laboratories Shanghai Ltd. 3rd Floor, #18 Dong Fang Road, Bldg E, Poly Plaza, Pudong, Shanghai, PRC 200120 • Phone 86-21-61698500 • Telefax 86-21-61698599 • 24h/365d: 86-21-63052255

Czech Republic, Bio-Rad spol. s r.o., Nad ostrovem 1119/7, 147 00 Prague 4 • Phone 420-241-430-532 • Telefax 420-241-431-642 • 24h/365d: 224 919 293 Denmark, Bio-Rad Laboratories, Symbion Science Park, Fruebjergvej 3, DK-2100 Copenhagen East • Phone +45-4452-1000 • Telefax +45-4452-1001 • 24h/365d: +45 4452 1000

Finland, Bio-Rad Laboratories, Linnanherrankuja 16, FIN-00950 Helsinki • Phone 358-9-804-22-00 • Telefax 358-9-7597-5010 • **24h/365d**: +358 9 804 2200 France, Bio-Rad, 3 boulevard Raymond Poincaré, 92430 Marnes-la-Coquette • Phone 33-1-47-95-60-00 • Telefax 33-1-47-41-91-33 • **24h/365d**: +33 (0)1 47 95 60 00

Germany, Bio-Rad Laboratories GmbH, Heidemannstrasse 164, D-80939 Munich • Phone +49-(0)89-318-840 • Telefax +49-(0)89-318-84100 • 24h/365d: 0049-89-31884-0

Greece, Bio-Rad Laboratories M E.P.E, 2-4 Mesogeion Street, Fourth Floor 115 27 Athens • Phone 30-210-7774396 • Telefax 30-210-7774376

Hong Kong, Bio-Rad Pacific Ltd., Unit 1101, 11/F DCH Commercial Centre, 25 Westlands Road, Quarry Bay • Phone 852-2789-3300 • Telefax 852-2789-1290 • 24h/365d: 852-2789-3300

Hungary, Bio-Rad Hungary Ltd., H-1082 Budapest, Futo Street 47-53, Hungary • Phone +36-1-459-6100 • Telefax +36-1-459-6101 • **24h/365d**: 36 1 459 6100 India, Bio-Rad Laboratories (India) Pvt. Ltd., Bio-Rad House, 86-87, Udyog Vihar, Phase IV, Gurgaon, Haryana 122 015 • Phone 1-800-180-1224 • Telefax 91-124-2398115 • **24h/365d**: 91-124-2398112/113/114

Israel, Bio-Rad Laboratories Ltd., 14 Homa Street, New Industrial Area, Rishon Le Zion 75655 • Phone 972-3-9636050 • Telefax 972-3-9514129 • 24h/365d: 972-3-951-4127

Italy, Bio-Rad Laboratories S.r.l., Via Cellini 18/A, 20090 Segrate, Milan • Phone +39-02-216091 • Telefax +39-02-21609553 • 24h/365d: 02-216091

Japan, Bio-Rad Laboratories K.K., Tennoz Central Tower 20F, 2-2-24 Higashi-Shinagawa, Shinagawa-ku, Tokyo 140-0002 • Phone 81-3-6361-7070 Korea, Bio-Rad Korea Ltd., 10th Floor, Hyunjuk Building, 832-41, Gangnam-gu, Seoul 135-080 • Phone 82-2-3473-4460 • Telefax 82-2-3472-7003 • 24h/365d: 852-2789-330

SDSen25260 Rev. A (June 2015) Page 11 of 12





Mexico, Bio-Rad, S.A., Avenida Eugenia 197, Piso 10-A, Col. Narvarte, C.P. 03020 Mexico, D.F. • Phone +52 (55) 54 88 76 70 • Telefax +52 (55) 1107-7246 • 24h/365d: +52 1 (55) 20 46 47 77

The Netherlands, Bio-Rad Laboratories B.V., Fokkerstraat 2-8, 3905 KV Veenendaal • Phone +31-318-540666 • Telefax +31-318-542216 • 24h/365d: 31-318-540666

New Zealand, Bio-Rad New Zealand, 189 Bush Road Unit B, Albany, Auckland • Phone 64-9-415-2280 • Telefax 64-9-415-2284 • 24h/365d: 64-9-415-2280

Norway, Bio-Rad Laboratories, Nydalsveien 33, 0484 Oslo • Phone +47-23-38-41-30 • Telefax +46(0)8-5551-2780 • 24h/365d: 47 23 38 41 30

 $\textbf{Poland}, \text{Bio-Rad Polska Sp. z o.o.}, \text{Nakielska Str. 3, 01-106 Warsaw} \bullet \text{Phone 48-22-3319999} \bullet \text{Telefax 48-22-3319988} \bullet \textbf{24h/365d} \text{: 48 (22) 331 99 85} \text{ and } \textbf{24h/365d} \text{: 48 (22) 34 90 90 90} \text{ and } \textbf{24h/365d} \text{: 48 (22) 34 90 90} \text{ and } \textbf{24h/365d} \text{: 48 (2$

Portugal, Bio-Rad Laboratories, Lda., Edificio Prime, Ave. Quinta Grande, 53 – Fracção 3B Alfragide 26114-521 Amadora • Phone 351-21-472-7700 • Telefax 351-21-472-7777 • 24h/365d: 351-21-472-7700

Russia, Bio-Rad Laboratorii, Russian Federation, Moscow, Varshavskoe sh., 9, Bldg., 1B • Phone: +7-495-721-1404 • Telefax +7-495-721-1412

Singapore, Bio-Rad Laboratories (Singapore) Pte. Ltd., 27 International Business Park, #01-02 iQuest @IBP, Singapore 609924 • Phone 65-6415-3170 • Telefax 65-6415-3189 • 24/7/365: 65-6415-3188 • 24h/365d: 65-6415-3188

South Africa, Bio-Rad Laboratories (Pty) Ltd., 34 Bolton Road, Parkwood, Johannesburg 2193 • Phone 27-11-442-85-08 • Telefax 27-11-442-85-25 Spain, Bio-Rad Laboratories, S.A., C/ Caléndula, 95, Edificio M. Miniparc II, El Soto de la Moraleja, 28109 Madrid • Phone 34-91-590-5200 • Telefax 34-91-590-5211 • 24h/365d: 34-91-590-5200

Sweden, Bio-Rad Laboratories A.B., Box 1097, Solna Strandväg 3, SE-171 54, Solna • Phone +46-8-555-127-00 • Telefax +46-8-555-127-80 • 24h/365d: 46-8-55 51 27 00

Switzerland, Bio-Rad Laboratories AG, Pra Rond 23 CH-1785 Cressier • Phone +41 (0)26-674-55-05/06 • Telefax +41 (0)26-674-52-19 • Email: swiss@bio-rad.com • 24h/365d: 41-61-7179555

Taiwan, Bio-Rad Laboratories Taiwan Ltd., 14F-B, No. 126 Nan-King East Road, Sec. 4, Taipei, Taiwan 10546 R.O.C. • Phone 886-2-2578-7189 • Telefax 886-2-2578-6890

Thailand, Bio-Rad Laboratories Ltd., 1st & 2nd Floor, Lumpini I Bldg., 239/2 Rajdamri Rd., Lumpini, Pathumwan, Bangkok 10330 • Phone 662-651-8311 • Telefax 662-651-8312

United Kingdom, Bio-Rad Laboratories Ltd., Bio-Rad House, Maxted Road, Hemel Hempstead, Herts HP2 7DX • Phone +44 (0)20-8328-2000 • Telefax +44 (0)20-8328-2550 • 24h/365d: 020-8328-2000

This document was developed from information obtained from reputable sources, but does not purport to be all-inclusive. The data contained herein, which is based on our present knowledge and is intended for information purposes only, shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Regulatory requirements are subject to change and vary from one location to another; thus, it is the buyer's responsibility to ensure that its activities comply with international, national, regional, and local laws and regulations. Bio-Rad Laboratories makes no warranty, expressed or implied, regarding the accuracy or completeness of these data or the results to be obtained from the use thereof. Since the use of this information and the conditions of use of the product are not within the control of Bio-Rad Laboratories, it is the user's obligation to determine the suitability of the information for the intended application and use appropriate safety procedures.

SDSen25260 Rev. A (June 2015) Page 12 of 12