

SAFETY DATA SHEET (SDS)**IDENTIFICATION OF PRODUCT (MIXTURE) AND SUPPLIER (1):**

Product Name:	Kallestad™ Mouse Stomach Kidney Substrate Slides
Product Number:	26111, 26112, 26115 (8-Well Slide)
Intended Use:	For the detection and semi-quantitation determination of autoantibodies to nuclear, mitochondrial, smooth muscle, and parietal cell antigens. These are replacement, optional or separately purchased components, identical to those found in the kits, which are to be used exclusively with the Bio-Rad Laboratories Kallestad™ Mouse Stomach/Kidney kits. Refer to the <i>Instructions For Use, Package Insert</i> for additional product information.
Manufactured by:	Bio-Rad Laboratories, Inc.
Address:	6565 185th Avenue NE Redmond, WA 98052-5039, USA
Website:	www.bio-rad.com
Phone Number:	1-800-2-BIORAD (1-800-224-6723); or 1-425-881-8300 (daytime PT)
SDS e-mail contact:	ro-sds@bio-rad.com
Technical Information Contacts:	Bio-Rad provides a toll free line for technical assistance, available 24 hours a day, 7 days a week. In the United States of America and Puerto Rico, call toll free 1-800-2-BIORAD (1-800-224-6723). Outside the U.S.A., please contact your regional Bio-Rad office for assistance. <i>Refer to section 16 for non-US local Bio-Rad agent contact information.</i>
Authorized Representative in the European Community:	FRANCE: Bio-Rad Laboratories 3 boulevard Raymond Poincaré 92430 Marnes-la-Coquette Phone: +33 (0) 1 47 95 60 00 / Fax: +33 (0) 1 47 41 91 33 [fds-msds.fr@bio-rad.com]
Emergency Phone Number:	This SDS is listed with CHEMTREC 1-800-424-9300 / 1-703-527-3887. Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT with this product. <i>Refer to section 16 for non-US local Bio-Rad agent contact information.</i>

HAZARDS IDENTIFICATION -- HAZARDOUS COMPONENTS (2):

This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety. Refer to Section 16 for the full text of any *Risk (R)* and *Safety (S)* statement provided below.

Component *	Content
Substrate Slides Mouse Stomach/Kidney (MSK), 8-Well Slide, <i>Catalog #26111, 26112, 26115</i>	- Mouse stomach/kidney substrate fixed onto glass slides. - Handle slides by the edges. Do not apply pressure to surface of foil bag.

* Replacement, optional and separately purchased component Catalog numbers are provided in this column where available.

Markings according to the United Nations (UN) Globally Harmonized System (GHS), United States Hazard Communication Standard (HCS) and European Community (EC) 2008/1272/EC guidelines:

This product is not subject to labeling classification or identification according to GHS guidelines, *United States Hazard Communication Standard (HCS)* and EU 2008/1272/EC Regulations or other sources of literature known to us.

COMPOSITION / INFORMATION ON INGREDIENTS -- HAZARDOUS COMPONENTS (3):

The following information is furnished for those product hazardous constituents that require regulatory control or disclosure at the concentration found in the product. Note that the information here is often based on data from the chemical raw material (LD₅₀, exposure limits, etc.) and that the product contains a significantly diluted concentration in an aqueous solution; thus, the assessment below has taken hazard reduction processing into consideration when possible. The GHS and EU classifications were made according to the latest editions and expanded upon from company and literature data. (Refer to the *Key* below.)

Chemical Ingredient: This product contains no chemical constituents that require regulatory control or disclosure at the concentration found in the product.

Biological Ingredient	Data / Information
Mouse Tissue [Slide Component]	Mouse tissue substrate slides have been solvent fixed and are not considered infectious. Handle appropriately with the requisite Good Laboratory Practices and <i>Standard</i> and <i>Universal Precautions</i>. Dispose of this material in accordance with local, regional, national and international regulations. These slides consist of 96-100% inert glass with an ~0-4% inert polymer coating, which has been biologically and chemically processed. Because these slides are made of glass, they could potentially pose a slight physical cutting hazard, especially if broken or chipped, so handle carefully, wear suitable gloves and/or other appropriate personal protective equipment and follow Good Laboratory Practices. Do not handle broken slides with unprotected hands.

Key :

+ The Kit Concentration was not tested; the values refer to the solution concentration as tested, designated by Percentage within parentheses.
 ++ The Kit Concentration was tested or the values given were estimated for the general diagnostic laboratory usage of the kit reagent dilution.
 NE: Not Established or Unknown (unable to locate data); typically for concentrate form unless otherwise specified
 Abbreviations for component HMIS hazard ratings are as follows: H=Health, F=Flammability, R=Reactivity
 GHS = Globally Harmonized System
 RTECS # - Registry of Toxic Effects of Chemical Substances number
 PEL - Permissible Exposure Limit / Occupational Exposure Limit (OEL)
 TLV/TWA – Threshold Limit Value / Time-Weighted Average
 STEL - Short Term Exposure Limit
 IDLH - Immediately Dangerous to Life or Health

Related product information:

- Refer to section 2 for the full text of any *GHS* /2008/1272/EC statement coded above.
Refer to section 16 for the full text of any *Risk (R)* and *Safety (S)* statement for the above kit component concentration.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

EMERGENCY FIRST AID MEASURES (4):

Health Effects:	No significant health effect is known. Because these slides are made of glass, they could potentially pose a slight physical cutting hazard, especially if broken or chipped.
Eye Contact:	OBTAIN MEDICAL ATTENTION.
Skin Contact:	Flush skin with copious water and wash affected area with soap and water. If blood-to-blood contact occurs or if more severe symptoms develop, consult a physician.
Inhalation:	No significant health effect is known.
If Swallowed:	OBTAIN MEDICAL ATTENTION. Call a physician or the local poison control center. Treat symptomatically and supportively. If vomiting occurs, keep head lower than hips to prevent aspiration.
Notes to Physician:	According to the OSHA Bloodborne Pathogens Standard (29 CFR 1910.1030), Universal Precautions apply. Persons handling human blood source samples should be offered hepatitis B vaccination prior to working with human source material.

FIREFIGHTING MEASURES (5):

Extinguishing Media:	Use extinguishing media appropriate for the surrounding fire.
Hazardous Decomposition Products:	Oxides of carbon or nitrogen may form when heated to decomposition.
Special Firefighting Procedures:	Conventional firefighting full protective equipment (with NIOSH-approved self-contained breathing apparatus) and procedures appropriate for the surrounding fire should be sufficient.

ACCIDENTAL RELEASE MEASURES (6):

- ◆ Avoid direct contact with skin, eyes, mucous membranes and clothing by wearing appropriate lab personal protective equipment (PPE) including gloves, lab coat and eye/face protection.
- ◆ In the event of a hazardous material spill, contain the spill if it is safe to do so, and immediately move to a safe area, free from potential aerosols, to decontaminate and/or safely remove any contaminated clothing, as necessary. IF ON SKIN (or hair): Rinse skin with water. Isolate the hazard area and ventilate if appropriate. Ensure that appropriate spill cleanup materials and PPE are available and used.
- ◆ Follow established laboratory policy and applicable CDC/NIH biosafety and/or OSHA/WISHA hazardous material spill and/or NFPA/Fire Code guidelines for appropriate hazardous chemical and/or biological material spill response and cleanup. Avoid release to the environment.
- ◆ Clean the spill area with water and wipe dry. Material used to absorb the spill may require hazardous material waste disposal. Infectious, chemical and laboratory wastes must be handled and discarded in accordance with all local, regional and national regulations.
- ◆ Broken slides contaminated with blood or other human source or potentially infectious material must be handled as **Sharps** per 29 CFR 1910.1030, OSHA Bloodborne Pathogen and other regulations; however, dispose of this material in accordance with local, regional, national and international regulations. Slides processed with material that is not of human origin and is not pathogenic to humans, if broken, can typically be handled as normal uncontaminated broken glass labware; however, dispose of this material in accordance with local, regional, national and international regulations.
- ◆ Refer to Sections 8 and 13 for more specifics.

HANDLING AND STORAGE INFORMATION (7):

Handling:	This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Follow proper good laboratory practices and safety guidelines for handling chemical, biological and laboratory hazards. Do not smoke, eat, or drink in areas where patient samples and kit reagents are handled. Wash your hands after use. Wear appropriate personal protective equipment (PPE), including gloves, lab coat or equivalent and eye/face protection. Keep containers tightly closed; avoid splashing, spills and the generation of aerosols. Handle all human source specimens, materials and equipment used to perform the operations as though they were capable of transmitting infectious disease, as per <i>Standard and Universal Precautions</i> . All personal protective equipment should be removed before leaving the work area. Refer to Section 8 for more specifics. Avoid release to the environment. Do not allow undiluted product hazardous chemical ingredient or large quantities of it to reach ground water or water course. Consult with your Environmental Health & Safety Office for assistance.
Storage:	Store the kit components as specified on the product label and/or in the product instructions provided with the test kit.
Caution, consult accompanying documents. Read and follow all the Precautions and Warnings in the kit product instructions.	
These are separately purchased components, identical to those found in the kits, which are to be used exclusively with the Bio-Rad Laboratories kits listed in Section 1.	

EXPOSURE CONTROL / PERSONAL PROTECTION MEASURES (8):

Control Parameters – Component chemicals with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

The following personal protective equipment (PPE) is recommended to prevent blood or other potentially infectious or hazardous materials from reaching the user's work or street clothes, skin, mouth, mucous membranes and eyes, and to prevent hazard inhalation, under normal conditions of use and for the time during which the protective equipment is utilized:

Ventilation:	Adequate lab ventilation is required. It is recommended that users handle potentially infectious human source material or patient samples in a biological safety cabinet (BSC), expressly if aerosols might be generated.
Eye / Face Protection:	Wear ANSI approved safety glasses, goggles or face shield with safety glasses or goggles. Contact lenses should not be worn when handling lab hazards.
Protective Gloves:	Suitable gloves must be worn at all times when handling kit reagents or patient samples to provide skin protection from splash and intermittent contact. Synthetic gloves such as nitrile, neoprene and vinyl are recommended because they are sturdy, effective and contain no natural latex ingredients associated with latex glove allergic reactions. Disposable (single use) gloves should be changed often and never reused. Wash hands thoroughly after removing gloves.
Protective Clothing:	Wear a lab coat, clinic jacket, gown, apron and/or smock. Disposable clothing is strongly recommended when handling biohazardous material. If reusable clothing is used, procedures for handling potentially infectious laundry under the OSHA Bloodborne Pathogens Standard (29 CFR 1910.1030) are required.
Respiratory Protection:	Not required.
Other:	All personal protective equipment should be removed before leaving the work area and placed in an appropriately designated area or container for storage, processing, decontamination or disposal.
Note:	Occupational exposure limit values and health hazard data were given in Section 3. Environmental controls are included in the following sections.

PHYSICAL AND CHEMICAL PROPERTIES (9):

Appearance:	Solid glass slides.		
Odour:	Data is not available.	Odour threshold:	Not established.
pH:	Not applicable.		
Boiling point:	Not applicable.	Melting point:	Not established.
Evaporation rate:	Not applicable.		
Flash point:	Not applicable. Flammable limits: LEL/LFL is <u>Not applicable</u> ; UEL/UFL is <u>Not applicable</u> .		
Flammability (solid, gas):	Although the components have not been tested for fire hazard and explosion data, they are not expected to be fire hazards, but some of the kit packaging materials may burn under fire conditions.		
Vapor pressure:	Data is not available.		
Vapor density:	Data is not available.		
Relative density:	Not applicable.		
Solubility:	Not miscible.		
Partition coefficient (n-octanol/water):	Data is not available.		
Auto igniting:	Product is not known to be self-igniting.		
Decomposition temperature:	Data is not available.		
Viscosity:	Data is not available.		
Danger of explosion:	Product is not known to present an explosion hazard.		
No Other Standard Characteristics applicable to the identification or hazards of the product are known.			

STABILITY AND REACTIVITY INFORMATION (10):

NOTE: Chemical reactions that could result in a hazardous situation (e.g. generation of flammable or toxic chemicals, fire or detonation) are listed here. Although not intended to be complete, an overview of important reactions involving common chemicals is provided to assist in the development of safe work practices.

Chemical Stability / Reactivity:	Stable under ordinary conditions of use and storage.
Conditions and Materials to Avoid:	None known when used as intended.
Hazardous Decomposition Products:	Oxides of carbon or nitrogen may form when heated to decomposition.
Hazardous Polymerization:	Has not been reported to occur.

TOXICOLOGICAL INFORMATION -- GENERAL COMPOSITE (11):

Refer to Sections 2 and 3 for the kit component concentrations. The composite toxicological information for this product is:

Acute Health Effects

Toxicity:	No significant toxic effect known.
Primary Irritant Effect:	No significant irritant effect known.
Serious Eye Damage / Irritation:	No significant irritant effect known.
STOT-Single Exposure:	Data is not available.
STOT-Repeated Exposure:	Data is not available.
Aspiration Hazard:	Data is not available.
Other Health Effects:	Because these slides are made of glass, they could potentially pose a slight physical cutting hazard, especially if broken or chipped, so handle carefully, wear suitable gloves and/or other appropriate personal protective equipment and follow Good Laboratory Practices. Do not handle broken slides with unprotected hands.

Biohazard Potential:

Uninfected **cells of animal origin** have been solvent fixed and are not considered infectious or carcinogenic. Patient blood samples tested with this kit represent an unknown, heightened hazard. Employ *Standard* and *Universal Precautions*; handle these reagents, all human blood and specimens as if capable of transmitting infectious disease, in a Biosafety Level 2 laboratory, applying the guidelines from the current CDC/NIH *Biosafety in Microbiological and Biomedical Laboratories*, *WHO Laboratory Biosafety Manual* or equivalent. Persons handling blood samples should have the option of receiving hepatitis B vaccination.

Chronic Toxicity

Sensitization:	No sensitization effect known.
Carcinogenicity:	No carcinogenic effect known. No component, mixture or constituent has been classified as a carcinogen by NTP, IARC or OSHA.
Germ Cell Mutagenicity:	Data is not available.
Reproductive hazard:	No reproductive toxic effect known.

ECOLOGICAL INFORMATION (12):

This product was not tested. The following assessment is based on information for the ingredients.

Toxicity:	No information found.
Persistence and degradability:	No information found.
Bioaccumulation potential:	No information found.
Mobility in soil:	No information found.
PBT and vPvB assessment:	No information found.

Other adverse affects:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Avoid release to the environment.
------------------------	---

DISPOSAL CONSIDERATIONS (13):

Disposal of hazardous and/or laboratory wastes, product or packaging must be conducted in accordance with all applicable local, regional, national and international regulations. This section specifies the general and United States RCRA requirements. Processing, use or contamination of the kit components may change waste management requirements and options. Contact your Environmental Health & Safety Office for your specific disposal procedures.

Recommended Product Disposal: Broken slides contaminated with blood or other human source or potentially infectious material must be handled as *Sharps* per 29 CFR 1910.1030, OSHA Bloodborne Pathogen and other regulations; however, dispose of this material in accordance with local, regional, national and international regulations.

Do not allow undiluted product or large quantities of it to reach ground water or water course

Recommended Unclean Packaging Disposal: Dispose in accordance with all applicable local, regional, national and international regulations.

TRANSPORT INFORMATION (14):

Shipping of product, packaging and waste must be conducted in accordance with all applicable local, regional and national regulations. Processing, use or contamination of the kit components may change shipping requirements and options. Contact your Environmental Health & Safety Office for your specific shipping procedures.

Recommended Unused Product Multi-Modal Transportation: According to US DOT, IATA and UN “Model Regulations”, the product must be transported as follows: No known transport restrictions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

REGULATORY INFORMATION (15):

Composite HMIS Rating: Health: 0 Flammability: 0 Reactivity: 0

California Proposition 65: The Product does not contain listed substances.

Carcinogenicity Categories: No component, mixture or constituent has been classified as a carcinogen by NTP (National Toxicity Program), IARC (International Agency for Research on Cancer), TLV-CAR (Threshold Limit Value established by ACGIH) or OSHA (Occupational Health and Safety Administration, U.S. Department of Labor).

National Regulations:

WHMIS Classification: This SDS contains the required information in accordance with the **Workplace Hazardous Materials Information System (WHMIS) Canadian Standard** for the hazard classification criteria for this product.

Mexican Standard: This SDS contains the required information for preparation in accordance with the **Mexican Standard (NMX-R-019-SCFI-2011) SISTEMA ARMONIZADO DE CLASIFICACIÓN Y COMUNICACIÓN DE PELIGROS DE LOS PRODUCTOS QUÍMICOS GLOBALLY HARMONIZED SYSTEM (GHS)**.

Markings According to European Community 1999/45/EC, 2001/59/EC, 2001/60/EC, 2006/102/EC Guidelines: This product is not subject to EU labeling classification or identification according to EU Directives 1999/45/EC, 2001/59/EC, 2001/60/EC, 2006/102/EC and other sources of literature known to us.

OTHER INFORMATION (16):

Risk Phrases: None

Safety Phrases: None

This product should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards.

Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety.

These are replacement, optional or separately purchased components, identical to those found in the kits, which are to be used exclusively with the Bio-Rad Laboratories kits listed in Section 1.

Sources of key data used to compile the Safety Data Sheet:

Raw Material Vendor Safety Data Sheets
United Nations (UN) Globally Harmonized System (GHS)
European Community (EC) 2008/1272/EC, 2010/453/EC, 2006/1907/EC Regulations
EU Directives 1999/45/EC, 2001/59/EC, 2001/60/EC, 2006/102/EC
Registry of Toxic Effects of Chemical Substances (RTECS)
International Agency for Research on Cancer (IARC)
American Conference of Governmental Industrial Hygienists (ACGIH)
National Toxicity Program (NTP)
Occupational Safety and Health Administration, U.S. Department of Labor (OSHA)
National Institute for Occupational Safety and Health (NIOSH)
World Health Organization. *Laboratory Biosafety Manual*
CDC/NIH *Biosafety in Microbiological and Biomedical Laboratories*
Mexican Standard (NMX-R-019-SCFI-2011)
California Proposition 65

Chemical safety assessment: Mixtures covered in this SDS were classified using the EU Regulation 1272/2008/EC and/or UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Fourth edition unless otherwise specified.

Key / legend to abbreviations and acronyms used in the safety data sheet:

ACGIH – American Conference of Governmental Industrial Hygienists
ANSI – American National Standards Institute
CAS – Chemical Abstracts Service
CDC – Centers for Disease Control, USA
CNS – Central Nervous System
DOT – Department of Transportation
EC₅₀ – half maximal effective concentration
EU – European Union
GHS – Globally Harmonized System
IATA – International Air Transport Association
IARC – International Agency for Research on Cancer
ICAO – International Civil Aviation Organization
IDLH – Immediately Dangerous to Life or Health
IMDG – International Maritime Dangerous Goods
IPCS – International Programme on Chemical Safety
LC₅₀ – median lethal concentration, 50%
LD₅₀ – median lethal dose, 50%
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicity Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
RTECS # – Registry of Toxic Effects of Chemical Substances number
SDS – Safety Data Sheet
STEL – Short Term Exposure Limit
TLV/TWA – Threshold Limit Value / Time-Weighted Average
UN – United Nations
US EPA – United States Environmental Protection Agency
US OSHA – Occupational Safety and Health Administration, U.S. Department of Labor
WHO – World Health Organization (United Nations)

Additional information: The lists that were valid during the creation were used as basis.

This Revision: Updated, reformatted and added new GHS information.

Bio-Rad Laboratories:

Department issuing SDS: Environmental Health and Safety.

Contact for general SDS information: Redmond Operations, Environmental Health & Safety, 6565 185th Ave. NE, Redmond, WA 98052, USA, Phone: 425-881-8300 (8 am to 5 pm PT), ro-sds@bio-rad.com

Customer support contact: Clinical Diagnostics Group, 4000 Alfred Nobel Drive, Hercules, CA 94547, USA
Phone: 1-800-224-6723, www.bio-rad.com/diagnostics

Contact Local Bio-Rad Agents for general information:

Australia , Bio-Rad Laboratories Pty. Ltd., Level 5, 446 Victoria Road, Gladesville NSW 2111 • Phone 61-2-9914-2800 • Telefax 61-2-9914-2888
Austria , Bio-Rad Laboratories Ges.m.b.H., Hummelgasse 88/3-6, A-1130 Vienna • Phone 43-1-877-8901 • Telefax 43-1-876-5629
Belgium , Bio-Rad S.A.-N.V. Begoniastraat 5, B-9810 Nazareth Eke • Phone 32-9-385-5511 • Telefax 32-9-385-6554
Brazil , Bio-Rad do Brasil, Praia de Botafogo, 440-3rd Floor, Botafogo, RJ CEP 22250-040, Rio de Janeiro • Phone 5521-3237-9400 • Telefax 5521-2527-3099
Canada , Bio-Rad Laboratories, Ltd., 2403 Guénette Street, Montréal, Québec H4R 2E9 • Phone 1-514-334-4372 or 1-800-361-1808 • Telefax 1-514-334-4415
China , Bio-Rad Laboratories Shanghai Ltd. 3rd Floor, #18 Dong Fang Road, Bldg E, Poly Plaza, Pudong, Shanghai, PRC 200120 • Phone 86-21-64260808 • Telefax 86-21-64264988
Czech Republic , Bio-Rad spol. s r.o., Nad ostrovem 1119/7, 147 00 Prague 4 • Phone 420-241-430-532 • Telefax 420-241-431-642
Denmark , Bio-Rad Laboratories, Symbion Science Park, Fruebjergvej 3, DK-2100 Copenhagen East • Phone +45 4452-1000 • Telefax +45 4452-1001
Finland , Bio-Rad Laboratories, Linnanherrankuja 16, FIN-00950 Helsinki • Phone 358-9-804-22-00 • Telefax 358-9-7597-5010
France , Bio-Rad Laboratories, 3 boulevard Raymond Poincaré, 92430 Marnes-la-Coquette • Phone +33 (0)1 47 95 60 00 • Telefax +33 (0)1 47 41 91 33
Germany , Bio-Rad Laboratories GmbH, Heidemannstrasse 164, D-80939 Munich • Phone +49-(0)89-318-840 • Telefax +49-(0)89-318-84100
Greece , Bio-Rad Laboratories M.EPE, 2-4 Mesogeion Street, Fourth Floor 115 27 Athens • Phone 30-210-7774396 • Telefax 30-210-7774376
Hong Kong , Bio-Rad Pacific Ltd., Unit 1101, 11/F DCH Commercial Centre, 25 Westlands Road, Quarry Bay • Phone 852-2789-3300 • Telefax 852-2789-1290
Hungary , Bio-Rad Hungary Ltd., Futó Street 47-53, H-1082 Budapest, Hungary • Phone + 36-1-459-6100 • Telefax + 36-1-459-6101
India , Bio-Rad Laboratories (India) Pvt. Ltd., Bio-Rad House, 86-87, Udyog Vihar, Phase IV, Gurgaon, Haryana 122 015 • Phone 1-800-180-1224 • Telefax 91-124-2398115
Israel , Bio-Rad Laboratories Ltd., 14 Homa Street, New Industrial Area, Rishon Le Zion 75655 • Phone 972-3-9636050 • Telefax 972-3-9514129
Italy , Bio-Rad Laboratories S.r.l., Via Cellini 18/A, 20090 Segrate, Milan • Phone +39-02-216091 • Telefax +39-02-21609-398
Japan , Bio-Rad Laboratories K.K., Tennoz Central Tower 20F, 2-2-24 Higashi-Shinagawa, Shinagawa-ku, Tokyo 140-0002 • Phone 81-3-6361-7070 • Telefax 81-3-5463-8483
Korea , Bio-Rad Korea Ltd., 10th Floor, Hyunjuk Building, 832-41, Gangnam-gu, Seoul 135-080 • Phone 82-2-3473-4460 • Telefax 82-2-3472-7003
Mexico , Bio-Rad, S.A., Avenida Eugenia 197, Piso 10-A, Col. Narvarte, Delegacion Benito Juarez, C.P. 03020 Mexico, D.F. • Phone +52 (55) 5488-7670 • Telefax +52 (55) 1107-7246
The Netherlands , Bio-Rad Laboratories B.V., Fokkerstraat 2-8, 3905 KV Veenendaal • Phone +31-318-540666 • Telefax +31-318-542216
New Zealand , Bio-Rad New Zealand, 189 Bush Road Unit B, Albany, Auckland • Phone 64-9-415-2280 • Telefax 64-9-415-2284
Norway , Bio-Rad Laboratories, Johan Scharffenbergs vei 91, N-0694 Oslo • Phone 47-23-38-41-30 • Telefax 47-23-38-41-39
Poland , Bio-Rad Polska Sp. z o.o., Nakielska Str. 3, 01-106 Warsaw • Phone 48-22-3319999 • Telefax 48-22-3319988
Portugal , Bio-Rad Laboratories, Lda., Edificio Prime, Av. Quinta Grande, 53 – Fracção 3B Alfragide 26114-521 Amadora • Phone 351-21-472-7700 • Telefax 351-21-472-7777
Russia , Bio-Rad Laboratorii, Business Centre “West Bridge”, Leningradsky pr-t H.37A Bld. 14, 125167 Moscow • Phone 7-495-721-14-04 • Telefax 7-495-721-14-12
Singapore , Bio-Rad Laboratories (Singapore) Pte. Ltd., 27 International Business Park, #01-02 iQuest @IBP, Singapore 609924 • Phone 65-6415-3170 • Telefax 65-6415-3189
South Africa , Bio-Rad Laboratories (Pty) Ltd., 34 Bolton Road, Parkwood, Johannesburg 2193 • Phone 27-11-442-85-08 • Telefax 27-11-442-85-25
Spain , Bio-Rad Laboratories, S.A., C/ Caléndula, 95, Edificio M. Miniparc II, El Soto de la Moraleja, 28109 Madrid • Phone 34-91-590-5200 • Telefax 34-91-590-5211
Sweden , Bio-Rad Laboratories A.B., Vintergatan 1, Box 1097, S-172 22 Sundbyberg • Phone 46-8-555-127-00 • Telefax 46-8-555-127-80
Switzerland , Bio-Rad Laboratories AG, Nenzlingerweg 2, CH-4153 Reinach BL • Phone 41-61-717-95-55 • Telefax 41-61-717-95-50
Thailand , Bio-Rad Laboratories Ltd., 1st & 2nd Floor, Lumpini I Bldg., 239/2 Rajdamri Rd., Lumpini, Pathumwan, Bangkok 10330 • Phone 662-651-8311 • Telefax 662-651-8312
United Kingdom , Bio-Rad Laboratories Ltd., Bio-Rad House, Maxted Road, Hemel Hempstead, Herts HP2 7DX • Phone +44-(0)20-8328-2000 • Telefax +44-(0)20-8328-2550

This document was developed from information obtained from reputable sources, but does not purport to be all-inclusive. The data contained herein, which is based on our present knowledge and is intended for information purposes only, shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Regulatory requirements are subject to change and vary from one location to another; thus, it is the buyer's responsibility to ensure that its activities comply with international, national, regional and local laws and regulations. Bio-Rad Laboratories makes no warranty, expressed or implied, regarding the accuracy or completeness of these data or the results to be obtained from the use thereof. Since the use of this information and the conditions of use of the product are not within the control of Bio-Rad Laboratories, it is the user's obligation to determine the suitability of the information for the intended application and use appropriate safety procedures.