

Printing date 01/05/2015 Reviewed on 01/05/2015

1 Identification

- · Product identifier
- · Trade name: Affi-Gel® Hz Hydrazide
- · Catalog or product number: 1536050, 1536047, 9701043, L1536047, 10040471
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group 2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

· Information department:

Technical services, customer support

Isg techserv us@bio-rad.com

· Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Irritant to eyes.

Flammable.

Xi; Irritant

R36: Irritating to eyes.

F; Highly flammable

R11: Highly flammable.

R67: Vapours may cause drowsiness and dizziness.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Has a narcotizing effect.

Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature

The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)



Reviewed on 01/05/2015 Printing date 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 1)

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- Hazard-determining components of labeling:

propan-2-ol

· Hazard statements

H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Additional information: Contact with acids may cause release of toxic gases
- · Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description: 67-63-0 propan-2-ol

· Identification number(s): **EC number:** 200-661-7

· Index number: 603-117-00-0

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous and non-hazardous components:					
67-63-0	propan-2-ol	Xi R36	50-100%		
		F R11			
		R67			
9012-36-6	Agarose		2.5-5%		

· Additional information For the wording of the listed risk phrases refer to section 15.



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing Induce vomiting and call for medical help.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents Water.

Water with full jet.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 4)



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

PEL () 980 mg/m³, 400 ppm

REL () Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm TLV () Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm

BEI

· Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI () 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

USA



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 4)

9 Physical and chemical properties				
 Information on basic physical and chemical properties General Information Appearance: 				
Form:	Liquid			
Color: · Odor:	Colorless Alcohol-like			
· Odor: · Odour threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	-89.5 °C 82 °C			
· Flash point:	≤21 °C			
· Flammability (solid, gaseous)	Not applicable.			
· Ignition temperature:	425 ℃			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.			
· Explosion limits: Lower: Upper:	2 Vol % 12 Vol %			
· Vapor pressure at 20 °C:	43 hPa			
Density at 20 °C:	0.785 g/cm³			
Relative density	Not determined.			
Vapour density Evaporation rate	Not determined. Not determined.			
· Solubility in / Miscibility with Water at 20 °C:	1 g/l			
	Fully miscible			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity: dynamic: kinematic:	Not determined. Not determined.			
· Solvent content: Organic solvents:	97.0 %			
Solids content: Other information	3.0 % No further relevant information available.			



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 value	for hazardous components per OSHA criteria:

67-63-0 propan-2-ol

Oral	LD50	4570 mg/kg (rat)
	LD50	13400 mg/kg (rab)
Inhalative	LC50/4 h	30 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Eye.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1219
UN proper shipping name DOT, IATA ADR IMDG	ISOPROPANOL MIXTURE 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), mixture ISOPROPANOL (ISOPROPYL ALCOHOL), mixture
Transport hazard class(es)	
DOT, ADR, IMDG, IATA Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	II .
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 33 F-E,S-D
Transport in bulk according to Annex II of Ma and the IBC Code	ARPOL73/78 Not applicable.
Transport/Additional information:	
DOT Remarks:	ERG 129



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 7)

UN "Model Regulation":

UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), mixture, 3. II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

- Section 313 (40CFR372.65):
- 67-63-0 propan-2-ol
- · TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

A4

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	50-100

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Date of preparation / last revision 01/05/2015 / -

(Contd. on page 9)



Printing date 01/05/2015 Reviewed on 01/05/2015

Trade name: Affi-Gel® Hz Hydrazide

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* * Data compared to the previous version altered.

ISA -