

Printing date 07/07/2015 Reviewed on 07/07/2015

1 Identification

- · Product identifier
- · Trade name: Profinity™ IMAC Nickel Charged Resin
- · Catalog or product number:

1560131, 1560133, 1560135, 1560137, 9706117, 10008493, 10021657, 10047736, 10047737, 10047738, 10047739

 \cdot Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group 2000 Alfred Nobel Drive Hercules, California 94547

(510)741-1000

· Information department:

Technical services, customer support

Isg techserv us@bio-rad.com

· Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information: Contact with acids may cause release of toxic gases
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.

3	σ	
7732-18-5	water	50-100%
64-17-5	ethanol	10-20%
503094-29-9	IMAC Resin	5-10%

· Additional information For the wording of the listed risk phrases refer to section 15.

- 2)



Printing date 07/07/2015 Reviewed on 07/07/2015

Trade name: Profinity™ IMAC Nickel Charged Resin

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

US



Printing date 07/07/2015 Reviewed on 07/07/2015

Trade name: Profinity™ IMAC Nickel Charged Resin

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL 1900 mg/m³, 1000 ppm REL 1900 mg/m³, 1000 ppm TLV 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls

Lower:

Upper:

- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

9 Physical and chemical prope	erties
 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Solid
Color:	White
· Odor:	Odorless
· Odour threshold:	Not determined.
· pH-value at 20 °C:	7
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined undetermined
· Flash point:	21 - 55 ℃
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	425 ℃
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	

3.5 Vol %

15.0 Vol %

(Contd. on page 4)



Printing date 07/07/2015 Reviewed on 07/07/2015

Trade name: Profinity™ IMAC Nickel Charged Resin

(Contd. of page 3)

	(Con	td. of page 3
· Vapor pressure at 20 °C:	59 hPa	
· Density:	Not determined	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/	'water): Not determined.	
· Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	15.1 %	
Water:	78.3 %	
Solids content:	6.6 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

 LD/LC50 values for hazardous comp 	oonents per OSHA criteria:
---	----------------------------

64-17-5 ethanol

 Oral
 LD50
 7060 mg/kg (rat)

 Inhalative
 LC50/4 h
 20000 mg/l (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 5)



Printing date 07/07/2015 Reviewed on 07/07/2015

Trade name: Profinity™ IMAC Nickel Charged Resin

(Contd. of page 4)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7440-02-0 nickel 2B

· NTP (National Toxicology Program)

7440-02-0 nickel R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Void
- UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 6)



Printing date 07/07/2015 Reviewed on 07/07/2015

Trade name: Profinity™ IMAC Nickel Charged Resin

	(Contd. of page
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/7 and the IBC Code	78 Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

45.5					4
15 K	ean	atory	v inta	nrma	tion
1011				JIIIIG	

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendents and Reauthorization Act of 1986 USA)

· Section 302/304 (40CFR355.30 / 40CFR355.40):
None of the ingredients is listed.
· Section 313 (40CFR372.65):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
7722 10 5 wotor

7732-18-5 water 64-17-5 ethanol

7440-02-0 nickel

- California Proposition 65:
- · Chemicals known to cause cancer:

7440-02-0 nickel

· Developmental Toxicity

64-17-5 ethanol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

 64-17-5
 ethanol
 A4

 7440-02-0
 nickel
 A5

· MAK (German Maximum Workplace Concentration)

 64-17-5
 ethanol
 5

 7440-02-0
 nickel
 1

(Contd. on page 7)



Printing date 07/07/2015 Reviewed on 07/07/2015

Trade name: Profinity™ IMAC Nickel Charged Resin

(Contd. of page 6)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	10-20

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- Date of preparation / last revision 07/07/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· * Data compared to the previous version altered.

US