

Printing date 08/01/2011 Reviewed on 08/01/2011

#### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE
- · Catalog or product number: 1610162
- · Application of the substance / the preparation Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: Technical services, customer support.
- Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

## 2 Composition/information on ingredients

· Description: Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous and non-hazardous components:			
7732-18-5	water		50-100%
57-13-6	urea		35-50%
79-06-1	acrylamide	T Carc. Cat. 2, Muta. Cat. 2 R45-46-25- 48/23/24/25 Xn R20/21-62 Xi R36/38-43 Repr. Cat. 3	2.5-5%
	boric acid	T Repr. Cat. 2 R60-61	0.01-0.1%
0.440			

·SVHC

79-06-1 acrylamide

boric acid

· Additional information For the wording of the listed risk phrases refer to section 15.

#### 3 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Toxic by ingestion.

Toxic by dermal absorption.

Toxic by inhalation.

Contains a suspect carcinogen.

Irritant to skin.

Sensitizer by dermal contact.

Contains a suspected reproductive toxin.

Irritant to respiratory system and skin.



R45-46-23/24/25: May cause cancer. May cause heritable genetic damage. Toxic by inhalation, in contact with skin and if swallowed.

(Contd. on page 2)



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

(Contd. of page 1)

Xn; Harmful R20/21-48-62:

Harmful by inhalation and in contact with skin. Danger of serious damage to health by prolonged

exposure. Possible risk of impaired fertility.

Xi; Irritant

R43: May cause sensitization by skin contact.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

· Code letter and hazard designation of product:

T Toxic

· Hazard-determining components of labelling: acrylamide

· Risk phrases:

45 May cause cancer.

46 May cause heritable genetic damage.

20/21 Also harmful by inhalation and in contact with skin.

23/24/25 Also toxic by inhalation, in contact with skin and if swallowed.

43 May cause sensitization by skin contact.

Danger of serious damage to health by prolonged exposure.

62 Possible risk of impaired fertility

· Safety phrases:

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately.

This material and its container must be disposed of as hazardous waste.

- · Emergency overview:
- · Routes of exposure:

Ingestion Inhalation Skin

- · Classification system
- Special Hazards

Reproductive toxin.

Carcinogen.



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

(Contd. of page 2)

#### 4 First aid measures

· General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing Do not induce vomiting; immediately call for medical help.

#### 5 Firefighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment (See section 8). Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification

(Contd. on page 4)



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### 57-13-6 urea

WEEL 10 mg/m<sup>3</sup>

# 79-06-1 acrylamide

PEL

0.3 mg/m³

Skin

REL 0.03 mg/m<sup>3</sup>

Skin

TLV 0.03 IV mg/m<sup>3</sup>

Skin

#### boric acid

TLV

Short-term value: 6 l mg/m³

Long-term value: 2 I mg/m<sup>3</sup>

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

#### 9 Physical and chemical properties

· General Information

· Appearance:

Form: liquid

Color: According to product specification

· Odor: Odorless

(Contd. on page 5)



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

	(Contd. of page 4)
· Change in condition Melting point/Melting range Boiling point/Boiling range:	
· Flash point:	Not applicable
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 20°C:	23 hPa
· Density:	Not determined
· Solubility in / Miscibility with Water:	Fully miscible
· Solvent content: Organic solvents: Water:	0.0 % 59.8 %
Solids content: Other information	40.2 % No further relevant information available.

# 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

# 11 Toxicological information

· Acute toxicity:

· LD/LC5	LD/LC50 values for hazardous components per OSHA criteria:		
57-13-6 urea			
Oral	LD50	14500 mg/kg (rat)	
79-06-1	79-06-1 acrylamide		
Oral	LD50	124 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic Harmful Irritant

(Contd. on page 6)



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

(Contd. of page 5)

Carcinogenic

The product can cause inheritable damage.

· Target organs:

Skin.

Respiratory tract.

#### 12 Ecological information

- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water danger class 3 (Internal calculation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

(Contd. of page 6)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

and the IBC Code Not applicable.			
5 Regulat	ory information		
· SARA (Su	perfund Amendents and Reauthorization Act of 1986 - USA)		
-	302/304 (40CFR355.30 / 40CFR355.40):		
79-06-1 a	crylamide		
Section	313 (40CFR372.65):		
79-06-1 a	crylamide		
· TSCA (To	xic Substances Control Act):		
7732-18-5	water		
57-13-6	urea		
	acrylamide		
	N,N'-methylenediacrylamide		
77-86-1	Tris(hydroxymethyl)aminomethane		
	boric acid		
	Proposition 65:		
	als known to cause cancer:		
79-06-1 a	crylamide ————————————————————————————————————		
· Carcinoge	enic categories		
· EPA (Env	ironmental Protection Agency)		
79-06-1 a	crylamide	B	
· IARC (Inte	ernational Agency for Research on Cancer)		
79-06-1 a	crylamide	2.	
· NTP (Nati	onal Toxicology Program)		
79-06-1 a	crylamide	1	
· TLV (Thre	shold Limit Value established by ACGIH)	·	
79-06-1 a	crylamide	A	
b	oric acid	A	
· MAK (Ger	man Maximum Workplace Concentration)	·	
79-06-1 a	crylamide		

· Markings according to EU guidelines:

None of the ingredients is listed.

79-06-1 acrylamide

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

• Code letter and hazard designation of product: T Toxic

· NIOSH-Ca (National Institute for Occupational Safety and Health)

· OSHA-Ca (Occupational Safety & Health Administration)

(Contd. on page 8)



Printing date 08/01/2011 Reviewed on 08/01/2011

Trade name: 4% Acrylamide/Bis Solution, 19:1 6M Urea TBE

(Contd. of page 7)

# · Hazard-determining components of labelling: acrylamide

#### · Risk phrases:

45 May cause cancer.

46 May cause heritable genetic damage.

20/21 Also harmful by inhalation and in contact with skin.

23/24/25 Also toxic by inhalation, in contact with skin and if swallowed.

43 May cause sensitization by skin contact.

Danger of serious damage to health by prolonged exposure.

62 Possible risk of impaired fertility

#### · Safety phrases:

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately.

This material and its container must be disposed of as hazardous waste.

#### · National regulations

· Technical instructions (air):

Class	Share in %
II.	2.5-5

· Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

\* Data compared to the previous version altered.

USA