

04/20/2007

Kit Components

Product code	Description	
7326702 Aurum TM CEX Mini Kit		
Components:		
7326703	Aurum™ CEX Columns	
9704842	CEX Binding Buffer	
9704841	CEX Elution Buffer	
7326221	Micro Bio-Spin® P-6 Gel Columns Tris Buffer	



Printing date 04/20/2007 Reviewed on 04/02/2007

1

1 Identification of substance:

- · Product details:
- · Trade name: AurumTM CEX Columns
- · Catalog or product number: 7326703, 7326704, 9704303, 9704907, 9704908, 9704909
- · Application of the substance / the preparation Laboratory chemicals
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive Hercules, California 94547

(510)741-1000

- · Information department: Technical services, customer support.
- · Emergency information:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

*

2 Composition/Information on components:

- · Chemical characterization
- · Description: Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous	· Listing of dangerous and non-hazardous components:		
CAS: 7732-18-5 EINECS: 231-791-2 RTECS: ZC 0110000	water	50-100%	
CAS: 64-17-5 EINECS: 200-578-6 RTECS: KQ 6300000	ethanol F; R 11	10-20%	
	UNOsphere S 2-Propenoic acid, 2-methyl,monoester with 1,2-propanediol, polymer with 2-hydroxy-3-(2-propenyloxy)-1-propanesulfonic acid monosodium salt, N,N'-methylenebis [2-propenamide] and sodium ethenesulfonate		

[·] Additional information For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- · Emergency overview: not applicable
- · Information pertaining to particular dangers for man and environment

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- · OSHA hazard ratings
- · Health 0: Minimal Hazard.
- · Fire 0: Minimal hazard.
- · Reactivity 0: Minimal hazard.

4 First aid measures

· General information No special measures required.

(Contd. on page 2)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: AurumTM CEX Columns

(Contd. of page 1)

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required
- · Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling
- · Information for safe handling:

No special measures required.

No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL () 1900 mg/m³, 1000 ppm REL () 1900 mg/m³, 1000 ppm

TLV() 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.

(Contd. on page 3)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: AurumTM CEX Columns

(Contd. of page 2)

- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

General Information	
Form:	liquid
Color:	Whitish
Odor:	Odorless
Change in condition	
Melting point/Melting range:	
Boiling point/Boiling range:	78°C
· Flash point:	> 55°C
Ignition temperature:	425.0°C
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· Vapor pressure at 20°C:	59.0 hPa
Density:	Not determined
Solubility in / Miscibility with	
Water:	Fully miscible
pH-value at 20°C:	7.0
· Solvent content:	
Organic solvents:	15.6 %
· Water:	76.1 %

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

USA



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: AurumTM CEX Columns

(Contd. of page 3)

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

64-17-5 ethanol

 Oral
 LD50
 7060 mg/kg (rat)

 Inhalative
 LC50/4 h
 20000 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Target organs: Not applicable.

12 Ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation Hand over to hazardous waste disposers.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · DOT regulations:
- · Hazard class:
- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- Transport/Additional information: Not dangerous according to the above specifications.

USA



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: AurumTM CEX Columns

(Contd. of page 4)

15 Regulations

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

7732-18-5 water

64-17-5 ethanol

7647-14-5 sodium chloride

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A4

· MAK (German Maximum Workplace Concentration)

64-17-5 ethanol

5

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Markings according to EU guidelines:

Observe the general safety regulations when handling chemicals

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Safety phrases:

60 This material and its container must be disposed of as hazardous waste.

· National regulations

Class	Share in %
NK	10-20

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Environmental Health and Safety.



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: AurumTM CEX Columns

(Contd. of page 5)

· Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

* Data compared to the previous version altered.

IISA -



Printing date 04/20/2007 Reviewed on 04/02/2007

*

1 Identification of substance:

· Product details:

· Trade name: <u>CEX Binding Buffer</u>

· Catalog or product number: 9704842

· Application of the substance / the preparation Laboratory chemicals

· Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive Hercules, California 94547

(510)741-1000

· Information department: Technical services, customer support.

· Emergency information:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Composition/Information on components:

· Chemical characterization:

· CAS No. Description:

7732-18-5 water

· Identification number(s):

· EINECS Number: 231-791-2

3 Hazards identification

- · Emergency overview: not applicable
- · Information pertaining to particular dangers for man and environment not applicable
- · Classification system

The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

- · OSHA hazard ratings
- · **Health** 0: Minimal Hazard.
- · Fire 0: Minimal hazard.
- · Reactivity 0: Minimal hazard.

4 First aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Binding Buffer

· Protective equipment: No special measures required.

(Contd. of page 1)

6 Accidental release measures

- · Person-related safety precautions: Not required
- · Measures for environmental protection: Dilute with plenty of water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling
- · Information for safe handling:

No special measures required.

No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

26628-22-8 sodium azide

REL () Short-term value: $C 0.3**mg/m^3$, C 0.1*ppm*as HN3 vapor; **as NaN3

TLV () Short-term value: C 0.29** mg/m³, C 0.11* ppm

*as HN3 vapor; **as NaN3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Binding Buffer

(Contd. of page 2)

9 Physical and chemical pro	operties:
· General Information	
Form:	liquid
Color:	Colorless
Odor:	Odorless
· Change in condition	
Melting point/Melting range:	$0^{\circ}C$
Boiling point/Boiling range:	100°C
· Flash point:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 20°C:	23 hPa
· Density at 20°C:	1 g/cm³
· Solubility in / Miscibility with	
Water:	Fully miscible
· pH-value at 20°C:	5.0
· Organic solvents:	0.0 %
· Water:	99.8 %
· Solids content:	0.2 %

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification according to the latest version of the EU lists.

· Target organs: Not applicable.

12 Ecological information:

· General notes: Generally not hazardous for water.



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Binding Buffer

(Contd. of page 3)

13 Disposal considerations

- · Product:
- · Recommendation Hand over to hazardous waste disposers.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · DOT regulations:
- · Hazard class:
- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information: Not dangerous according to the above specifications.

15 Regulations

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

Substance not listed.

· Section 313 (40CFR372.65):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

26628-22-8 *sodium azide*

A4

· MAK (German Maximum Workplace Concentration)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

(Contd. on page 5)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Binding Buffer

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Markings according to EU guidelines:

The substance is not subject to classification according to EU lists and other sources of literature known to us. Observe the general safety regulations when handling chemicals

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Safety phrases:

60 This material and its container must be disposed of as hazardous waste.

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

* * Data compared to the previous version altered.

USA



Printing date 04/20/2007 Reviewed on 04/02/2007

*

1 Identification of substance:

- · Product details:
- · Trade name: CEX Elution Buffer
- · Catalog or product number: 9704841
- · Application of the substance / the preparation Laboratory chemicals
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive Hercules, California 94547

(510)741-1000

- · Information department: Technical services, customer support.
- Emergency information:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Composition/Information on components:

- · Chemical characterization
- · Description: Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous and non-hazardous components:			
CAS: 7732-18-5 EINECS: 231-791-2 RTECS: ZC 0110000	water		50-100%
CAS: 7647-14-5 EINECS: 231-598-3	sodium chloride	Xi; R 36/38	5-10%

[·] Additional information For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- · Emergency overview: not applicable
- · Information pertaining to particular dangers for man and environment

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- · OSHA hazard ratings
- · Health 0: Minimal Hazard.
- · Fire 0: Minimal hazard.
- · Reactivity 0: Minimal hazard.

4 First aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 2)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Elution Buffer

· After swallowing Induce vomiting and call for medical help.

(Contd. of page 1)

5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required
- · Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling
- · Information for safe handling:

No special measures required.

No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Storage
- Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

26628-22-8 sodium azide

REL () Short-term value: $C 0.3**mg/m^3$, C 0.1*ppm*as HN3 vapor; **as NaN3 TLV () Short-term value: C 0.29** mg/m³, C 0.11* ppm

*as HN3 vapor; **as NaN3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves

(Contd. on page 3)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Elution Buffer

(Contd. of page 2)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

α \mathbf{n}_{I} .	7 7		
UPhysica	lande	homical	nvonoviroco
	MELTITUM OF		properties:
10) 50000			proportion.

· General Information	
Form: Color: Odor:	liquid Colorless Odorless
· Change in condition Melting point/Melting range Boiling point/Boiling range	
· Flash point:	Not applicable
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 20°C:	23.0 hPa
· Density at 20°C:	1.03 g/cm³
· Solubility in / Miscibility with Water:	Fully miscible
· pH-value at 20°C:	5.0
· Solvent content: · Organic solvents: · Water:	0.0 % 94.0 %
· Solids content:	6.0 %

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 4)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Elution Buffer

(Contd. of page 3)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Target organs: Not applicable.

12 Ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation Hand over to hazardous waste disposers.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · DOT regulations:
- · Hazard class:
- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information: Not dangerous according to the above specifications.

15 Regulations

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 5)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: CEX Elution Buffer

(Contd. of page 4)

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

26628-22-8 sodium azide

A4

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Markings according to EU guidelines:

Observe the general safety regulations when handling chemicals

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Safety phrases:

60 This material and its container must be disposed of as hazardous waste.

- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

* * Data compared to the previous version altered.

IISA -



Printing date 04/20/2007 Reviewed on 04/02/2007

1 Identification of substance:

- · Product details:
- · Trade name: Micro Bio-Spin® P-6 Gel Columns Tris Buffer
- · Catalog or product number:

7326221, 7326225, 7326222, 7326227, 7326228, 7326229, 9703761, 9702866, 9704913, 9704914

- · Application of the substance / the preparation Laboratory chemicals
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive

Hercules, California 94547

(510)741-1000

- · Information department: Technical services, customer support.
- · Emergency information:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Composition/Information on components:

- · Chemical characterization
- · Description: Mixture of the substances listed below with non-hazardous additions.

	· Listing of dangerous and non-hazardous components:		
ſ	CAS: 7732-18-5	water	50-100%
	EINECS: 231-791-2		
	RTECS: ZC 0110000		
	CAS: 25034-58-6	Polyacrylamide-co-methylene-bis-acrylamide	5-10%

· Additional information For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- · Emergency overview: not applicable
- · Information pertaining to particular dangers for man and environment

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- · OSHA hazard ratings
- · Health 0: Minimal Hazard.
- · Fire 0: Minimal hazard.
- · Reactivity 0: Minimal hazard.

4 First aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 2)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: Micro Bio-Spin® P-6 Gel Columns Tris Buffer

(Contd. of page 1)

· After swallowing Induce vomiting and call for medical help.

5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling
- · Information for safe handling:

No special measures required.

No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- ·Storage
- Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

26628-22-8 sodium azide

REL () Short-term value: C 0.3** mg/m³, C 0.1* ppm *as HN3 vapor; **as NaN3; Skin

TLV () Short-term value: C 0.29** mg/m³, C 0.11* ppm

*as HN3 vapor **as NaN3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves

(Contd. on page 3)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: Micro Bio-Spin® P-6 Gel Columns Tris Buffer

(Contd. of page 2)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

α \mathbf{n}				
UPhi	CICAL ANA	chomi	cal nro	noviroco
7 I II V	sical and	A STATE OF	<i></i>	
	200000		The Party	01.0000

· General Information	
Form:	Suspension
Color:	Whitish
Odor:	Odorless
· Change in condition	
Melting point/Melting rang	
Boiling point/Boiling range	: 100°C
· Flash point:	Not applicable
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 20°C:	23.0 hPa
· Density:	Not determined
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
· pH-value at 20°C:	7.4
· Solvent content:	
· Organic solvents:	0.0 %
· Water:	84.7 %
· Solids content:	15.3 %

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 4)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: Micro Bio-Spin® P-6 Gel Columns Tris Buffer

(Contd. of page 3)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Target organs: Not applicable.

12 Ecological information:

· General notes: Generally not hazardous for water.

13 Disposal considerations

- · Product:
- · **Recommendation** Hand over to hazardous waste disposers.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · DOT regulations:
- · Hazard class:
- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information: Not dangerous according to the above specifications.

15 Regulations

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 5)



Printing date 04/20/2007 Reviewed on 04/02/2007

Trade name: Micro Bio-Spin® P-6 Gel Columns Tris Buffer

(Contd. of page 4)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

26628-22-8 *sodium azide*

A4

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Markings according to EU guidelines:

Observe the general safety regulations when handling chemicals

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Safety phrases:

60 This material and its container must be disposed of as hazardous waste.

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

* * Data compared to the previous version altered.

USA