01-9917-00

MATERIAL SAFETY DATA SHEET PAGE 1 SECTION I-MATERIAL IDENTIFICATION AND USE Material Name/Identifier: **Corrosion Preventive Sealant** Stock No. 99170/99180 Brand Owner: Grote Industries Co. Street Address: 230 Travail Road. City: Markham Province: Ontario Canada Postal Code: L3S 3J1 905-209-9744 Phone Number Chemical Name: Grease compound Chemical Family: N.Ap.(mixture) Chemical Formula: N.Ap.(mixture) Trade Names & Synonyms: Grote Ultra-Seal Material Use: Lubricant (Grease) Molecular Weight: N.Ap. (mixture) PERSONAL PROTECTION Style AL503 @ 2000 SECTION II-HAZARDOUS INGREDIENTS OF MATERIAL Hazardous Approximate LD50 LC50 Ingredients C.A.S. Conc. % wt. Species & Route Species & Route Hydrotreated paraffinic oil 64742-54-7 30 - 60 >2000 mg/kg rat-oral N/Av. Hydrotreated Mineral oil 64742-57-0 10 - 30>2000 mg/kg rat-oral N/Av. 12-Hydroxystearic acid 160-14-9 5 - 10 N/Av. N/Av. Lithium hydroxide monohydrat 1310-66-3 1 - 5 N/Av. N/Av. Diphenylamine 122-39-4 1 - 5 N/Av. N/Av. SECTION III-PHYSICAL DATA FOR MATERIAL Physical State: Grease Odor/Appearance: Light oily odor/ light amber grease Specific Gravity: (water=1) 0.9 - 0.95Odor Threshold(p.p.m.): N/E **Boiling Point:** N/E Evaporation Rate: Nil < 0°C Freezing Point: Solubility in Water: Insoluble % Volatile(by volume): Nil Vapor Pressure(psig): N.Ap. Vapor Density(Air=1): N/Av. Coefficient of Water/Oil Distribut: N/Av. pH: N.Ap. SECTION IV-FIRE AND EXPLOSION HAZARD OF MATERIAL Flammability Yes/No No If yes under which conditions?: N.Ap. Auto Ignition Temperature: N/E Means of Extinction: Dry chemicals, carbon dioxide, foam Flashpoint and Method: > 200 oC Hazardous Combustion Products: Oxides of carbon and Tag. O.C and black fume. Upper Flammable limit N/E Lower Flammable Limit (% by volume): N/E (% by volume): Explosion Data: Sensitivity to Mechanical Impact: N.Ap. Sensitivity to Static Discharge: N.Ap. SECTION V-REACTIVITY DATA Chemical Stability Yes/No: Yes If NO under which conditions?: N.Ap. Incompatibility to Other Substances Yes/No: Yes If so which ones? Strong oxidizing materials Reactivity and under what conditions? None

None at room temperature.

N/Av.: not available

N.Ap.:not applicable

Hazardous Decomposition Products:

N/E: not established

Material Name/Identifier:	Corrosion Preventive Sealant	Stock No.	99170/99180	PAGE	
SECTION VI-TOXICOLOG	ICAL PROPERTIES OF PRODUCT				
Route of Entry:	SKIN CONTACTSKIN ABSORPT	TIONEYE CONTACTINH	ALATION -x-IN	IGESTION	
Effects of Acute Exposure:	May cause slight eye irritation. No inhalation of hazardous vapor is expected at room temperature.				
	Ingestion may cause upset stomach, n	ausea, vomiting, pulmonary irri	itation.		
Effects of Chronic Exposure:	None known				
LD 50 of Product:	NI/A	LC 50 of Product:		DT/A	
	N/Av.			N/Av.	
Irritancy of Product: Sensitization of Product:	May cause skin, eye irritation.		Exposure Limits of Product: N/E Toxicologically Synergistic Materials: N/Av.		
	N/E			N/Av.	
CARCINOGENICITYRI	EPRODUCTIVE EFFECTSTERATOC	JENICITYMUTAGENICITY	(None known	
SECTION VII-PREVENTIV	E MEASURES				
Personal Protective Equipmen					
Gloves(specify):	Rubber Gloves	Eye (specify)):	e (specify)): Safety Glasses/ goggles		
Respiratory(specify):	Not required during normal use	Clothing:			
Respiratory Protection:	Not required during normal use	1010-11-19			
	THE TOTAL BUILDING WAS				
Engineering Controls:	No special controls required under normal use conditions.				
	Loocal or mechanical ventilation suggested.				
Leak and Spill Procedure:	Contain spillage with inert absorbant, sand, vermiculite. Prevent entering from waterways.				
Waste Disposal:	Dispose according to local, provincial,	federal government regulation			
Storage Requirements:	Keep away from high heat or open flar	ne. Store at room temperature.	Keep container c	losed when not in use.	
Handling Procedures and	Keep away from children. Handle with	h care. Do not inhale or ingest			
Equipment:		ar vice i Do not minde of migabil			
WHMIS	Not regulated.				
TDG Classification:	Not regulated.				
HMIS	Health 1, Flammability 1, Reactivity 0				
SECTION VIII-FIRST AID M					
Eye:	Flush with water for at least 15 minutes. If discomfort persists, seek medical attention.				
Skin:	Wash thoroughly with soap and water. If adverse effects occur consult a physician.				
Inhalation:	Remove person to fresh air. Consult a physician if discomfort persist.				
Ingestion:	DO NOT INDUCE VOMITING, Get medical help immediately				
SECTION IX-PREPARATIO	N DATE OF M.S.D.S.				
Additional Info/Comments:		Courses I tends Committed	data		
Phone Number:	(905) 793 4311		Sources Used: Supplier's data Prepared By: Quality Control Laboratory		
I HOHE INGHIDEL.	(905) 793-4311	Manufactured By: Kleen-F		Ti-1-1-1-	
Date		IIVIanurachired Rv. K leen-F	uo Tumbier Indu		
Date:	June 17, 2014				
Date:	THIS SHEET SUPERSEDES ANY O	Grote I	ndustries Canada	1	