SAFETY DATA SHEET

DuoLight 1-Step Tonal Crème Lightener (Caramel and Butterscotch)



1/10

Section 1. Identification

Product Name	: DuoLight 1-Step Tonal Crème Lightener (Caramel and Butterscotch)
Other means of identification	: Not available.
Recommended use	: Not available.
Restrictions on use	: Use only as directed on the product label.
Manufacturer	: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
Validation date	: 2/23/2015.
In case of emergency	: (800) 584-8038 [24 Hours]
<u>Telephone number</u>	: (203) 656-7859 [8:30 a.m 5:00 p.m.]
Transportation Emergency	: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
Product type	: Liquid.

Section 2. Hazards identification

Emergency overview	
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: OXIDIZING LIQUIDS - Category 3
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 68.6%
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: May intensify fire; oxidizer.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Wear eye or face protection. Keep away from heat No smoking. Keep away from clothing, incompatible materials and combustible materials. Take any precaution to avoid mixing with combustibles and other incompatible materials.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

United States

Name	%	CAS number
sodium 2-(dodecyloxy)-2-oxoethane-1-sulphonate	1.60	1847-58-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention immediately.	
Inhalation	: Move affected person to fresh air. Seek immediate medical attention.	
Skin contact	: Wash contaminated skin with soap and water. If on clothes, remove clothes. Seek medical attention if irritation persists.	
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. Maintain an open airway.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. 	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Oxidizing material. May intensify fire. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

8381B

2/10

Section 5. Fire-fighting measures

Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Risk of explosion. If large quantities are involved in a major fire, evacuate the area. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Fight fire from protected location or maximum possible distance.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out.
Large spill	: Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from reducing agents and combustible materials.

Section 8. Exposure controls/personal protection

United States

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: None.
Skin protection	
Hand protection	: Wear suitable gloves.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Consult local authorities for	accentable exposure limits

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: White.
Odor	: No Fragrance
рН	: 9.4
Flash point	: Closed cup: Not applicable.

4/10

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following: contact with combustible materials Reactions may include the following: risk of causing or intensifying fire
Conditions to avoid	: Drying on clothing or other combustible materials may cause fire.
Incompatible materials	: Reactive or incompatible with the following materials: combustible materials reducing materials
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

United States

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium 2-(dodecyloxy) -2-oxoethane-1-sulphonate	LD50 Oral	Rat	700 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium 2-(dodecyloxy) -2-oxoethane-1-sulphonate	Eyes - Mild irritant	Rabbit	-	35 milligrams	-
	Skin - Moderate irritant	Rabbit	-	0.5 Grams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Section 11. Toxicological information

Oral		13724.5 mg/kg
Route		ATE value
Acute toxicity estimates		
Numerical measures of toxic	<u>city</u>	
Fertility effects	: No known significant effects or critical ha	azards.
Developmental effects	: No known significant effects or critical ha	azards.
Teratogenicity	: No known significant effects or critical ha	azards.
Mutagenicity	: No known significant effects or critical ha	azards.
Carcinogenicity	: No known significant effects or critical ha	azards.
General	: No known significant effects or critical ha	azards.
Not available.		
Potential chronic health eff	ects	
Potential delayed effects	: Not available.	
Long term exposure Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential immediate effects	: Not available.	
Short term exposure		
•	cts and also chronic effects from short an	d long term exposure
Ingestion	No specific data.	
Skin contact	No specific data.	
Inhalation	No specific data.	
Eye contact	: No specific data.	<u>61151105</u>
· · · · · · · · · · · · · · · · · · ·	vsical, chemical and toxicological character	
Skin contact Ingestion	May cause skin irritation.No known significant effects or critical has	azarde
Inhalation	be delayed following exposure.	ay cause a health hazard. Serious effects may
Eye contact	: May cause eye irritation.	
Potential acute health effects	<u>s</u>	
Information on the likely routes of exposure	: Not available.	
Aspiration hazard Not available.		
Not available.		
Specific target organ toxici	<u>ty (repeated exposure)</u>	

Section 12. Ecological information

United States

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN3139	Oxidizing liquid, n.o.s.	5.1 III		OILLER 5.1	Limited quantity Yes. Packaging instruction Passenger aircraft Quantity limitation: 2.5 L Cargo aircraft Quantity limitation: 30 L Special provisions 62, 127, A2, IB2
TDG Classification	UN3139	OXIDIZING LIQUID, N.O.S.	5.1	111		Explosive Limit and Limited Quantity Index 5 Passenger Carrying Road or Rail Index 2.5 Special provisions 16
Mexico Classification	UN3139	LIQUIDO OXIDANTE, N.E.P.	5.1	111		Special provisions 223, 274
	I	8381B	I	1	1	1

7/10

Section 14.	Transpol	rt information				
ADR/RID Class	UN3139	OXIDIZING LIQUID, N.O.S.	5.1			Limited quantity LQ13 Special provisions 274 Tunnel code (E)
IMDG Class	UN3139	OXIDIZING LIQUID, N.O.S.	5.1	111		Emergency schedules (EmS) F-A, S-Q Special provisions 223, 274
IATA-DGR Class	UN3139	Oxidizing liquid, n.o.s.	5.1	111	Y Y	Passenger and Cargo Aircraft Aircraft Quantity limitation: 5 L Packaging instructions: 514 Quantity limitation: 30 L Packaging instructions: 515 Limited Quantities - Passenger Aircraft Packaging instructions: Y514 Special provisions A3

PG* : Packing group

Section 15. Regulatory information

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): Not determined.
: Not listed
on ingredients
: Not applicable.

Section 15. Regulatory information

Classification : Fire hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
sodium 2-(dodecyloxy)-2-oxoethane- 1-sulphonate	1.60	No.	No.	No.	Yes.	No.

State regulations

Massachusetts	1	None of the components are listed.
---------------	---	------------------------------------

New York : None of the components are listed.

New Jersey

: The following components are listed: MINERAL OIL (UNTREATED and MILDLY

TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED)

- **Pennsylvania**
- : None of the components are listed.

California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer. Not available.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

ŝ

Not listed.

Canada

WHMIS (Canada)	Class C: Oxidizing material. Class D-2B: Material causing other toxic effects (Toxic).	
<u>Canadian lists</u>		
Canadian NPRI	The following components are listed: White mineral oil; White min	neral oil
CEPA Toxic substances	None of the components are listed.	
Canada inventory	Not determined.	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.


Mexico

Classification



Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>		
Date of printing	:	2/23/2015.
Date of issue/Date of revision	:	2/23/2015.
Date of previous issue	:	No previous validation.
Version	:	0.01
References	:	Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of previous issue