

Product name:WATER-FREE CUTTING FLUIDPage:1/7Revision Date:2013-11-21Print date:2013-11-21Document No.:M0129SDS-ID:US-EN/12.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: WATER-FREE CUTTING FLUID

Cat. No. 49900030

Container size: 5 l

Relevant identified uses of the substance or mixture and uses advised against

Application: Cutting fluid.

Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

Lisbeth.Mygind@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

The product is not classified.

<u>Human health:</u> Degreasing to skin. Prolonged or repeated contact with skin may cause redness,

itching, irritation, eczema, skin cracking and oil acne. The harmful effects may

increase in used oil.

Environment: Oil spills are generally hazardous to the environment.

Label elements

Based on information from the manufacturer regarding the chemical composition,

the product is not liable to classification, but the following labeling must be

applied:

Safety data sheet available for professional user on request.

NFPA Rating: Health:1 Fire:1 Reactivity:0 Other:-

Other hazards

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Product name:WATER-FREE CUTTING FLUIDPage:2/7Revision Date:2013-11-21Print date:2013-11-21Document No.:M0129SDS-ID:US-EN/12.0

The product contains: mineral oil and additives.

67/548/EEC:

<u>%:</u> <u>CAS-No.:</u> <u>EC No.:</u> <u>REACH Reg.</u> <u>Chemical name:</u> <u>Hazard classification:</u> <u>Notes:</u>

No:

60-100 - - - Baseoil-unspecified - L

1-5 68425-15-0 270-335-7 - Polysulfides, di-tert-dodecyl R53

Polysulfides

Notes: L: DMSO-content < 3%

GHS:

<u>%: CAS-No.: EC No.: REACH Reg. Chemical name: Hazard classification: Notes:</u>

No:

60-100 - - - Baseoil-unspecified - L

1-5 68425-15-0 270-335-7 - Polysulfides, di-tert-dodecyl Aquatic Chronic 4;H413

Polysulfides

Notes: L: DMSO-content < 3%

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing or after inhalation of oil mist: Seek medical attention and bring along

these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of eczema or other skin disorders: Seek medical attention and bring these instructions. In case of rashes, wounds or other skin disorders: Seek

medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

WATER-FREE CUTTING FLUID Product name: 3/7 Page: Revision Date: Print date: 2013-11-21 2013-11-21 Document No.: M0129 SDS-ID: US-EN/12.0

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with water fog. Cool containers exposed to heat with

water spray and remove container, if no risk is involved.

Special hazards arising from the substance or mixture

Specific hazards: During fire, toxic gases (CO, CO2) are formed. During fire, health hazardous

gases may be formed.

Advice for firefighters

Protective equipment for Selection of respiratory protection for fire fighting: follow the general fire

fire-fighters: precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of vapors and contact with skin and eyes. Avoid inhalation of oil

mist and contact with skin and eyes.

Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with oil-absorbing material. Clean contaminated area with

oil-removing material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid prolonged and repeated contact with oil, particularly used oil. Always

> remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets. Observe good chemical hygiene practices.

Work practice should minimize contact. Use work methods which minimize oil Technical measures:

mist production.

<u>Technical precautions:</u> When working with heated oil, mechanical ventilation may be required.

Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in tightly closed original container. Store at room temperature. Avoid

contact with oxidizing agents.

Specific end use(s)

Specific use(s): Not relevant.

Product name:WATER-FREE CUTTING FLUIDPage:4/7Revision Date:2013-11-21Print date:2013-11-21Document No.:M0129SDS-ID:US-EN/12.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits:

<u>CAS-No.:</u> <u>Chemical name:</u> <u>As:</u> <u>Exposure limits:</u> <u>Type:</u> <u>Notes:</u> <u>References:</u>

- Mineral oil, excluding - 5 mg/m3 TWA A4 ACGIH

metal working fluids (pure, highly and severely refined), inhalable fraction

- Oil mineral, mist - 5 mg/m3 TWA - OSHA

Notes: A4: Not Classifiable as a Human Carcinogen.

Exposure controls

Engineering measures: Provide adequate ventilation. Mechanical ventilation may be required. Provide

access to washing facilities incl. soap, skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable

respiratory equipment with combination filter (type A2/P3) can be used.

<u>Hand protection:</u> Wear protective gloves. Nitrile gloves are recommended, but be aware that the

liquid may penetrate the gloves. Frequent change is advisable. Other types of

gloves can be recommended by the glove supplier.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: No special precautions.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work. Wash contaminated clothing before reuse.

Environmental Exposure

Controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: clear yellowish liquid

Odor:characteristicpH:Not available.Boiling point:Not available.

Flash point: 170°C

Explosion limits: Not available.

Relative density: 0,83

Solubility: insoluble in water

Other information

Other data: VOC (Volatile Organic Substances): 830 g/l (calculated)

Product name:WATER-FREE CUTTING FLUIDPage:5/7Revision Date:2013-11-21Print date:2013-11-21Document No.:M0129SDS-ID:US-EN/12.0

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: None known.

Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Strong oxidizing substances.

Incompatible materials

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

The harmful effects may increase in used oil.

Inhalation: Inhalation of oil mist or vapors formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or frequent contact may cause redness, itching, irritation,

eczema, skin cracking and oil acne.

Eye contact: Splashes may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used oil may cause serious skin diseases,

such as dermatitis. Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

Product name:WATER-FREE CUTTING FLUIDPage:6/7Revision Date:2013-11-21Print date:2013-11-21Document No.:M0129SDS-ID:US-EN/12.0

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity: Oil spills are generally hazardous to the environment.

Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Waste from residues: EWC-code: 16 09 05

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

UN number

UN-No:

UN proper shipping name

Proper Shipping Name: -

Transport hazard class(es)

Class: -

Packing group

<u>PG:</u> -

Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

Product name:WATER-FREE CUTTING FLUIDPage:7/7Revision Date:2013-11-21Print date:2013-11-21Document No.:M0129SDS-ID:US-EN/12.0

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> TSCA: Listed. <u>National regulation:</u> Europe/USA:

This Material Safety Data Sheet has been prepared according to the

EU-regulation.

Threshold Limit Values (2013), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

Chemical Safety Assessment

<u>CSA status:</u> Not relevant.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Wording of H-statements:

R53 May cause long-term adverse effects in the aquatic environment.

Allan Vorup

H413 May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.