# MATERIAL SAFETY DATA SHEET

#### I - PRODUCT IDENTIFICATION

COMPANY NAME: Heraeus Kulzer, LLC

ADDRESS: 300 Heraeus Way Tel No: (800) 431-1785

South Bend, IN 46614 Nights: Chemtrec 800-424-9300

**PRODUCT NAME:** Modern Materials – Modern Pink, Shur Wax X-Hard, Shur Wax, Utility Wax, Boxing Wax Yellow Bite Wax, Periphery, CoprWax, Yellow Check Bite Wafers, Bite Block Hard, Bite Block Soft, Red Baseplate, Orthodontic Tray Wax, Prepon, Thin-Ex, Lab Wax

**PRODUCT NO(S):** 50093112, 50093152, 50093252, 50093212, 50093312, 50093513, 50093553, 50093352, 50095492, 50095892, 50095992, 50093712, 50094193, 50094293, 50094191, 50094291, 50094493, 50094593, 50094491, 50094591, 50094693, 50094793, 50095094, 50095194,

50093614, 50093654, 50092178, 50092189, 50094850

Synonyms: Paraffin Wax & Natural Occurring Wax

#### II - HAZARDOUS INGREDIENTS OF MIXTURES

MATERIAL: CAS# | HAZARD | TLV | PEL

#### **III - PHYSICAL DATA** (ND = Not Determined)

Vapor Pressure, mm Hg: None|Vapor Density (Air =1): NoneEvaporation Rate (ether=1): None|% Volatile by volume: NoneSolubility in H₂O: None|pH: 7.4 (10% Solution)

Solubility in H₂O: None Boiling Point: NA

Boiling Point: NA | Appearance: Wax of various colors and shapes

Specific Gravity (H<sub>2</sub>O=1): 0.90 |Odor: Odorless or slight spearmint flavor

## **IV - FIRE AND EXPLOSION**

Flash Point: 400°F Min. COC | Flammable Limits: Not available

**Extinguishing Media:** Foam, dry chemical, water, CO<sub>2</sub>, sand.

**Special Fire Fighting Procedures:** Do not use water. Self contained breathing apparatus to protect against smoke inhalation.

Unusual Fire and Explosion Hazards: None.

### V - REACTIVITY DATA

**Stability:** Unstable [ ] Conditions to avoid: Contact with strong acids.

Stable [X]

Incompatibility (Materials to Avoid): None

Hazardous Polymerization: May Occur [ ] Conditions to avoid: None

Will Not Occur [X]

Page 1 of 2 Form MD.500 (5/92)

#### **MODERN MATERIALS WAX PRODUCTS**

#### **VI. HEALTH HAZARDS**

OSHA Permissible Exposure Limit: None

**ACGIH Threshold Exposure Limit:** 2 mg/m<sup>3</sup> for paraffin wax fumes

Other Exposure Limit Used: None
A. Acute Overexposure: None
B. Chronic, Other: None

Medical conditions generally aggravated by exposure: None

Hygienic Practices: None

Primary Route(s) of Exposure: Skin contact.

Chemical Listed As Carcinogen or potential carcinogen: Not listed

#### **VII - EMERGENCY AND FIRST AID PROCEDURES**

**Skin:** If molten wax contacts skin treat as minor burn.

Ingestion: Consult a physician.

## **VIII - SPILL OR LEAK PROCEDURES**

Spill Management: NA

Waste Disposal Methods: This material can be disposed of as normal solid waste.

## IX - PROTECTION INFORMATION/CONTROL MEASURES

**Respiratory:** None required **Eye Protection:** None required

Gloves: None required

Other Clothing and Equipment: None

Ventilation: None

## **X - SPECIAL PRECAUTIONS**

Precautions to be taken in Handling and Storing: Store in cool temperature

CoprWax contains copper which is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40CFR 372.

## **XI - ADDITIONAL INFORMATION**

When heating wax, paraffin wax fumes may be present. TWA 2 mg/m<sup>3</sup>

Date: August 31, 2009

Supersedes MSDS Dated: February 8, 2007

The opinions expressed herein are those of qualified individuals within Heraeus Kulzer, Inc. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and these opinions and the conditions of use of the product are not within the control of Heraeus Kulzer, Inc., it is the user's obligation to determine the conditions of safe use of the product.