

Page 1/7 Safety Data Sheet

**SDS #**: A-10039 Toner - Black

Revision Date 2017-10-03 Version 5.01 **Issuing Date** 2013-06-27

**Active** 

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Trade Name Toner** for WorkCentre 5945, WorkCentre 5955, WorkCentre 5945i,

> WorkCentre 5955i, Xerox AltaLink B8045, Xerox AltaLink B8055, Xerox AltaLink B8065, Xerox AltaLink B8075,

Xerox AltaLink B8090

Part no. 006R01604, 006R01605, 006R01606, 006R01683

Color Black Pure substance/mixture Mixture

**Identified uses** Xerographic printing

Manufactured by Xerox Corporation Rochester, NY 14644

**Emergency telephone** Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

#### HAZARDS IDENTIFICATION

#### **Emergency Overview**

The product contains no substances which, in the form utilized and at their given concentrations, are considered to be

hazardous to health.

Color Physical state Odor **Appearance** Solid Black Powder Faint

## Classification of the substance or mixture

### Customer use / Cartridges and sealed bottles

**OSHA Hazard Classification** This product is an article which contains a mixture / preparation in powder form. Safety

information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based

on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to

employees and other users of this product.

Label elements

Signal Word None

604E71750



SDS #: A-10039 Toner - Black Page 2/7

**Hazard Statements** None required

None required **Precautionary Statements** 

**Potential Health Effects** 

**Principle Routes of Exposure** 

**Acute toxicity** 

Inhalation

No known effect Eyes Skin No known effect No known effect Inhalation Ingestion No known effect

**Chronic effects** 

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions None under normal use conditions

**Environmental hazard** The environmental impact of this product has not been fully investigated. However, this

preparation is not expected to present significant adverse environmental effects.

## COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Polymer	292629-36-8	>80
Paraffin Wax	8002-74-2	5-15
Carbon Black	1333-86-4	1-10
Amorphous silica	7631-86-9	<5
Titanium dioxide	13463-67-7	<1

## 4. FIRST AID MEASURES

**General advice** For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and Eye contact

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Rinse mouth with water and afterwards drink plenty of water or milk Ingestion

Notes to physician Treat symptomatically

**Protection of first-aiders** No special protective equipment required

#### 5. FIRE-FIGHTING MEASURES

Flammable properties Not flammable. Will not readily ignite

Flash point Not applicable

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam



### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire

#### Specific hazards arising from the chemical

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete

combustion, Carbon oxides, Nitrogen oxides (NOx)

**Explosion Data** 

Sensitivity to Mechanical Impact

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient or

Fine dust dispersed in air, in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion

hazard

Not impact sensitive

#### **Protective Equipment and Precautions for Firefighters**

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

#### ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid breathing dust

Environmental Precautions No special environmental precautions required

Methods for containment Prevent dust cloud

Methods for cleaning up Prevent dust cloud, Sweep up or vacuum up spillage and collect in suitable container for

disposal, Use non-sparking tools and equipment

Other information The environmental impact of this product has not been fully investigated, However, this

preparation is not expected to present significant adverse environmental effects

## 7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust

accumulation in enclosed space, Prevent dust cloud

Technical measures and storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature

Hygiene measures None under normal use conditions

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure guidelines

**Product Information** 

No information available

ACGIH TLV TWA

ACGIH TLV TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

Serox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

ACGIH TLV TWA

3 mg/m³ (respirable dust)

5 mg/m³ (respirable dust)

2.5 mg/m³ (total dust)

2.5 mg/m³ (total dust)

0.4 mg/m³ (respirable dust)

Other information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16



SDS #: A-10039 Toner - Black Page 4/7

mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

# Occupational exposure controls

Engineering measures None under normal use conditions

# **Personal Protective Equipment**

## Customer use / Cartridges and sealed bottles

Eye/Face protection No special protective equipment required

**Skin and body protection**No special protective equipment required

Hand protection No special protective equipment required

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearancePowderOdorFaintOdor thresholdNot applicablePhysical stateSolidpHNot applicableColorBlack

Flash point Not applicable Boiling Not applicable

point/range

Softening point 49 - 60 °C / 120 - 140 °F Autoignition Not applicable temperature

Flammability Limits in Air Not applicable

**Explosive properties** Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Vapor pressure Not applicable Vapor density Not applicable Negligible Water solubility **Viscosity** Not applicable Not applicable Partition coefficient **Evaporation rate** Not applicable Not determined Melting point/range Freezing point Not applicable **Decomposition temperature** Not determined

Specific gravity ~ 1

### 10. STABILITY AND REACTIVITY

**Reactivity**No dangerous reaction known under conditions of normal use

Stability Stable under normal conditions

Incompatible products None

Conditions to Avoid Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the



presence of an ignition source is a potential dust explosion hazard

Hazardous Decomposition Products None under normal use

Hazardous polymerization Hazardous polymerization does not occur

Hazardous reactions None under normal processing

# 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

### **Acute toxicity**

**Product Information** 

Irritation No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

# **Chronic toxicity**

**Product Information** 

**Chronic effects** No known effects under normal use conditions

Main symptoms Overexposure may cause: mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions

Carcinogenicity

None under normal use conditions

See "Other Information" in this section.

Chemical Name	IARC	NTP
Carbon Black	2B	
Titanium dioxide	2B	

#### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. The Titanium Dioxide Industry REACH Consortium has concluded that these effects were species-specific, attributable to lung overload and not specific to TiO2, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

## Other toxic effects

**Product Information** 

Sensitization No sensitization responses were observed

Mutagenic effects Not mutagenic in AMES Test

Target organ effects None known

Other adverse effects None known



Aspiration Hazard Not applicable

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated packaging** Dispose of in accordance with local regulations.

#### 14. TRANSPORT INFORMATION

**Note**This material is not subject to regulation as a hazardous material for shipping

## 15. REGULATORY INFORMATION

## **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

#### **International Inventories**

TSCA Complies DSL/NDSL Complies

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. **CERCLA** 

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **TSCA**



TSCA 12(b) does not apply to this product.

## **US State Regulations**

#### California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon Black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

## U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

#### Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

## 16. OTHER INFORMATION

**Issuing Date** 2013-06-27

Revision Date 2017-10-03

Revision Note Part number(s) 6R1683 added

Model(s) Xerox AltaLink B8045/B8055/B8065/B8075/B8090 2 added

## Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end