

Revision date: 06-Jul-2015 Version: 1.0 Page 1 of 12

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: Simbadol

Simbadol **Trade Name:**

Buprenorphine injection Synonyms:

Chemical Family: Opioid

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as Narcotic analgesic

Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Belgium S.A. Zoetis Inc. 100 Campus Drive, P.O. Box 651 Mercuriusstraat 20 Florham Park, New Jersey 07932 (USA) 1930 Zaventem Rocky Mountain Poison and Drug Center Phone: 1-866-531-8896 **Belgium**

Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number:

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail: VMIPSrecords@zoetis.com

2. HAZARDS IDENTIFICATION

Appearance: Liquid

Classification of the Substance or Mixture

GHS - Classification

Serious Eye Damage/Eye Irritation: Category 2 Reproductive Toxicity: Category 2

Flammable liquids- Category 3

EU Classification:

EU Indication of danger: Not determined

Label Elements

Signal Word: Warning

Hazard Statements: H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

Material Name: Simbadol Page 2 of 12
Revision date: 06-Jul-2015 Version: 1.0

Precautionary Statements: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash hands thoroughly after handling

P370 + P378 - In case of fire: Use dry chemical, CO2, foam or water spray for extinction

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations

Other Hazards

Short Term: Can cause eye irritation . Signs and symptoms might include redness, swelling, blurred vision

or pain. May cause slight skin irritation. Vapors may cause drowsiness and dizziness. Breathing high vapor concentrations may cause central nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea, and loss of coordination.

Continued inhalation may result in unconsciousness and death.

may have the potential to produce effects on the developing fetus.

Long Term:
Australian Hazard Classification

(NOHSC):

Note:

Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the

requires the inclusion of all known nazards of the product of its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

| Ingredient | CAS Number | EU EINECS/ELINCS List | EU Classification | GHS Classification | % |
|-----------------------------|------------|-----------------------------|----------------------|--|------|
| Buprenorphine hydrochloride | 53152-21-9 | 258-396-8 | Xn;R22 R67 R63 | Acute Tox. 3 (H301) Repr. 2 (H361) STOT SE 3 (H336) | <1 |
| Acetic acid | 64-19-7 | 200-580-7 | R10 C; R35 | Skin Corr.1A (H314) Flam. Liq. 3 (H226) | 0.05 |
| Ethyl alcohol (ethanol) | 64-17-5 | 200-578-6 | F; R11 | Flam. Liq. 2 (H225) | 10 |

Material Name: Simbadol Page 3 of 12 Revision date: 06-Jul-2015 Version: 1.0

| Ingredient | CAS Number | EU | EU Classification | GHS | % |
|----------------|------------|---------------|-------------------|----------------|---------|
| _ | | EINECS/ELINCS | | Classification | |
| | | List | | | |
| Glucose | 50-99-7 | 200-075-1 | Not Listed | Not Listed | 1 - 10 |
| Propylparaben | 94-13-3 | 202-307-7 | Not Listed | Not Listed | <1 |
| Sodium acetate | 127-09-3 | 204-823-8 | Not Listed | Not Listed | <1 |
| Methylparaben | 99-76-3 | 202-785-7 | Not Listed | Not Listed | <1 |
| Water | 7732-18-5 | 231-791-2 | Not Listed | Not Listed | 50 - 90 |

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this

mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention **Eye Contact:**

immediately.

Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek Skin Contact:

medical attention.

Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not Ingestion:

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Flammable liquid and vapor. May present a fire hazard under fire conditions. May generate Fire / Explosion Hazards:

flammable vapors. Vapors are heavier than air and may travel along surfaces to remote ignition

sources and flash back.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Material Name: Simbadol Page 4 of 12
Revision date: 06-Jul-2015 Version: 1.0

6. ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation. Ground and bond containers when transferring material. Personnel must wear appropriate protective equipment (see Section 8). Prevent exposure by any route.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly. Prevent discharge to drains.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel. Contain the source of the spill or leak and shut off all electrical equipment if it is safe to do so. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spill with a non-combustible absorbent material and transfer to labeled container for disposal. Clean spill area thoroughly. Prevent discharge to drains. Prevent runoff from entering waterways or sewers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Flammable. Keep away from heat, sparks, flame and all other sources of ignition. Take precautionary measures against static discharges. Ground and bond all bulk transfer equipment. Use only in a well-ventilated area. Restrict access to work area. Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Avoid accidental injection. Wash thoroughly after handling. Releases to the environment should be avoided.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep in a cool, well-ventilated place. Keep container tightly closed when not in use. Keep

away from heat, sparks, flame, and other sources of ignition. Protect from light. Store away

from direct sunlight.

Storage Temperature:

15-30°C (59-86°F)

Incompatible Materials:

Heat and oxidizers, combustible materials

Specific end use(s):

No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Acetic acid

ACGIH Threshold Limit Value (TWA) 10 ppm **ACGIH Threshold Limit Value (STEL)** 15 ppm **Australia STEL** 15 ppm 37 mg/m³ 10 ppm Australia TWA 25 mg/m³ **Austria OEL - MAKs** 10 ppm 25 mg/m³ **Belgium OEL - TWA** 10 ppm 25 ma/m3 25.0 mg/m³ **Bulgaria OEL - TWA** 10 ppm Cyprus OEL - TWA 25 mg/m³

Material Name: Simbadol Page 5 of 12 Revision date: 06-Jul-2015 Version: 1.0

| 8. EXPOSURE CONTROLS | / PERSONAL PROTECTION | 1 |
|----------------------|-----------------------|---|
|----------------------|-----------------------|---|

| | TRUES / PERSONAL PROTECTION |
|------------------------------------|-----------------------------|
| Czech Republic OEL - TWA | 25 mg/m ³ |
| Denmark OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Estonia OEL - TWA | 10 ppm |
| Estonia GEE TWA | 25 mg/m ³ |
| Finland OEL - TWA | 5 ppm |
| Fillialid OEL - TWA | 13 mg/m ³ |
| O TDOC 000 TMA- | |
| Germany - TRGS 900 - TWAs | 10 ppm |
| | 25 mg/m ³ |
| Germany (DFG) - MAK | 10 ppm |
| | 25 mg/m ³ |
| Greece OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Hungary OEL - TWA | 25 mg/m ³ |
| Ireland OEL - TWAs | 10 ppm |
| | 25 mg/m ³ |
| Latvia OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Lithuania OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Luxembourg OEL - TWA | 10 ppm |
| Editeriboding OLE - TWA | 25 mg/m ³ |
| Malta OEL - TWA | 10 ppm |
| Walta OEL - IWA | 25 mg/m ³ |
| Vietnem OEL TWAs | <u>~</u> |
| Vietnam OEL - TWAs | 25 mg/m ³ |
| OSHA - Final PELS - TWAs: | 10 ppm |
| | 25 mg/m ³ |
| Poland OEL - TWA | 15 mg/m ³ |
| Portugal OEL - TWA | 10 ppm |
| Romania OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Slovakia OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Slovenia OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Spain OEL - TWA | 10 ppm |
| | 25 mg/m ³ |
| Sweden OEL - TWAs | 5 ppm |
| | 13 mg/m ³ |
| Switzerland OEL -TWAs | 10 ppm |
| | 25 mg/m ³ |
| | |
| Ethyl alcohol (ethanol) | |
| ACGIH Threshold Limit Value (STEL) | 1000 ppm |
| Australia TWA | 1000 ppm |
| | 1880 mg/m ³ |
| Austria OEL - MAKs | 1000 ppm |
| | 1900 mg/m ³ |
| Belgium OEL - TWA | 1000 ppm |
| | 1907 mg/m ³ |
| Bulgaria OEL - TWA | 1000.0 mg/m ³ |
| Czech Republic OEL - TWA | 1000 mg/m ³ |
| Jeon Republic OLL - 1117 | 1000 mg/m |

Material Name: Simbadol Page 6 of 12 Revision date: 06-Jul-2015 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Denmark OEL - TWA 1000 ppm 1900 mg/m³ 500 ppm **Estonia OEL - TWA** 1000 mg/m³ 1000 ppm **Finland OEL - TWA** 1900 mg/m³ 1000 ppm France OEL - TWA 1900 mg/m³ Germany - TRGS 900 - TWAs 500 ppm 960 mg/m³ Germany (DFG) - MAK 500 ppm 960 mg/m³ **Greece OEL - TWA** 1000 ppm 1900 mg/m³ 1900 mg/m³ **Hungary OEL - TWA** Latvia OEL - TWA 1000 mg/m³ Lithuania OEL - TWA 500 ppm 1000 mg/m³ **Netherlands OEL - TWA** 260 mg/m³ Vietnam OEL - TWAs 1000 mg/m³ 1000 ppm **OSHA - Final PELS - TWAs:** 1900 mg/m³ 1900 mg/m³ **Poland OEL - TWA** Portugal OEL - TWA 1000 ppm 1000 ppm Romania OEL - TWA 1900 mg/m³ 500 ppm Slovakia OEL - TWA 960 mg/m³ 1000 ppm Slovenia OEL - TWA 1900 mg/m³ 500 ppm Sweden OEL - TWAs 1000 mg/m³ **Switzerland OEL -TWAs** 500 ppm 960 mg/m³

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Use process

enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels

below recommended exposure limits.

Personal Protective

Refer to applicable national standards and regulations in the selection and use of personal **Equipment:**

protective equipment (PPE).

Wear impervious gloves if skin contact is possible. Hands:

Eves: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is

> recommended as a precaution to minimize exposure. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to

control exposures to below the OEL.

Material Name: Simbadol Page 7 of 12 Revision date: 06-Jul-2015 Version: 1.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid preparation Color: No data available. Odor: No data available. **Odor Threshold:** No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available

Soluble: Water, Dextrose solutions Water Solubility:

pH: 3.5 - 5.5

Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value) Buprenorphine hydrochloride Log P 4.98

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** No data available No data available Viscosity:

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): 23 - 60C / 73.4 - 140F Upper Explosive Limits (Liquid) (% by Vol.): No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties:

Conditions to Avoid: Exposure to light. Exposure to sunlight. Keep away from heat and other sources of ignition,

including electrostatic discharge.

Incompatible Materials: Heat and oxidizers, combustible materials

No data available

Hazardous Decomposition Thermal decomposition products may include carbon monoxide, carbon dioxide and other toxic **Products:**

vapors.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information in this

section describes the potential hazards of the individual ingredients and the formulation.

Routes of exposure: eye contact, skin contact, inhalation

Acute Toxicity: (Species, Route, End Point, Dose)

Ethyl alcohol (ethanol)

Oral LD50 3450 mg/kg Mouse LD50 7060mg/kg Oral

Material Name: Simbadol Page 8 of 12
Revision date: 06-Jul-2015 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Rat Inhalation LC50 10h 20,000ppm

Acetic acid

Rat Oral LD50 3530 mg/kg Mouse Inhalation LC50 5000ppm

Propylparaben

Mouse Oral LD 50 6332 mg/kg

Mouse Sub-tenon injection (eye) LD 50 200 mg/kg

Buprenorphine hydrochloride

Mouse Oral LD50 261 mg/kg Rat Oral LD50 > 600 mg/kg

Mouse / Rat Intravenous LD50 26 / 35 mg/kg

Rat Intraperitoneal LD50 243 mg/kg Mouse Intraperitoneal LD50 94 mg/kg

Glucose

Rat Oral LD50 25800 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Inhalation Acute ToxicityBased on components, inhalation may cause irritation, headache, drowsiness, dizziness,

nausea, vomiting, diarrhea, dehydration, and symptoms of drunkenness. Breathing high vapor concentrations may cause central nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea, and loss of coordination. Continued inhalation may

result in unconsciousness and death.

Irritation / Sensitization: (Study Type, Species, Severity)

Ethyl alcohol (ethanol)

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

Irritation / Sensitization Comments: May cause eye irritation.

Skin Irritation / Sensitization May cause mild skin irritation.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Propylparaben

3 Week(s) Rat Oral 27.1 g/kg LOAEL Endocrine system

4 Week(s) Rat Oral 347.2 mg/kg LOAEL Male reproductive system

Reproductive & Development

Toxicity Comments:

may have the potential to produce effects on the developing fetus.

Carcinogen Status: Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage . None of the other components of this mixture are listed as a carcinogen

by IARC, NTP or OSHA.

Ethyl alcohol (ethanol)

IARC: Group 1 (Carcinogenic to Humans)

Material Name: Simbadol Page 9 of 12
Revision date: 06-Jul-2015 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Product Level Toxicity Data Acute Toxicity Estimate (ATE),

>10,000 mg/kg

oral

Acute Toxicity Estimate (ATE),

>10 mg/l

inhalation (vapor)

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. The following

information is available for the individual ingredients. Releases to the environment should be

avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Ethyl alcohol (ethanol)

Oncorhynchus mykiss (Rainbow Trout) LC50/96h 12,900-15,300 mg/L

Acetic acid

Pimephales promelas (Fathead Minnow) LC-50 1 Hours > 315 mg/L Pimephales promelas (Fathead Minnow) LC-50 24 Hours 122 mg/L Mysidopsis bahia (Mysid Shrimp) LC-50 48 Hours 100-300 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential:

Buprenorphine hydrochloride Log P 4.98

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Waste of this product may qualify as a RCRA Hazardous Waste. Status should be confirmed by testing for RCRA hazardous characteristics (i.e. corrosivity, toxicity, reactivity, or ignitability). Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Material Name: Simbadol Page 10 of 12
Revision date: 06-Jul-2015 Version: 1.0

Aqueous products containing alcohol at 24 percent or less are not subject to the requirements of the EU ADR, IATA, or IMDG. They are similarly exempt from US DOT requirements provided that they contain no less than 50 percent water.

DOT Not regulated for transportation

U.S. DOT Reportable Quantity (RQ), 49 CFR 172.101 Appendix A:

Acetic acid

CERCLA/SARA Hazardous Substances 5000 lb and their Reportable Quantities: 2270 kg

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A

Class D, Division 2, Subdivision B

Class B, Division 2

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



Buprenorphine hydrochloride

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

258-396-8

Acetic acid

CERCLA/SARA 313 Emission reporting Not Listed **CERCLA/SARA Hazardous Substances** 5000 lb and their Reportable Quantities: 2270 kg **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 2 Schedule 5 for Drugs and Poisons: Schedule 6

EU EINECS/ELINCS List 200-580-7

Material Name: Simbadol Page 11 of 12 Revision date: 06-Jul-2015 Version: 1.0

15. REGULATORY INFORMATION

Glucose

Not Listed **CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65** Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **REACH - Annex IV - Exemptions from the** Present obligations of Register:

EU EINECS/ELINCS List 200-075-1

Propylparaben

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 202-307-7

Sodium acetate

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 204-823-8

Methylparaben

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Present Inventory - United States TSCA - Sect. 8(b) Australia (AICS): Present 202-785-7 **EU EINECS/ELINCS List**

Ethyl alcohol (ethanol)

Not Listed **CERCLA/SARA 313 Emission reporting**

carcinogen initial date 4/29/11 in alcoholic beverages **California Proposition 65**

developmental toxicity initial date 10/1/87 in alcoholic beverages

Present Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): **EU EINECS/ELINCS List** 200-578-6

Water

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Present Australia (AICS): **REACH - Annex IV - Exemptions from the** Present

obligations of Register:

231-791-2 **EU EINECS/ELINCS List**

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Material Name: Simbadol Page 12 of 12
Revision date: 06-Jul-2015 Version: 1.0

Flammable liquids-Cat.2; H225 - Highly flammable liquid and vapor

Flammable liquids-Cat.3; H226 - Flammable liquid and vapor

Skin corrosion/irritation-Cat.1A; H314 - Causes severe skin burns and eye damage

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed

Reproductive toxicity-Cat.2; H361 - Suspected of damaging fertility or the unborn child

Specific target organ toxicity, single exposure; Narcotic effects-Cat.3; H336 - May cause drowsiness and dizziness

F - Highly flammable

C - Corrosive

Xn - Harmful

R35 - Causes severe burns.

R11 - Highly flammable.

R10 - Flammable.

R22 - Harmful if swallowed.

R67 - Vapors may cause drowsiness and dizziness.

R63 - Possible risk of harm to the unborn child.

Data Sources: The data contained in this SDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: New data sheet.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
