

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier	
Product Name	ABC SUPER 90 DRY CHEMICAL
Other means of identification	
Synonyms	Multi-purpose Dry Chemical
Recommended use of the chemic	al and restrictions on use
Recommended Use	Fire Suppression
Uses advised against	Not for human or animal drug use
Details of the Supplier of the Safe	ety Data Sheet
Extinguisher Manufacturer	STRIKE FIRST CORPORATION 777 Tapscott Rd. Toronto Ontario M1X 1A2
Contact Information	Phone: (416) 299-7767 Fax: (416) 299-8039 Email: <u>info@strike-first.com</u>
Chemical Supplier Name	STEEL FIRE EQUIPMENT LTD.
Supplier Address	150 SUPERIOR BLVD. MISSISAUGA ON L52 2L2 CANADA
Supplier Contact Numbers	Phone: (905) 564-1500 Fax: (905) 564-0008 Email: <u>sales@steelfire.com</u>
Emergency Telephone Number	CHEMTREC 1-800-424-9300 or (703) 527-3887

2. HAZARDS IDENTIFICATION

This SDS covers the products as sold in pressurized and non-pressurized containers. GHS classifications for both are listed below.

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Hazard Symbol	Signal Word	Hazard Statement
	Warning	<u>Contents under pressure, may</u> explode if heated
	Warning	May cause skin, eye or respiratory irritation

Emergency Overview

The product contains no substances which at their concentration, are considered to be hazardous to health.		
Appearance Light Yellow	Physical State Powder(s) Solid	Odor Odorless
Precautionary Statements	- Prevention	
Precautionary Statements None	- Response	
Precautionary Statements None	- Storage	
Precautionary Statements None	- Disposal	
Hazards not otherwise classified (H	NOC)	
Not applicable		
<u>Unknown Toxicity</u> 1.2% of the mixture consists of ingredient(s) of unknown toxicity		
Other information		
Maybe harmful if swallowed		

May cause slight eye irritation

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

MULTI-PURPOSE DRY CHEMICAL

Chemical Name	CAS No	Weight - %	Trade Secret
Ammonium Sulfate	7783-20-2	1 - 5	*
Fullers Earth	8031-18-3	1-5	*
Mica	12001-26-2	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

<u>First aid measures</u>

Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin contact	Wash with soap and water.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms	No information available.
and Effects	

Indication of any immediate medical attention and special treatment if needed

Notes to Physician

Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code COMBUSTIBLE DUST/POWDER

Hazardous Combustion Products Carbon oxides.

Explosion DataSensitivity to Mechanical ImpactNo.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHS/NIOSH (approved p or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing.	
Environmental precautions		
Environmental precautions	Refer to protective measures listed in Sections 7 & 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Avoid generation of dust. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Pick up and transfer to properly labeled containers. After cleaning flush away traces of water.	

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.
Conditions for safe storage, incl	uding any incompatibilities
Storage	Keep container tightly closed. Keep/store only in original container.
Incompatible Products	Strong oxidizing agents. Strong acids. Chlorinated compounds. Sodium hypochlorite.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mica	TWA: 3 mg/m^3	TWA: 20mppcf (<1%	IDLH: 1500mg/m ³
12001-26-2		crystalline silica)	containing <1% quartz
		3 mg/m^3 (vacated)	TWA: 3 mg/m ³ respirable
		_	dust

ACGIH TLV: American Conference of Government Industrial Hygienist – Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration – Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering measures	Showers Eyewash stations Ventilation systems
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shield (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	No protective equipment is needed under normal conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Effective dust mask.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Appearance Color	Powder (s) Light Yellow Light Yellow	Odor Odor Threshold	Odorless No information available
<u>Property</u> Ph	$\frac{\text{Values}}{4-5}$	Remarks Method None known	
Melting / Freezing point	190 C	None known	
Boiling point /boiling range	No data available	None known	
Flash point	No data available	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability limit in air			
Upper flammability limit	Not flammable		
Lower flammability limit	Not Flammable		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific gravity	0.85	None known	
Water solubility	>33g/100ml	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	0	None known	
Decomposition temperature	100 – 120 C	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	0		
Explosive properties	No data available		
Oxidizing properties	No data available		

Other information

Softening point VOC content (%) Particle size Particle size distribution

No data available No data available No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Incompatible materials. <u>Incompatible materials</u> Strong oxidizing agents. Strong acids. Chlorinated compounds. Sodium hypochlorite. <u>Hazardous Decomposition Products</u> Carbon oxides. Nitrogen oxides (NOx). Potassium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation.
Skin contact	May cause irritation.
Ingestion	Specific test data for the substance or mixture is not available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Sulfate	= 2840mg/kg (Rat)	-	-
7783-20-2			

Information on toxicological effects

Symptoms

No information available

Delayed and immediate effects as well as chronic effects from short and long term exposure

Sensitization

No information available.

Steel Fire - ABC Super 90	Revision Date: Apr. 10, 2018	Revision Number
Mutagenic Effects	No information available.	
Carcinogenicity	Contains no ingredient listed as carcinogen.	
Reproductive toxicity	No information available.	
STOT – single exposure	No information available.	
STOT – repeated exposure	No information available.	
Chronic Toxicity	No known effect based on information supplied. Carcino	genic potential is
Target Organ Effects	unknown. None known.	
Aspiration Hazard	No information available.	
Numerical measures of toxicity	Product Information	

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

4,350.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effect

Chemical Name	Toxicity to	Toxicity to Fish	Toxicity to	Daphnia Magna
	Algae		microorganisms	(Water Flea)
Ammonium Sulfate		96h LC50: = 250mg/l		
		(Brachydanio rerio) 96h		
		LC50: = 480 mg/L		
		(Brachydanio rerio) 96h		
		LC50: = 32.2 - 41.2 mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: = 18 mg/L (Cyprinun		
		carpio) 96h LC50: =		
		420mg/L (Brachydanio rerio)		
		96h LC50: 5.2 – 8.2mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: = >100mg/L		
		(Phimephales promelas) 96h		
		LC50: 122 – 128mg/L		
		(Poecilia reticulate) 96h		
		LC50: 460 – 1000mg/L		
		(Leiciscus idus)		

<u>Persistence Degradability</u> Degrades rapidly in humid/wet environment.

Bioaccumulation

Chemical Name	Log Pow
Ammonium Sulfate	-5.1
7783-20-2	

Other adverse effects

No information available

13. DISPOSAL INFORMATION

Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261. To determine whether the altered material is a hazardous waste. consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

14. TRANSPORTATION INFORMATION

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not Regulated
MEX	Not Regulated
<u>ICAO</u>	Not Regulated
<u>IATA</u> Proper Shipping Name Hazard Class	Not Regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not Regulated N/A
IRD	Not Regulated
ADR	Not Regulated
ADN	Not Regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations. Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, nontoxic

inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is Limited Quantity when shipped via highway or rail. Use a Non-Flammable Gas label (class 2.2) when shipping via air.

15. REGULATORY INFORMATION

International Inventories

TSCACompliesDSLAll components are listed either on the DSL or NDSL.

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight - %	SARA 313 – Threshold Values %
Ammonium Sulfate	7783-20-2	1 - 5	1.0

SARA 313/312 Hazard Categories

Acute Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release Hazard -*	Yes
Reactive Hazard	No

*- Only applicable if material is in a pressurized extinguisher.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substance under the Comprehensive Environmental Response and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to release of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Butanamide, 2,2' –[3,3' –dichloro[1,1' –biphenyl]-4,4' –diyl – 5468-75-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Mono Ammonium Phosphate 7722-76-1				Х	
Ammonium Sulfate 7783-20-2		X	X	Х	
Mica 12001-26-2	Х	Х	Х		
Silica, amorphous, precipitated and gel 112926-00-8	Х	X	X		

International Regulations

Mexico


National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Mica 12001-26-2 (1 – 5)		Mexico: TWA=3 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class Not Determined

16. OTHER INFOMRATION



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of this publication. This information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

END OF SAFETY DATA SHEET