

MATERIAL SAFETY DATA SHEET Bubble Jet Set 2000

Emergency Telephone Numbers: 800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME......: Bubble Jet Set 2000

CHEMICAL FAMILY...: Aqueous preparation of organic resinous material

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Component CASE# % By Wt **Exposure Limits** 5mg/m³ TWA OSHA Water, Perfume 9005-25-8 < 10 (respirable fraction) Ironing Aid, Color 15mg/m³ TWA OSHA(total dust) N/A (not applicable) Organic resinous N/A - mixture < 10 See Effects of Overexposure

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

ROUTE(S) OF ENTRY...... Skin and eye contact with liquids, inhalation and ingestion.

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:

This product may be irritating to skin, eye and respiratory passages and may cause gastrointestinal irritation if ingested.

This product contains: Organic resinous materials which, according to the manufacturer, may be irritating to skin, eye and respiratory passages and may cause gastrointestinal irritation if ingested.

CARCINOGENICITY:

NTP....: No IARC....: No OSHA...: No

4. FIRST AID MEASURES:

SKIN: Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Get medical attention if irritation occurs.

EYES: Hold eyes open and flush for at least 15 minutes with large amounts of water. Seek medical attention.

INGESTION: Do not induce vomiting. Give two glasses of water to dilute stomach contents. Never give anything by mouth to an unconscious person. Consult physician.

INHALATION: Remove to fresh air immediately. If breathing has stopped give artificial respiration. If breathing is difficult administer oxygen. Consult physician if irritation of respiratory passage occurs.

5. FIRE FIGHTING MEASURES

FLASH POINT...... N/A FLAMMABLE LIMITS...... N/A

EXTINGUISHING MEDIA...: Foam, carbon dioxide, dry powder, water spray. Product poses only small fire hazard. When selecting fire-fighting measures consider hazards of other products in fire area.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing. Use water spray only to cool drums or packages in fire area.

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Wearing appropriate personal protective equipment, contain spills onto inert absorbent and place in suitable containers.

7. HANDLING AND STORAGE

STORAGE: Store closed containers in cool area away from strong oxidizing agents, strong acids and alkalis. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in well-ventilated area.

RESPIRATORY PROTECTION: Applicable only for dry material (see Section 3 regarding OSHA exposure limits on particulates.

SKIN PROTECTION: Clothing suitable to prevent skin contact. Use rubber or polyethylene gloves.

EYE PROTECTION: Safety goggles with side shields recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM....: Liquid COLOR...: Clear ODOR...: Slight

SOLUBILITY IN WATER.....: Fully miscible

pH......4 to 7 (Organic resinous solution)

BOILING POINT......212 °F (100 °C - water)

VAPOR PRESSURE.....: Not determined **SPECIFIC GRAVITY**.....: approx 1 g/cm3

ORGANIC SOLVENT CONTENTS: None

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and carbon

dioxide.

POLYMERIZATION: Does not occur.

INCOMPATIBILITIES: Avoid oxidizing agents, strong acids, and alkali.

11. TOXICOLOGICAL INFORMATION

See Section 3 - Human Effects and Symptoms of Overexposure.

12. ECOLOGICAL INFORMATION

Avoid contamination of ground water or waterways.

13. DISPOSAL CONSIDERATIONS

Incinerate or dispose of in accordance with Federal, State or Local regulations.

14. TRANSPORT INFORMATION (Not meant to be all-inclusive)

NOT A DOT HAZARD

15. REGULATORY INFORMATION (Not meant to be all-inclusive)

All components of this product are on the TSCA Inventory.

16. OTHER INFORMATION

PERSONAL PROTECTION: Rubber gloves, safety goggles with side shield

HAZCOM LABEL: To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.