

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VELTEK ASSOCIATES, INC. Date of issue: 11/24/2011 Revision date: 04/10/2014 Supersedes: 11/24/2011

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : DECON-AHOL Aerosol
Product code : VEL-104-AEROSOL

Synonyms : DECON-AHOL WFI Formula INVERTA-SPRAY; DECON-AHOL AEROSOL WFI Formula

INVERTA-SPRAY; DECON-AHOL AEROSOL WFI Formula; DECON-AHOL WFI Formula

Version: 2.0

AEROSOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Decontaminant

1.3. Details of the supplier of the safety data sheet

Veltek Associates, Inc. 15 Lee Blvd Malvern, PA 19355-1234 USA T +1 610-644-8335 - F +1 610-644-8336 vai@sterile.com

1.4. Emergency telephone number

Emergency number : CARECHEM 24 call: 1-866-928-0789

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 2 H225 Eye Irrit. 2A H319 STOT SE 3 H336

2.2. Label elements

Appearance : Clear liquid. Emergency overview : WARNING

Flammable liquid and vapor. Causes eye irritation. Prolonged or repeated contact may

dry skin and cause irritation. May cause central nervous system effects.

Pressurized container: May burst if heated.

OSHA regulatory status : This product is considered hazardous under 29 CFR 1910.1200 (Hazard

Communication).

Potential health effects

Routes of exposure : Inhalation. Ingestion. Skin contact. Eye contact.

Eyes : Causes eye irritation.

Skin Prolonged or repeated contact may dry skin and cause irritation. Defats the skin.

Inhalation : Vapors may cause drowsiness and dizziness. May cause central nervous system

effects.

Ingestion : Swallowing or vomiting of the liquid may result in aspiration into the lungs. Be aware

that symptoms of chemical pneumonia (shortness of breath) may occur several hours

after exposure.

Target organs : Eyes. Skin. Respiratory system. Central nervous system.

Chronic effects : None known.

Signs and symptoms : Corneal damage. Conjunctivitis. Defatting of the skin. Rash. Irritation. Symptoms can

include irritation, redness, scratching of the cornea, and tearing. Drowsiness and

08/04/2014 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

dizziness.

Potential environmental effects

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%
Propan-2-ol	(CAS No) 67-63-0	68 - 72
Nitrogen	(CAS No) 7727-37-9	> 1

SECTION 4: First aid measures

First-aid measures after eye contact

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop

obtain medical attention.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Gently

wash with plenty of soap and water. If symptoms develop obtain medical attention.

do. Continue rinsing. If symptoms develop obtain medical attention.

First-aid measures after ingestion : Get immediate medical attention. Rinse mouth. Do NOT induce vomiting. Do not give an

unconscious person anything to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Dry powder. Carbon dioxide. Alcohol resistant foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : Containers may rupture when heated.

Reactivity : Stable under normal conditions.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Ensure adequate ventilation.

08/04/2014 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment : Equip cleanup crew with proper protection.

: Ensure adequate ventilation. Avoid inhalation of vapors. **Emergency procedures**

6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect Methods for cleaning up

spillage. Store away from other materials.

Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No naked lights. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Containers may rupture when heated.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Technical measures : Keep away from open flames, hot surfaces and sources of ignition.

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep in fireproof place. Keep container tightly closed.

Incompatible products Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Oxidizing

materials. Combustible materials. Halogens. Peroxides. Metallic salts.

Specific end use(s)

Decontaminant.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

Propan-2-ol (67-63-0)		
USA ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. **Exposure controls**

: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be Appropriate engineering controls

available in the immediate vicinity of any potential exposure.

Personal protective equipment Avoid all unnecessary exposure. Wash hands thoroughly after handling. Wear chemically resistant protective gloves.

Hand protection

Eye protection Goggles. : Wear suitable protective clothing. Skin and body protection

Respiratory protection In case of inadequate ventilation: Use an approved air purifying respirator to control exposure.

Follow respirator protection requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator

Thermal hazard protection : Not required for normal conditions of use.

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or Environmental exposure controls

streams.

Other information Do not eat, drink or smoke during use. Do not breathe Vapors. Do not eat, drink or smoke when

using this product.

08/04/2014 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Color : colorless.
Odor : mild. alcohol.
Odor threshold : No data available

pH : 5.5 - 7.5

Relative evaporation rate (butyl acetate=1) : No data available : Not applicable Melting point Freezing point : Not applicable : 180.5 °F (82.5 °C) **Boiling point** Flash point : 64.9 °F (18.3 °C) Self ignition temperature : 750.2 °F (399 °C) Decomposition temperature : No data available Flammability (solid, gas) : Not applicable

Vapor pressure : 3.7 - 4.1 kPa @ 20°C (Propan-2-ol)
Relative vapor density at 20 °C : 1.6 Relative density, gas (air=1)

Relative density : 0.84 - 0.87 Solubility : Miscible.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available

Viscosity, dynamic : 2.1 cP @ 25°C (Propan-2-ol)

Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : 2.5 - 12 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Combustible when heated.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents. Halogens. Peroxides. Metallic salts.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Propan-2-ol (67-63-0)	
LD50 oral rat	4396 mg/kg
LD50 dermal rat	12800 mg/kg
LC50 inhalation rat (mg/l)	72.6 mg/l/4h

08/04/2014 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation : Not classified

pH: 5.5 - 7.5

Serious eye damage/irritation : Causes serious eye irritation.

pH: 5.5 - 7.5

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Propan-2-ol (67-63-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Harmful if swallowed.

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Propan-2-ol (67-63-0)	
LC50 fish	4200 mg/l 96 h
LC50 other aquatic organisms	1400 mg/l 48 h (Crustaceans)

12.2. Persistence and degradability

DECON-AHOL Aerosol	
Persistence and degradability	Rapidly degradable.

12.3. Bioaccumulative potential

DECON-AHOL Aerosol	
Bioaccumulative potential	Low bioaccumulation potential.
Propan-2-ol (67-63-0)	
Bioconcentration factor (BCF REACH)	3

12.4. Mobility in soil

DECON-AHOL Aerosol	
Ecology - soil	Very mobile.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of this material

and its container to hazardous or special waste collection point.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

08/04/2014 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with DOT

UN-No.(DOT) : 1950
DOT Proper Shipping Name : Aerosols

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None

Additional information

Other information : Not classified.

Special transport precautions : No special precautions required.

Transport by sea

UN-No. (IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOLS
Class (IMDG) : 2 - Gases

Air transport

UN-No.(IATA) : 1950
Proper Shipping Name (IATA) : AEROSOLS

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

Propan-2-ol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)

Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

DECON-AHOL Aerosol	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class B Division 5 - Flammable Aerosol

15.2.2. National regulations

No additional information available

15.3. US State regulations

Propan-2-ol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

Nitrogen (7727-37-9)

U.S. - New Jersey - Right to Know Hazardous Substance List

08/04/2014 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and

mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : This product is registered by the United States Environmental Protection Agency under number 68959-4. The hazard classification assigned by the US EPA is: DANGER FLAMMABLE Keep

away from heat or open flame. Store at room temperature below 48.8°C (120°F).

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual


injury even if no treatment is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

Personal Protection : G

NCEC SDS US GHS (Hazcom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

08/04/2014 EN (English US) 7/7