according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

**Product name** : DRANO CLOG REMOVER

Recommended use : Drain Cleaner

Restrictions on use : Use only as directed on label

supplier

**Manufacturer, importer,** : S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +1-800-558-5252

**Emergency telephone** 

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

#### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Corrosive to metals	Category 1	May be corrosive to metals.
Skin corrosion	Category 1	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

## Labelling

#### **Hazard symbols**

Corrosion

#### Signal word

Danger

## **Hazard statements**

May be corrosive to metals.

Causes severe skin burns and eye damage.

according to Hazard Communication Standard; 29 CFR 1910.1200



## DRANO CLOG REMOVER

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

#### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instructions on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant polypropylene container with a resistant inner liner.

Store in corrosive resistant polyethylene container with a resistant inner liner.

Store in corrosive resistant stainless steel container with a resistant inner liner.

Store in corrosive resistant aluminium container with a resistant inner liner.

Dispose of contents/ container to an approved incineration plant.

Keep only in original container.

Wear protective gloves.

Do not breathe dust or mist.

Wash hands thoroughly after handling.

Other hazards : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Sodium hypochlorite	7681-52-9	1.00 - 5.00
Sodium chloride	7647-14-5	1.00 - 5.00
Sodium hydroxide	1310-73-2	1.00 - 5.00
Sodium silicate	1344-09-8	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200



## DRANO CLOG REMOVER

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get

medical attention immediately.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Wash contaminated

clothing before reuse. Immediately call a POISON

CENTER/doctor.

Inhalation : IF INHALED: If breathing is difficult, remove victim to fresh air

and keep at rest in a position comfortable for breathing.

Ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Most important symptoms and effects, both acute and delayed

Eyes : Causes serious eye damage.

Skin effect : Causes severe skin burns.

No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

Ingestion : Causes digestive tract burns.

No adverse effects expected when used as directed.

#### Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

**Specific hazards during** : Container may melt and leak in heat of fire.

according to Hazard Communication Standard; 29 CFR 1910.1200



## DRANO CLOG REMOVER

Version 2.0 Print Date 08/16/2017

SDS Number 350000004298 Revision Date 08/16/2017

firefighting

Special protective equipment for firefighters : Wear suitable protective clothing and gloves.

Further information : Wear full protective clothing and positive pressure self-

contained breathing apparatus. In case of fire and/or explosion

do not breathe fumes.

## 6. ACCIDENTAL RELEASE MEASURES

: Wear personal protective equipment. **Personal precautions** 

Wash thoroughly after handling.

**Environmental** precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

Absorb spillage to prevent material damage.

#### 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Avoid breathing vapours, mist or gas. Wash thoroughly after handling.

Advice on protection against fire and explosion Normal measures for preventive fire protection.

**Storage** 

Requirements for storage areas and containers

Keep container closed when not in use.

Store locked up.

Store in original container.

Store in corrosive resistant aluminium container with a resistant

inner liner.

according to Hazard Communication Standard; 29 CFR 1910.1200



# DRANO CLOG REMOVER

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	OSHA TWA
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	ACGIH Ceiling

## Personal protective equipment

**Respiratory protection**: Use only with adequate ventilation.

Substantial amounts of mist/vapors can be controlled with

local exhaust ventilation or respiratory protection.

Hand protection : Rubber gloves

**Eye protection** : Wear splash-resistant Chemical goggles.

**Skin and body protection** : Protective footwear.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : clear

Odour : odourless

Odour Threshold : Test not applicable for this product type

**pH** : 11.5 - 13.4

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

SDS Number 350000004298 Revision Date 08/16/2017

Melting point/freezing point : 32 °F

Initial boiling point and

boiling range

: > 93 °C

Flash point : does not flash

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Test not applicable for this product type

explosive limits

**Upper/lower flammability or** : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : No data available

Relative density : 1.09 g/cm3 at 25 °C

Solubility(ies) : completely soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Test not applicable for this product type

**Decomposition temperature**: Test not applicable for this product type

Viscosity, dynamic : < 10 mPa.s

Viscosity, kinematic : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



## DRANO CLOG REMOVER

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)\* : 0 % - additional exemptions may apply

\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

10. STABILITY AND REACTIVITY

**Reactivity**: No dangerous reaction known under conditions of normal use.

**Chemical stability** : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

**Incompatible materials** : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

## 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties Classification Routes of entry

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

 Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

# 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

**Toxicity** 

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

## Toxicity to fish

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	LC50	Fish	0.06 mg/l	96 h
	NOEC		0.01 - < 0.1 mg/l	28 d
Sodium chloride	flow- through test LC50	Lepomis macrochirus	5,840 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	252 mg/l	33 d
Sodium hydroxide	LC50	Fish	35 - 189 mg/l	96 h
Sodium silicate	LC50	Oncorhynchus mykiss (rainbow trout)	260 - 310 mg/l	96 h

## **Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	EC50	Ceriodaphnia dubia	0.035 mg/l	48 h
Sodium chloride	static test EC50	Daphnia magna (Water flea)	340.7 -	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

			469.2 mg/l	
	NOEC	Daphnia pulex	314 mg/l	21 d
Sodium hydroxide	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
Sodium silicate	static test EC50	Daphnia magna (Water flea)	1,700 mg/l	48 h

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	ErC50	Pseudokirchneriella subcapitata (green algae)	0.0499 mg/l	
Sodium chloride	IC50	Algae	3,014 mg/l	72 h
Sodium hydroxide	No data available			
Sodium silicate	EC50	Desmodesmus subspicatus (green algae)	> 345.4 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	No data available		
Sodium chloride	No data available		
Sodium hydroxide	No data available		
Sodium silicate	No data available		

# **Bioaccumulative potential**

Component	Bioconcentration	Partition Coefficient n-
	factor (BCF)	Octanol/water (log)

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

Sodium hypochlorite	No data available	-3.42
Sodium chloride	1.09 QSAR	0.54
Sodium hydroxide	0.89 estimated	-1.38
Sodium silicate	No data available	No data available

## **Mobility**

Component	End point	Value
Sodium hypochlorite	No data available	
Sodium chloride	No data available	
Sodium hydroxide	No data available	
Sodium silicate	No data available	

#### PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
Sodium chloride	Not fulfilling PBT and vPvB criteria
Sodium hydroxide	Not fulfilling PBT and vPvB criteria
Sodium silicate	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

	Land transport	Sea transport	Air transport
UN number	1760	1760	1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S (Sodium hypochlorite)	CORROSIVE LIQUID, N.O.S (Sodium hypochlorite)	CORROSIVE LIQUID, N.O.S (Sodium hypochlorite)
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

## 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **DRANO CLOG REMOVER**

Version 2.0 Print Date 08/16/2017

Revision Date 08/16/2017 SDS Number 350000004298

#### **16. OTHER INFORMATION**

## **HMIS Ratings**

Tilviio Natings	
Health	3
Flammability	0
Reactivity	0

## **NFPA Ratings**

Health	3
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)