

# SAFETY DATA SHEET

Issuing Date 31-Aug-2018 Revision Date 31-Aug-2018 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Mothers Mag & Aluminum Polish

Other means of identification

Product Code(s) 05100, 05101, 05102, 05104, 35100, 55100

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Metal polish

Uses advised against No information available

Supplier's details

Supplier Address

MOTHERS POLISHES WAXES MOTHERS POLISHES WAXES CLEANERS

Company

CLEANERS 5456 Industrial Drive

5456 Industrial Drive Huntington Beach, CA 92649

Huntington Beach, CA 92649 TEL: 714-891-3364 TEL: 714-893-1827

FAX: 714-893-1827

**Emergency telephone number** 

Emergency Telephone Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

Number

## 2. HAZARDS IDENTIFICATION

## Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Specific Target Organ Toxicity (Repeated Exposure)	Category 1
Aspiration Toxicity	Category 1

### **Label Elements**

Signal Word

Danger



#### **Hazard Statements**

Causes damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways

### Physical and Health Hazards Not Otherwise Classified

Not applicable.

#### **Precautionary Statements**

#### Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.

#### **General Advice**

Get medical attention/advice if you feel unwell.

#### Ingestion

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- · Do NOT induce vomiting.

#### Storage

· Store locked up.

### Disposal

• Dispose of contents/container to an approved waste disposal plant.

## Other information

Causes mild skin irritation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, hydrotreated light	64742-47-8	25-50	-	-
Aluminum oxide	1344-28-1	25-50	-	-
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	<10	-	-
Stearic acid	57-11-4	<10	-	-
Triethanolamine	102-71-6	<10	-	-
Tall oil fatty acids	61790-12-3	<10	-	-
Poly(oxy-1,2-ethanediyl), alpha-[(1,1,3,3-tetramethylbutyl)phenyl]-omega-hyd roxy-	9036-19-5	<10	-	-
Hexylene glycol	107-41-5	<10	-	-

## 4. FIRST AID MEASURES

## **Description of necessary first-aid measures**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

\_\_\_\_\_

symptoms persist, call a physician.

**Skin Contact** Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

**Ingestion** Drink plenty of water. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Consult a physician if necessary.

**Protection of First-aiders** For personal protection see Section 8.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Aspiration into lungs can produce severe lung damage.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder. Dry chemical.

**Unsuitable Extinguishing Media**Do not use a solid water stream as it may scatter and spread fire.

**Specific Hazards Arising from the** Thermal decomposition can lead to release of irritating gases and vapors.

**Chemical** 

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

**Precautions for Firefighters** (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Avoid contact with the skin and the eyes. Use personal protective equipment.

Environmental Precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers. Keep in suitable and closed containers

for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

\_\_\_\_\_

children.

Incompatible Products None known based on information supplied.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m³ (as oil mist)	-
04742 47 0	(as oil mist)	(as on mist)	
Aluminum oxide	TWA: 1 mg/m³ respirable	TWA: 15 mg/m³ total dust	-
1344-28-1	particulate matter	TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m³	
		respirable fraction	
Stearic acid	TWA: 10 mg/m³ inhalable	-	-
57-11-4	particulate matter		
	TWA: 3 mg/m³ respirable		
	particulate matter		
Sodium stearate	TWA: 10 mg/m³ inhalable	-	-
822-16-2	particulate matter		
	TWA: 3 mg/m³ respirable		
	particulate matter		
Triethanolamine	TWA: 5 mg/m <sup>3</sup>	-	-
102-71-6			
Tall oil fatty acids	5 mg/m³ (resp)	5 mg/m³ (resp)	-
61790-12-3	10 mg/m <sup>3</sup> STEL (resp)		
Hexylene glycol	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 25 ppm	Ceiling: 25 ppm
107-41-5	STEL: 10 mg/m³ inhalable	(vacated) Ceiling: 125 mg/m³	Ceiling: 125 mg/m <sup>3</sup>
	particulate matter, aerosol only		
ACCULTING Associate Conference of	TWA: 25 ppm vapor fraction	Thursday I de la	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and Body Protection** Protective gloves.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid. Appearance White.

Odor Pine. Odor Threshold No information available.

**Property** Values Remarks/ - Method рH No data available None known 55 °C / 151 °F Melting Point/Range None known **Boiling Point/Boiling Range** No data available None known **Flash Point** 90 °C / 140 °F None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** No data available None known **Relative Density** No data available None known **Specific Gravity** No data available None known Water Solubility No data available None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known **Flammable Properties** Combustible material: may burn but does not ignite readily No data available **Explosive Properties Oxidizing Properties** No data available Other information

10. STABILITY AND REACTIVITY

**Reactivity** No data available.

<u>Chemical stability</u> Stable under normal conditions.

**Possibility of hazardous reactions** None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

< 3

<u>Conditions to avoid</u> None known based on information supplied.

<u>Incompatible materials</u> None known based on information supplied.

Hazardous decomposition products None under normal use. Thermal decomposition can lead to release of irritating gases and

vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**VOC Content (%)** 

**Inhalation** No known effect.

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** Prolonged or repeated contact may dry skin and cause irritation. Causes mild skin irritation. **Ingestion** Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed.

#### Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable.

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat) 4 h
light			
Aluminum oxide	> 5000 mg/kg (Rat)	-	-
Solvent naphtha (petroleum),	> 25 mL/kg(Rat)	> 3000 mg/kg ( Rabbit )	> 13 mg/L (Rat)4 h
medium aliphatic			
Triethanolamine	= 4190 mg/kg (Rat)	> 20000 mg/kg (Rabbit) > 16	-
		mL/kg (Rat)	
Hexylene glycol	= 3700 mg/kg (Rat)	12,300 mg/kg ( Rabbit )	> 310 mg/m³ (Rat) 1 h

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Not expected to be a sensitizer.

Does not contain substances that are known or suspected to be mutagens.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		

## IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity**This product does not contain any known or suspected reproductive hazards.

STOT - single exposure None of the ingredients are known to cause specific target organ effects from a single

exposure.

STOT - repeated exposure

Chronic Toxicity

Causes damage to organs through prolonged or repeated exposure.

Avoid repeated exposure. Repeated contact may cause allergic reactions in very

susceptible persons. Intentional misuse by deliberately concentrating and inhaling contents

may be harmful or fatal.

Target Organ Effects

Respiratory system. Eyes. Skin. Central nervous system (CNS).

**Aspiration Hazard** May be fatal if swallowed and enters airways.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Petroleum distillates,		LC50 96 h: = 45 mg/L		LC50 96 h: = 4720 mg/L
hydrotreated light		flow-through (Pimephales		(Den-dronereides
64742-47-8		promelas) LC50 96 h: = 2.2		heteropoda)
		mg/L static (Lepomis		
		macrochirus) LC50 96 h: =		
		2.4 mg/L static		
		(Oncorhynchus mykiss)		
Aluminum oxide		LC50 96 h: > 100 mg/L		LC50 48 h: > 100 mg/L
1344-28-1		semistatic (Salmo trutta)		(daphnia magna)
Solvent naphtha	EC50 96 h: = 450 mg/L	LC50 96 h: = 800 mg/L static		EC50 48 h: > 100 mg/L
(petroleum), medium	(Pseudokirchneriella	(Pimephales promelas)		(Daphnia magna)
aliphatic	subcapitata)			
64742-88-7				
Triethanolamine	EC50 96 h: = 169 mg/L	LC50 96 h: 10600 - 13000	EC50 > 10000 mg/L 30 min	EC50 24 h: = 1386 mg/L
102-71-6	(Desmodesmus	mg/L flow-through		(Daphnia magna)
	subspicatus) EC50 72 h: =	(Pimephales promelas)		
	216 mg/L (Desmodesmus	LC50 96 h: 450 - 1000 mg/L		
	subspicatus)	static (Lepomis macrochirus)		
		LC50 96 h: > 1000 mg/L		
		static (Pimephales		
		promelas)		

Tall oil fatty acids 61790-12-3	EC50 72 h: >= 1000 mg/L (Pseudokirchneriella subcapitata)			
Hexylene glycol 107-41-5		LC50 96 h: 10500 - 11000 mg/L flow-through (Pimephales promelas) LC50 96 h: = 10000 mg/L static (Lepomis macrochirus) LC50 96 h: = 10700 mg/L static (Pimephales promelas) LC50 96 h: = 8690 mg/L flow-through (Pimephales promelas)	EC50 = 3038 mg/L 5 min	EC50 48 h: 2700 - 3700 mg/L (Daphnia magna)

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Triethanolamine	-2.53
Tall oil fatty acids	5.98
Hexylene glycol	0.13986

**Mobility** No information available.

Other Adverse Effects No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations.

**Contaminated Packaging** Do not re-use empty containers.

California Hazardous Waste Codes 331

## **14. TRANSPORT INFORMATION**

DOTNot regulatedTDGNot regulatedMEXNot regulatedIATANot regulated

IMDG/IMO Not regulated

## 15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable Persistent Organic Pollutants Not applicable

**Hazardous Waste** 

 Chemical Name
 Basel Convention (Hazardous Wastes)

 Stearic acid
 Y34

The Rotterdam Convention (Prior

Informed Consent)

Not applicable

International Convention for the Prevention of Pollution from Ships

Not applicable

(MARPOL)

**International Inventories** 

TSCA Contact supplier for inventory compliance status

DSL/NDSL Contact supplier for inventory compliance status

Complies **European Union** 

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Aluminum oxide	1344-28-1	25-50	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **U.S. State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Aluminum oxide	X	X	X		X
Triethanolamine	X	X	X		X
Hexylene glycol	Х	X	X		Х

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards N/A	
HMIS *Indicates a chronic	Health Hazard 2*	Flammability 0	Physical Hazard 0	Personal Protection B	

Prepared By **Product Stewardship** 

> 23 British American Blvd. Latham, NY 12110 1-800-572-6501 31-Aug-2018

**Issuing Date Revision Date** 31-Aug-2018 **Revision Note** New regional format.

#### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**