SAFETY DATA SHEETS

This SDS packet was issued with item:

071743921

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071743913 071743970

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071743905 071743954 071743962

DENTSPLY/International DENTSPLY/Caulk Safety Data Sheet

505502

1. Identification

| Product Name | SDS Code Number |
|---|---|
| JELTRATE [®] PLUS | 505502 |
| Substance Identity | Date of Last Revision |
| JELTRATE® PLUS Alginate Impression Material | 04/15/11 |
| Manufacturer: | Address |
| DENTSPLY Caulk | 38 West Clarke Avenue |
| | Milford DE 19963-1805 |
| | http://www.caulk.com http://www.dentsply.com |
| Grades or Minor Variant Identities | Information Telephone Number |
| Fast Set and Regular Set | (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time) |
| Product Use (for Canada) | Emergency Telephone Number |
| Dental Alginate Impression Material | (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time) |

2. Hazard(s) Identification



WASH HANDS THOROUGHLY AFTER HANDLING WEAR PROTECTIVE GLOVES

IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE / ATTENTION
TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE

3. Composition/Information on Ingredients

| Hazardous Components | C.A.S. Number | Exposure Limits | % |
|--|---------------|------------------------|-----------|
| Silicon Dioxide -Crystalline - Cristobalite | 14464-46-1 | 0.025 mg/M^3 | < than 19 |
| Silicon Dioxide - Crystalline -Quartz | 14808-60-7 | 0.025 mg/M^3 | < than 3 |
| Silicon Dioxide – Amorphous - Diatomaceous Earth | 68855-54-9 | 0.1 mg/M^3 | < than 26 |
| Calcium Sulfate | 10101-41-4 | 10 mg/M^3 | < than 20 |
| Magnesium Oxide | 1309-48-4 | 10 mg/M^3 | < than 7 |
| Tetrasodium Pyrophosphate | 7722-88-5 | 5 mg/M^3 | < than 3 |

Colorant Information: Fast Set Product contains D & C Red # 30 Aluminum Lake as colorant.

Regular Set Product contains synthetic Yellow Iron Oxide as colorant.

Coating Information: The coating agent is an organic glycol compound.

Antibacterial Additive: The antibacterial additive is a quaternary ammonium compound.

4. First Aid Measures

| Routes of | First Aid Instructions | Immediate Medical | Delayed Effects | |
|---|---|-------------------|---|--|
| Exposure | | Attention | | |
| Eye | Rinse opened eye for several minutes under running water. If symptoms persist consult physician | Not Applicable | Not Applicable | |
| Skin | Immediately wash with soap and water and rinse thoroughly | Not Applicable | Not Applicable | |
| Inhalation | Supply fresh air, consult physician if symptoms persist | Not Applicable | Not Applicable | |
| Ingestion | If symptoms persist consult physician | Not Applicable | Low order of toxicity is expected when large amounts of material are ingested. Acute toxicology study in rats LD ₅₀ >2,000mg/kg. | |
| Other | Not Applicable | Not Applicable | Not Applicable | |
| Note to Physicians (Treating Testing and Monitoring): Treat symptomatically | | | | |

5. Fire Fighting Measures

| Flame Propagation or Burning Rate | Properties Contributing to Fire Intensity: | Flammability Classification: Not Applicable | Other: Not Applicable |
|-----------------------------------|--|---|-----------------------|
| (for Solids): Not Applicable | Not Applicable | | |

Extinguishing Media: CO₂, extinguishing powder, foam carbon dioxide or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.

Unusual Fire and Explosion Hazards: No dangerous decomposition products known. - Product does not present an explosion hazard.

6. Accidental Release Measures

Containment Techniques: Material is a dry fluffy powder, which is colored pale yellow or pink. Store only in the original package. Keep package tightly sealed to minimize dust generation and accumulation. The avoidance of any air contaminant is always a recommended practice. Adherence to work place ventilation standards is an assurance of general personnel health and comfort

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of drying out the skin. Ensure adequate ventilation, by either natural or mechanical means to keep dust level below PEL.

Evacuation Procedures: Not Applicable Special Instructions: Not Applicable Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store in a cool dry area. Store away from food and beverages. Minimize dust generation and accumulation. Avoid breathing dust and contact with eyes. Return cap to canisters immediately. Close pouches immediately after use. Continue to follow all SDS/label warnings when handling empty containers. Observe normal warehouse handling procedures. The avoidance of any air contaminant is always a recommended practice. Adherence to work place ventilation standards is an assurance of general personnel health and comfort.

8. Exposure Control / Personal Protection











| Individual Protection | Personal Protective Equipment for Normal Use | Personal Protective Equipment | | |
|--|---|----------------------------------|--|--|
| Measures | | for Emergencies | | |
| Eye/Face | Safety Glasses | Not Applicable | | |
| Skin | The glove material has to be impermeable and resistant to the product. | Not Applicable | | |
| Inhalation | Recommended NIOSH approved nuisance dust mask. <10X PEL, use 3M 9900; <100X PEL, use | Not Applicable | | |
| | MSA Ultra-Twin with H filter; <200X PEL, use MSA 01-00-06 with type C supplied air unit | | | |
| (continuous flow mode); or equivalent. | | | | |
| | Use sufficient natural or mechanical ventilation to keep dust level below PEL. | | | |
| Body Protection | Protective work clothing such as lab coat. | Not Applicable | | |
| General Hygiene Consider | ations and Work Practices: Avoid dusting when in use. Keep away from foodstuffs, beverages and feed | d. Immediately remove all soiled | | |
| and contaminated clothing | and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin. Do not eat, drink or smoke when using | | | |

General Hygiene Considerations and Work Practices: Avoid dusting when in use. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin. Do not eat, drink or smoke when using.

Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable

Other Protective Measures and Equipment: Not Applicable

9. Physical and Chemical Characteristics

| Appearance: Dry fluffy powder. May be colored pale y | Odor: Spearmint odor. | | | | |
|--|---|--|--|--|--|
| Normal Physical State: Dry fluffy powder. | Melting Point: Not Applicable | | | | |
| Specific Gravity: 0.3 g/cm ³ | pH: Not Applicable | | | | |
| Vapor Pressure (mm Hg): Not Applicable | Evaporation Rate (Butyl Acetate =1): Not Applicable | | | | |
| Other: Not Applicable | | | | | |

10. Stability and Reactivity Data

| Incompatibility (Materials to Avoid): Hydrofluoric Acid. | | |
|---|--|--|
| Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use. (DFU). | | |
| Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: None known | | |
| Stability? Stable ☐ Unstable Conditions to Avoid: None known | | |

11. Toxicological Information

| | 11/1 0111 011 011 111 011 | | | | |
|-----------------|--|-----------------------------|------------------------|--|-----------------|
| Toxicity Data, | Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: | | | | |
| Product may irr | ritate the skin. On the eye the pro | duct has an irritating effe | ect. Sensitization: No | sensitizing effects known. | |
| Emergency Ov | erview: Material may be mildly | irritating to eyes. | | | |
| Routes of | Routes of Single, Repeated, or Severity (Mild, Acute and Chronic Health Effect(s) | | | | |
| Exposure | Signs and Symptoms | Lifetime Exposure | Moderate, Severe) | | Target Organ(s) |
| Eye | Material can cause irritation. | Single | Moderate | Irritation and possible corneal damage | Not Applicable |
| Skin | Material may be irritating | Single & Repeated | Moderate | Possible irritation | Not Applicable |
| Inhalation | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Ingestion | Material is probably not | Not Applicable | Mild | Low order of toxicity is expected when | Not Applicable |
| | harmful if swallowed large amounts of material are ingested. | | | | |
| | Acute toxicology study in rats LD ₅₀ | | | | |

| | | | | >2,000mg/kg. | |
|---|----------------|----------------|----------------|----------------|----------------|
| Other | Not Applicable |
| Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. | | | | | |
| Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in | | | | | |
| compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. | | | | | |
| Potential Environmental Effects Do not allow to enter sewers/ surface or ground water. | | | | | |
| NFPA Hazard Classification Ratings (Scale 0-4), Health = 0, Fire = 0, Reactivity = 0 | | | | | |

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

13.Disposal Considerations

Regulations: Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations. Vacuum clean dust with equipment fitted with a HEPA filter. Use dust suppression such as water if sweeping is necessary. Sweep up spilled material and place in closed containers for disposal.

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

14.Transport Information

| Regulated for Shipping: No. Not Regulated | DOT Shipping Name: Not Regulated | Packing Group: Not Applicable |
|--|----------------------------------|-------------------------------|
| Do Changes in Quantities, packaging, or shipment | DOT Hazard Class: Not Applicable | UN Number: Not Applicable |
| method change product classification? No | | |

15.Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements.

Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

<u>U.S. State Regulations California Proposition 65:</u> This product does not contain any chemicals, which are on the California Proposition 65 list.

International Regulations: Canadian Environmental Protection Act:

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

16.Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.